

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15	1.50	-	-	-	-	-	1.50 (1.40-2.10)	0.960 (0.890-1.150)	4.22	99
20	2.00	-	-	-	-	-	2.00 (1.80-2.80)	0.980 (0.890-1.540)	4.30	99
22	2.20	-	-	-	-	-	2.20 (2.00-3.00)	0.890 (0.850-0.940)	3.91	99
25	2.50	-	-	-	-	-	2.50 (2.20-3.30)	0.890 (0.850-0.970)	3.91	99
35	3.50	-	-	-	-	-	3.50 (2.50-4.30)	1.030 (0.850-1.180)	4.52	99
42	4.20	-	-	-	-	-	4.20 (2.50-5.00)	1.230 (0.850-1.460)	5.40	99
50	5.00	-	-	-	-	-	5.00 (2.60-5.60)	1.440 (0.850-1.630)	6.32	99
60	6.00	-	-	-	-	-	6.00 (2.70-7.50)	1.840 (0.830-2.310)	8.08	99
71	7.10	-	-	-	-	-	7.10 (2.70-8.70)	2.310 (0.830-2.840)	10.14	99
15+15	1.50	1.50	-	-	-	-	3.00 (2.50-4.20)	0.910 (0.880-2.300)	4.00	99
15+20	1.50	2.00	-	-	-	-	3.50 (2.50-4.90)	0.989 (0.880-2.690)	4.34	99
15+22	1.50	2.20	-	-	-	-	3.70 (2.50-5.10)	1.020 (0.880-2.800)	4.48	99
15+25	1.50	2.50	-	-	-	-	4.00 (2.50-5.50)	1.067 (0.880-3.020)	4.69	99
15+35	1.50	3.50	-	-	-	-	5.00 (2.70-6.50)	1.350 (0.840-2.280)	5.93	99
15+42	1.50	4.20	-	-	-	-	5.70 (2.70-7.20)	1.626 (0.840-2.520)	7.14	99
15+50	1.50	5.00	-	-	-	-	6.50 (2.80-7.90)	1.941 (0.840-2.750)	8.53	99
15+60	1.50	6.00	-	-	-	-	7.50 (2.80-8.70)	2.756 (0.840-3.020)	12.10	99
15+71	1.48	7.02	-	-	-	-	8.50 (2.80-9.30)	2.948 (0.840-3.130)	12.95	99
20+20	2.00	2.00	-	-	-	-	4.00 (2.50-5.50)	1.067 (0.880-3.020)	4.69	99
20+22	2.00	2.20	-	-	-	-	4.20 (2.60-5.70)	1.099 (0.860-2.460)	4.82	99
20+25	2.00	2.50	-	-	-	-	4.50 (2.70-6.00)	1.167 (0.840-1.960)	5.12	99
20+35	2.00	3.50	-	-	-	-	5.50 (2.70-7.00)	1.547 (0.840-2.450)	6.79	99
20+42	2.00	4.20	-	-	-	-	6.20 (2.80-7.60)	1.823 (0.840-2.650)	8.01	99
20+50	2.00	5.00	-	-	-	-	7.00 (2.80-8.40)	2.296 (0.840-2.920)	10.08	99
20+60	2.00	6.00	-	-	-	-	8.00 (2.80-9.00)	2.943 (0.840-3.080)	12.92	99
20+71	1.89	6.71	-	-	-	-	8.60 (2.80-9.30)	2.949 (0.840-3.130)	12.95	99
22+22	2.20	2.20	-	-	-	-	4.40 (2.70-5.90)	1.130 (0.850-2.200)	4.96	99
22+25	2.20	2.50	-	-	-	-	4.70 (2.70-6.20)	1.240 (0.840-2.090)	5.45	99
22+35	2.20	3.50	-	-	-	-	5.70 (2.70-7.20)	1.626 (0.840-2.520)	7.14	99
22+42	2.20	4.20	-	-	-	-	6.40 (2.80-7.80)	1.902 (0.840-2.720)	8.35	99
22+50	2.20	5.00	-	-	-	-	7.20 (2.80-8.50)	2.480 (0.840-2.970)	10.89	99
22+60	2.20	6.00	-	-	-	-	8.20 (2.80-9.10)	2.945 (0.840-3.110)	12.93	99
22+71	2.06	6.64	-	-	-	-	8.70 (2.80-9.40)	2.950 (0.840-3.130)	12.96	99
25+25	2.50	2.50	-	-	-	-	5.00 (2.70-6.50)	1.350 (0.840-2.280)	5.93	99
25+35	2.50	3.50	-	-	-	-	6.00 (2.80-7.50)	1.744 (0.840-2.620)	7.66	99
25+42	2.50	4.20	-	-	-	-	6.70 (2.80-8.10)	2.020 (0.840-2.820)	8.87	99
25+50	2.50	5.00	-	-	-	-	7.50 (2.80-8.70)	2.756 (0.840-3.020)	12.10	99
25+60	2.47	5.93	-	-	-	-	8.40 (2.80-9.20)	2.947 (0.840-3.130)	12.94	99
25+71	2.29	6.51	-	-	-	-	8.80 (2.80-9.40)	2.960 (0.840-3.130)	13.00	99
35+35	3.50	3.50	-	-	-	-	7.00 (2.80-8.40)	2.296 (0.840-2.920)	10.08	99
35+42	3.50	4.20	-	-	-	-	7.70 (2.80-8.80)	2.940 (0.840-3.040)	12.91	99
35+50	3.46	4.94	-	-	-	-	8.40 (2.80-9.20)	2.947 (0.840-3.130)	12.94	99
35+60	3.21	5.49	-	-	-	-	8.70 (2.80-9.40)	2.950 (0.840-3.130)	12.96	99
35+71	3.00	6.10	-	-	-	-	9.10 (2.80-9.70)	2.990 (0.830-3.160)	13.13	99
42+42	4.20	4.20	-	-	-	-	8.40 (2.80-9.20)	2.947 (0.840-3.130)	12.94	99
42+50	3.97	4.73	-	-	-	-	8.70 (2.80-9.40)	2.950 (0.840-3.130)	12.96	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
42+60	3.75	5.35	-	-	-	-	9.10 (2.80-9.70)	2.990 (0.830-3.160)	13.13	99
42+71	3.49	5.91	-	-	-	-	9.40 (2.90-10.00)	3.020 (0.820-3.200)	13.26	99
50+50	4.45	4.45	-	-	-	-	8.90 (2.80-9.50)	2.970 (0.840-3.130)	13.04	99
50+60	4.23	5.07	-	-	-	-	9.30 (2.90-9.90)	3.010 (0.830-3.190)	13.22	99
50+71	3.97	5.63	-	-	-	-	9.60 (2.90-10.20)	3.040 (0.810-3.230)	13.35	99
60+60	4.80	4.80	-	-	-	-	9.60 (2.90-10.20)	3.040 (0.810-3.230)	13.35	99
60+71	4.44	5.26	-	-	-	-	9.70 (2.90-10.30)	3.050 (0.810-3.240)	13.39	99
71+71	4.85	4.85	-	-	-	-	9.70 (2.90-10.30)	3.050 (0.810-3.240)	13.39	99
15+15+15	1.50	1.50	1.50	-	-	-	4.50 (2.90-6.00)	1.200 (0.950-3.280)	5.27	99
15+15+20	1.50	1.50	2.00	-	-	-	5.00 (2.90-6.80)	1.308 (0.950-3.560)	5.75	99
15+15+22	1.50	1.50	2.20	-	-	-	5.20 (2.90-7.10)	1.352 (0.950-3.670)	5.94	99
15+15+25	1.50	1.50	2.50	-	-	-	5.50 (3.00-7.50)	1.417 (0.950-3.810)	6.22	99
15+15+35	1.50	1.50	3.50	-	-	-	6.50 (3.20-8.50)	1.633 (0.900-2.500)	7.17	99
15+15+42	1.50	1.50	4.20	-	-	-	7.20 (3.20-9.20)	1.865 (0.890-3.000)	8.19	99
15+15+50	1.54	1.54	5.13	-	-	-	8.20 (3.20-9.80)	2.350 (0.890-3.400)	10.32	99
15+15+60	1.48	1.48	5.93	-	-	-	8.90 (3.30-10.40)	2.725 (0.890-3.750)	11.97	99
15+15+71	1.43	1.43	6.75	-	-	-	9.60 (3.30-11.00)	3.100 (0.890-4.110)	13.61	99
15+20+20	1.50	2.00	2.00	-	-	-	5.50 (3.00-7.50)	1.417 (0.950-3.810)	6.22	99
15+20+22	1.50	2.00	2.20	-	-	-	5.70 (3.00-7.80)	1.460 (0.950-3.910)	6.41	99
15+20+25	1.50	2.00	2.50	-	-	-	6.00 (3.00-8.30)	1.525 (0.950-4.090)	6.70	99
15+20+35	1.50	2.00	3.50	-	-	-	7.00 (3.20-8.90)	1.768 (0.890-2.790)	7.77	99
15+20+42	1.48	1.97	4.15	-	-	-	7.60 (3.20-9.60)	2.059 (0.890-3.280)	9.04	99
15+20+50	1.45	1.93	4.82	-	-	-	8.20 (3.20-10.10)	2.350 (0.890-3.580)	10.32	99
15+20+60	1.41	1.87	5.62	-	-	-	8.90 (3.30-10.60)	2.725 (0.890-3.870)	11.97	99
15+20+71	1.36	1.81	6.43	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
15+22+22	1.50	2.20	2.20	-	-	-	5.90 (3.00-8.10)	1.503 (0.950-4.020)	6.60	99
15+22+25	1.50	2.20	2.50	-	-	-	6.20 (3.10-8.40)	1.568 (0.930-3.300)	6.89	99
15+22+35	1.50	2.20	3.50	-	-	-	7.20 (3.20-9.20)	1.865 (0.890-3.000)	8.19	99
15+22+42	1.42	2.09	3.99	-	-	-	7.50 (3.20-9.70)	2.011 (0.890-3.340)	8.83	99
15+22+50	1.41	2.07	4.71	-	-	-	8.20 (3.20-10.20)	2.350 (0.890-3.640)	10.32	99
15+22+60	1.38	2.02	5.51	-	-	-	8.90 (3.30-10.70)	2.725 (0.890-3.930)	11.97	99
15+22+71	1.33	1.96	6.31	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
15+25+25	1.50	2.50	2.50	-	-	-	6.50 (3.20-8.50)	1.633 (0.900-2.500)	7.17	99
15+25+35	1.50	2.50	3.50	-	-	-	7.50 (3.20-9.50)	2.011 (0.890-3.220)	8.83	99
15+25+42	1.50	2.50	4.20	-	-	-	8.20 (3.20-9.90)	2.350 (0.890-3.460)	10.32	99
15+25+50	1.48	2.47	4.94	-	-	-	8.90 (3.30-10.40)	2.725 (0.890-3.750)	11.97	99
15+25+60	1.44	2.40	5.76	-	-	-	9.60 (3.30-10.90)	3.100 (0.890-4.050)	13.61	99
15+25+71	1.31	2.18	6.20	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
15+35+35	1.45	3.38	3.38	-	-	-	8.20 (3.20-10.10)	2.350 (0.890-3.580)	10.32	99
15+35+42	1.45	3.39	4.06	-	-	-	8.90 (3.30-10.50)	2.725 (0.890-3.810)	11.97	99
15+35+50	1.44	3.36	4.80	-	-	-	9.60 (3.30-10.90)	3.100 (0.890-4.050)	13.61	99
15+35+60	1.32	3.09	5.29	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
15+35+71	1.21	2.83	5.75	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
15+42+42	1.35	3.78	3.78	-	-	-	8.90 (3.30-10.90)	2.725 (0.890-4.050)	11.97	99
15+42+50	1.35	3.77	4.49	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
15+42+60	1.26	3.52	5.03	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+42+71	1.17	3.28	5.55	-	-	-	10.00 (3.30-11.60)	3.423 (0.890-4.490)	15.03	99
15+50+50	1.27	4.22	4.22	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
15+50+60	1.19	3.96	4.75	-	-	-	9.90 (3.30-11.50)	3.357 (0.890-4.420)	14.74	99
15+50+71	1.13	3.75	5.33	-	-	-	10.20 (3.30-11.80)	3.540 (0.890-4.640)	15.55	99
15+60+60	1.13	4.53	4.53	-	-	-	10.20 (3.30-11.80)	3.540 (0.890-4.640)	15.55	99
15+60+71	1.08	4.32	5.11	-	-	-	10.50 (3.30-12.10)	3.690 (0.890-4.860)	16.21	99
15+71+71	1.03	4.88	4.88	-	-	-	10.80 (3.30-12.40)	3.711 (0.880-4.800)	16.30	99
20+20+20	2.00	2.00	2.00	-	-	-	6.00 (3.00-8.30)	1.525 (0.950-4.090)	6.70	99
20+20+22	2.00	2.00	2.20	-	-	-	6.20 (3.10-8.40)	1.568 (0.930-3.300)	6.89	99
20+20+25	2.00	2.00	2.50	-	-	-	6.50 (3.20-8.50)	1.633 (0.900-2.500)	7.17	99
20+20+35	2.00	2.00	3.50	-	-	-	7.50 (3.20-9.50)	2.011 (0.890-3.220)	8.83	99
20+20+42	2.00	2.00	4.20	-	-	-	8.20 (3.20-9.90)	2.350 (0.890-3.460)	10.32	99
20+20+50	1.98	1.98	4.94	-	-	-	8.90 (3.30-10.40)	2.725 (0.890-3.750)	11.97	99
20+20+60	1.92	1.92	5.76	-	-	-	9.60 (3.30-10.90)	3.100 (0.890-4.050)	13.61	99
20+20+71	1.75	1.75	6.20	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
20+22+22	2.00	2.20	2.20	-	-	-	6.40 (3.10-8.40)	1.612 (0.910-3.300)	7.08	99
20+22+25	2.00	2.20	2.50	-	-	-	6.70 (3.20-8.60)	1.677 (0.890-2.570)	7.36	99
20+22+35	1.97	2.17	3.45	-	-	-	7.60 (3.20-9.60)	2.059 (0.890-3.280)	9.04	99
20+22+42	1.95	2.15	4.10	-	-	-	8.20 (3.20-10.00)	2.350 (0.890-3.520)	10.32	99
20+22+50	1.93	2.13	4.84	-	-	-	8.90 (3.30-10.50)	2.725 (0.890-3.810)	11.97	99
20+22+60	1.88	2.07	5.65	-	-	-	9.60 (3.30-11.00)	3.100 (0.890-4.110)	13.61	99
20+22+71	1.72	1.89	6.09	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
20+25+25	2.00	2.50	2.50	-	-	-	7.00 (3.20-8.90)	1.768 (0.890-2.790)	7.77	99
20+25+35	2.05	2.56	3.59	-	-	-	8.20 (3.20-9.80)	2.350 (0.890-3.400)	10.32	99
20+25+42	1.89	2.36	3.96	-	-	-	8.20 (3.20-10.20)	2.350 (0.890-3.640)	10.32	99
20+25+50	1.87	2.34	4.68	-	-	-	8.90 (3.30-10.60)	2.725 (0.890-3.870)	11.97	99
20+25+60	1.83	2.29	5.49	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
20+25+71	1.69	2.11	6.00	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
20+35+35	1.98	3.46	3.46	-	-	-	8.90 (3.30-10.40)	2.725 (0.890-3.750)	11.97	99
20+35+42	1.84	3.21	3.85	-	-	-	8.90 (3.30-10.70)	2.725 (0.890-3.930)	11.97	99
20+35+50	1.83	3.20	4.57	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
20+35+60	1.69	2.95	5.06	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
20+35+71	1.57	2.75	5.58	-	-	-	9.90 (3.30-11.50)	3.357 (0.890-4.420)	14.74	99
20+42+42	1.85	3.88	3.88	-	-	-	9.60 (3.30-11.10)	3.100 (0.890-4.170)	13.61	99
20+42+50	1.73	3.64	4.33	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
20+42+60	1.61	3.37	4.82	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
20+42+71	1.52	3.19	5.39	-	-	-	10.10 (3.30-11.70)	3.490 (0.890-4.570)	15.33	99
20+50+50	1.63	4.08	4.08	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
20+50+60	1.54	3.85	4.62	-	-	-	10.00 (3.30-11.60)	3.423 (0.890-4.490)	15.03	99
20+50+71	1.46	3.65	5.19	-	-	-	10.30 (3.30-11.90)	3.590 (0.890-4.710)	15.77	99
20+60+60	1.47	4.41	4.41	-	-	-	10.30 (3.30-11.90)	3.590 (0.890-4.710)	15.77	99
20+60+71	1.40	4.21	4.98	-	-	-	10.60 (3.30-12.20)	3.740 (0.890-4.930)	16.43	99
20+71+71	1.36	4.82	4.82	-	-	-	11.00 (3.30-12.50)	3.682 (0.870-4.740)	16.17	99
22+22+22	2.20	2.20	2.20	-	-	-	6.60 (3.20-8.50)	1.655 (0.890-2.500)	7.27	99
22+22+25	2.20	2.20	2.50	-	-	-	6.90 (3.20-8.80)	1.720 (0.890-2.720)	7.55	99
22+22+35	2.09	2.09	3.32	-	-	-	7.50 (3.20-9.70)	2.011 (0.890-3.340)	8.83	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+22+42	2.10	2.10	4.00	-	-	-	8.20 (3.20-10.10)	2.350 (0.890-3.580)	10.32	99
22+22+50	2.08	2.08	4.73	-	-	-	8.90 (3.30-10.60)	2.725 (0.890-3.870)	11.97	99
22+22+60	2.03	2.03	5.54	-	-	-	9.60 (3.30-11.10)	3.100 (0.890-4.170)	13.61	99
22+22+71	1.86	1.86	5.99	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
22+25+25	2.20	2.50	2.50	-	-	-	7.20 (3.20-9.20)	1.865 (0.890-3.000)	8.19	99
22+25+35	2.20	2.50	3.50	-	-	-	8.20 (3.20-9.90)	2.350 (0.890-3.460)	10.32	99
22+25+42	2.03	2.30	3.87	-	-	-	8.20 (3.20-10.30)	2.350 (0.890-3.700)	10.32	99
22+25+50	2.02	2.29	4.59	-	-	-	8.90 (3.30-10.70)	2.725 (0.890-3.930)	11.97	99
22+25+60	1.97	2.24	5.38	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
22+25+71	1.83	2.08	5.90	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
22+35+35	2.13	3.39	3.39	-	-	-	8.90 (3.30-10.50)	2.725 (0.890-3.810)	11.97	99
22+35+42	1.98	3.15	3.78	-	-	-	8.90 (3.30-10.90)	2.725 (0.890-4.050)	11.97	99
22+35+50	1.97	3.14	4.49	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
22+35+60	1.84	2.93	5.03	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
22+35+71	1.72	2.73	5.55	-	-	-	10.00 (3.30-11.60)	3.423 (0.890-4.490)	15.03	99
22+42+42	1.99	3.80	3.80	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
22+42+50	1.87	3.57	4.25	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
22+42+60	1.76	3.35	4.79	-	-	-	9.90 (3.30-11.50)	3.357 (0.890-4.420)	14.74	99
22+42+71	1.66	3.17	5.36	-	-	-	10.20 (3.30-11.80)	3.540 (0.890-4.640)	15.55	99
22+50+50	1.77	4.02	4.02	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
22+50+60	1.68	3.83	4.59	-	-	-	10.10 (3.30-11.70)	3.490 (0.890-4.570)	15.33	99
22+50+71	1.60	3.64	5.16	-	-	-	10.40 (3.30-12.00)	3.640 (0.890-4.780)	15.99	99
22+60+60	1.61	4.39	4.39	-	-	-	10.40 (3.30-12.00)	3.640 (0.890-4.780)	15.99	99
22+60+71	1.54	4.20	4.97	-	-	-	10.70 (3.30-12.30)	3.726 (0.890-4.870)	16.36	99
22+71+71	1.48	4.76	4.76	-	-	-	11.00 (3.30-12.60)	3.682 (0.870-4.680)	16.17	99
25+25+25	2.50	2.50	2.50	-	-	-	7.50 (3.20-9.50)	2.011 (0.890-3.220)	8.83	99
25+25+35	2.41	2.41	3.38	-	-	-	8.20 (3.20-10.10)	2.350 (0.890-3.580)	10.32	99
25+25+42	2.42	2.42	4.06	-	-	-	8.90 (3.30-10.50)	2.725 (0.890-3.810)	11.97	99
25+25+50	2.40	2.40	4.80	-	-	-	9.60 (3.30-10.90)	3.100 (0.890-4.050)	13.61	99
25+25+60	2.20	2.20	5.29	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
25+25+71	2.02	2.02	5.75	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
25+35+35	2.34	3.28	3.28	-	-	-	8.90 (3.30-10.60)	2.725 (0.890-3.870)	11.97	99
25+35+42	2.35	3.29	3.95	-	-	-	9.60 (3.30-11.00)	3.100 (0.890-4.110)	13.61	99
25+35+50	2.20	3.09	4.41	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
25+35+60	2.04	2.86	4.90	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
25+35+71	1.91	2.67	5.42	-	-	-	10.00 (3.30-11.60)	3.423 (0.890-4.490)	15.03	99
25+42+42	2.22	3.74	3.74	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
25+42+50	2.09	3.52	4.19	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
25+42+60	1.95	3.27	4.68	-	-	-	9.90 (3.30-11.50)	3.357 (0.890-4.420)	14.74	99
25+42+71	1.87	3.13	5.30	-	-	-	10.30 (3.30-11.90)	3.590 (0.890-4.710)	15.77	99
25+50+50	1.98	3.96	3.96	-	-	-	9.90 (3.30-11.50)	3.357 (0.890-4.420)	14.74	99
25+50+60	1.89	3.78	4.53	-	-	-	10.20 (3.30-11.80)	3.540 (0.890-4.640)	15.55	99
25+50+71	1.80	3.60	5.11	-	-	-	10.50 (3.30-12.10)	3.690 (0.890-4.860)	16.21	99
25+60+60	1.81	4.34	4.34	-	-	-	10.50 (3.30-12.10)	3.690 (0.890-4.860)	16.21	99
25+60+71	1.73	4.15	4.92	-	-	-	10.80 (3.30-12.40)	3.711 (0.880-4.800)	16.30	99
25+71+71	1.66	4.72	4.72	-	-	-	11.10 (3.40-12.70)	3.668 (0.870-4.610)	16.11	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
35+35+35	3.20	3.20	3.20	-	-	-	9.60 (3.30-11.20)	3.100 (0.890-4.230)	13.61	99
35+35+42	3.03	3.03	3.64	-	-	-	9.70 (3.30-11.30)	3.200 (0.890-4.290)	14.05	99
35+35+50	2.86	2.86	4.08	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
35+35+60	2.69	2.69	4.62	-	-	-	10.00 (3.30-11.60)	3.423 (0.890-4.490)	15.03	99
35+35+71	2.56	2.56	5.19	-	-	-	10.30 (3.30-11.90)	3.590 (0.890-4.710)	15.77	99
35+42+42	2.88	3.46	3.46	-	-	-	9.80 (3.30-11.40)	3.290 (0.890-4.360)	14.45	99
35+42+50	2.73	3.27	3.90	-	-	-	9.90 (3.30-11.50)	3.357 (0.890-4.420)	14.74	99
35+42+60	2.61	3.13	4.47	-	-	-	10.20 (3.30-11.80)	3.540 (0.890-4.640)	15.55	99
35+42+71	2.48	2.98	5.04	-	-	-	10.50 (3.30-12.10)	3.690 (0.890-4.860)	16.21	99
35+50+50	2.64	3.78	3.78	-	-	-	10.20 (3.30-11.80)	3.540 (0.890-4.640)	15.55	99
35+50+60	2.53	3.62	4.34	-	-	-	10.50 (3.30-12.10)	3.690 (0.890-4.860)	16.21	99
35+50+71	2.42	3.46	4.92	-	-	-	10.80 (3.30-12.40)	3.711 (0.880-4.800)	16.30	99
35+60+60	2.44	4.18	4.18	-	-	-	10.80 (3.30-12.30)	3.711 (0.880-4.870)	16.30	99
35+60+71	2.34	4.01	4.75	-	-	-	11.10 (3.40-12.60)	3.668 (0.870-4.680)	16.11	99
35+71+71	2.25	4.57	4.57	-	-	-	11.40 (3.40-12.90)	3.624 (0.850-4.480)	15.92	99
42+42+42	3.30	3.30	3.30	-	-	-	9.90 (3.30-11.50)	3.357 (0.890-4.420)	14.74	99
42+42+50	3.17	3.17	3.77	-	-	-	10.10 (3.30-11.70)	3.490 (0.890-4.570)	15.33	99
42+42+60	3.03	3.03	4.33	-	-	-	10.40 (3.30-12.00)	3.640 (0.890-4.780)	15.99	99
42+42+71	2.93	2.93	4.95	-	-	-	10.80 (3.30-12.30)	3.711 (0.880-4.870)	16.30	99
42+50+50	3.08	3.66	3.66	-	-	-	10.40 (3.30-12.00)	3.640 (0.890-4.780)	15.99	99
42+50+60	2.96	3.52	4.22	-	-	-	10.70 (3.30-12.30)	3.726 (0.890-4.870)	16.36	99
42+50+71	2.83	3.37	4.79	-	-	-	11.00 (3.30-12.50)	3.682 (0.870-4.740)	16.17	99
42+60+60	2.85	4.07	4.07	-	-	-	11.00 (3.30-12.50)	3.682 (0.870-4.740)	16.17	99
42+60+71	2.74	3.92	4.64	-	-	-	11.30 (3.40-12.80)	3.639 (0.860-4.550)	15.98	99
50+50+50	3.53	3.53	3.53	-	-	-	10.60 (3.30-12.20)	3.740 (0.890-4.930)	16.43	99
50+50+60	3.41	3.41	4.09	-	-	-	10.90 (3.30-12.50)	3.697 (0.880-4.740)	16.23	99
50+50+71	3.27	3.27	4.65	-	-	-	11.20 (3.40-12.80)	3.653 (0.860-4.550)	16.04	99
50+60+60	3.29	3.95	3.95	-	-	-	11.20 (3.40-12.70)	3.653 (0.860-4.610)	16.04	99
60+60+60	3.83	3.83	3.83	-	-	-	11.50 (3.40-13.00)	3.610 (0.850-4.420)	15.85	99
15+15+15+15	1.50	1.50	1.50	1.50	-	-	6.00 (3.10-8.40)	1.450 (0.910-4.130)	6.37	99
15+15+15+20	1.50	1.50	1.50	2.00	-	-	6.50 (3.10-9.00)	1.653 (0.910-4.190)	7.26	99
15+15+15+22	1.50	1.50	1.50	2.20	-	-	6.70 (3.10-9.20)	1.734 (0.910-4.210)	7.61	99
15+15+15+25	1.50	1.50	1.50	2.50	-	-	7.00 (3.10-9.50)	1.855 (0.910-4.240)	8.15	99
15+15+15+35	1.50	1.50	1.50	3.50	-	-	8.00 (3.10-10.60)	2.240 (0.910-4.340)	9.84	99
15+15+15+42	1.50	1.50	1.50	4.20	-	-	8.70 (3.30-11.00)	2.380 (0.880-3.850)	10.45	99
15+15+15+50	1.50	1.50	1.50	5.00	-	-	9.50 (3.30-11.50)	2.703 (0.870-3.980)	11.87	99
15+15+15+60	1.44	1.44	1.44	5.77	-	-	10.10 (3.30-11.90)	3.092 (0.870-4.100)	13.58	99
15+15+15+71	1.33	1.33	1.33	6.30	-	-	10.30 (3.30-12.00)	3.172 (0.870-4.140)	13.93	99
15+15+20+20	1.50	1.50	2.00	2.00	-	-	7.00 (3.10-9.50)	1.855 (0.910-4.240)	8.15	99
15+15+20+22	1.50	1.50	2.00	2.20	-	-	7.20 (3.10-9.70)	1.936 (0.910-4.250)	8.50	99
15+15+20+25	1.50	1.50	2.00	2.50	-	-	7.50 (3.10-10.10)	2.058 (0.910-4.290)	9.04	99
15+15+20+35	1.50	1.50	2.00	3.50	-	-	8.50 (3.20-10.90)	2.340 (0.890-3.970)	10.28	99
15+15+20+42	1.50	1.50	2.00	4.20	-	-	9.20 (3.30-11.30)	2.545 (0.870-3.930)	11.18	99
15+15+20+50	1.50	1.50	2.00	5.00	-	-	10.00 (3.30-11.80)	2.965 (0.870-4.050)	13.02	99
15+15+20+60	1.39	1.39	1.85	5.56	-	-	10.20 (3.30-12.00)	3.128 (0.870-4.140)	13.74	99
15+15+20+71	1.29	1.29	1.72	6.10	-	-	10.40 (3.40-12.10)	3.208 (0.870-4.190)	14.09	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+22+22	1.50	1.50	2.20	2.20	-	-	7.40 (3.10-9.90)	2.017 (0.910-4.290)	8.86	99
15+15+22+25	1.50	1.50	2.20	2.50	-	-	7.70 (3.10-10.30)	2.139 (0.910-4.310)	9.39	99
15+15+22+35	1.50	1.50	2.20	3.50	-	-	8.70 (3.30-11.00)	2.380 (0.880-3.850)	10.45	99
15+15+22+42	1.50	1.50	2.20	4.20	-	-	9.40 (3.30-11.40)	2.650 (0.870-3.950)	11.64	99
15+15+22+50	1.47	1.47	2.16	4.90	-	-	10.00 (3.30-11.80)	3.070 (0.870-4.050)	13.48	99
15+15+22+60	1.37	1.37	2.00	5.46	-	-	10.20 (3.30-12.00)	3.143 (0.870-4.140)	13.80	99
15+15+22+71	1.27	1.27	1.86	6.00	-	-	10.40 (3.40-12.10)	3.223 (0.870-4.190)	14.15	99
15+15+25+25	1.50	1.50	2.50	2.50	-	-	8.00 (3.10-10.60)	2.240 (0.910-4.340)	9.84	99
15+15+25+35	1.50	1.50	2.50	3.50	-	-	9.00 (3.30-11.10)	2.440 (0.870-3.880)	10.72	99
15+15+25+42	1.50	1.50	2.50	4.20	-	-	9.70 (3.30-11.60)	2.808 (0.870-4.000)	12.33	99
15+15+25+50	1.44	1.44	2.40	4.81	-	-	10.10 (3.30-11.90)	3.092 (0.870-4.100)	13.58	99
15+15+25+60	1.34	1.34	2.24	5.37	-	-	10.30 (3.30-12.00)	3.165 (0.870-4.140)	13.90	99
15+15+25+71	1.25	1.25	2.08	5.92	-	-	10.50 (3.40-12.20)	3.246 (0.870-4.240)	14.26	99
15+15+35+35	1.50	1.50	3.50	3.50	-	-	10.00 (3.30-11.80)	2.965 (0.870-4.050)	13.02	99
15+15+35+42	1.42	1.42	3.30	3.96	-	-	10.10 (3.30-11.90)	3.106 (0.870-4.100)	13.64	99
15+15+35+50	1.34	1.34	3.13	4.48	-	-	10.30 (3.30-12.00)	3.165 (0.870-4.140)	13.90	99
15+15+35+60	1.25	1.25	2.91	4.99	-	-	10.40 (3.40-12.20)	3.238 (0.870-4.240)	14.22	99
15+15+35+71	1.17	1.17	2.73	5.53	-	-	10.60 (3.40-12.30)	3.326 (0.870-4.280)	14.61	99
15+15+42+42	1.34	1.34	3.76	3.76	-	-	10.20 (3.30-12.00)	3.157 (0.870-4.140)	13.87	99
15+15+42+50	1.28	1.28	3.58	4.26	-	-	10.40 (3.40-12.10)	3.215 (0.870-4.190)	14.12	99
15+15+42+60	1.20	1.20	3.37	4.82	-	-	10.60 (3.40-12.30)	3.294 (0.870-4.280)	14.47	99
15+15+42+71	1.12	1.12	3.14	5.31	-	-	10.70 (3.40-12.40)	3.358 (0.870-4.330)	14.75	99
15+15+50+50	1.21	1.21	4.04	4.04	-	-	10.50 (3.40-12.30)	3.278 (0.870-4.280)	14.40	99
15+15+50+60	1.15	1.15	3.82	4.59	-	-	10.70 (3.40-12.40)	3.352 (0.870-4.330)	14.72	99
15+15+50+71	1.06	1.06	3.54	5.03	-	-	10.70 (3.40-12.40)	3.374 (0.870-4.330)	14.82	99
15+15+60+60	1.07	1.07	4.28	4.28	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
15+15+60+71	1.01	1.01	4.02	4.76	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+15+71+71	0.94	0.94	4.46	4.46	-	-	10.80 (3.40-12.50)	3.618 (0.870-4.400)	15.89	99
15+20+20+20	1.50	2.00	2.00	2.00	-	-	7.50 (3.10-10.10)	2.058 (0.910-4.290)	9.04	99
15+20+20+22	1.50	2.00	2.00	2.20	-	-	7.70 (3.10-10.30)	2.139 (0.910-4.310)	9.39	99
15+20+20+25	1.50	2.00	2.00	2.50	-	-	8.00 (3.10-10.60)	2.240 (0.910-4.340)	9.84	99
15+20+20+35	1.50	2.00	2.00	3.50	-	-	9.00 (3.30-11.10)	2.440 (0.870-3.880)	10.72	99
15+20+20+42	1.50	2.00	2.00	4.20	-	-	9.70 (3.30-11.60)	2.808 (0.870-4.000)	12.33	99
15+20+20+50	1.44	1.92	1.92	4.81	-	-	10.10 (3.30-11.90)	3.092 (0.870-4.100)	13.58	99
15+20+20+60	1.34	1.79	1.79	5.37	-	-	10.30 (3.30-12.00)	3.165 (0.870-4.140)	13.90	99
15+20+20+71	1.25	1.67	1.67	5.92	-	-	10.50 (3.40-12.20)	3.246 (0.870-4.240)	14.26	99
15+20+22+22	1.50	2.00	2.20	2.20	-	-	7.90 (3.10-10.50)	2.220 (0.910-4.330)	9.75	99
15+20+22+25	1.50	2.00	2.20	2.50	-	-	8.20 (3.20-10.70)	2.280 (0.900-4.220)	10.01	99
15+20+22+35	1.50	2.00	2.20	3.50	-	-	9.20 (3.30-11.30)	2.545 (0.870-3.930)	11.18	99
15+20+22+42	1.50	2.00	2.20	4.20	-	-	9.90 (3.30-11.70)	2.913 (0.870-4.030)	12.79	99
15+20+22+50	1.42	1.89	2.08	4.72	-	-	10.10 (3.30-11.90)	3.106 (0.870-4.100)	13.64	99
15+20+22+60	1.32	1.76	1.94	5.28	-	-	10.30 (3.30-12.10)	3.179 (0.870-4.190)	13.96	99
15+20+22+71	1.23	1.64	1.80	5.82	-	-	10.50 (3.40-12.20)	3.262 (0.870-4.240)	14.33	99
15+20+25+25	1.50	2.00	2.50	2.50	-	-	8.50 (3.20-10.90)	2.340 (0.890-3.970)	10.28	99
15+20+25+35	1.50	2.00	2.50	3.50	-	-	9.50 (3.30-11.50)	2.703 (0.870-3.980)	11.87	99
15+20+25+42	1.47	1.96	2.45	4.12	-	-	10.00 (3.30-11.80)	3.070 (0.870-4.050)	13.48	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+25+50	1.39	1.85	2.32	4.64	-	-	10.20 (3.30-12.00)	3.128 (0.870-4.140)	13.74	99
15+20+25+60	1.30	1.73	2.17	5.20	-	-	10.40 (3.40-12.10)	3.201 (0.870-4.190)	14.06	99
15+20+25+71	1.20	1.60	2.00	5.69	-	-	10.50 (3.40-12.30)	3.286 (0.870-4.280)	14.43	99
15+20+35+35	1.44	1.92	3.37	3.37	-	-	10.10 (3.30-11.90)	3.092 (0.870-4.100)	13.58	99
15+20+35+42	1.37	1.82	3.19	3.83	-	-	10.20 (3.30-12.00)	3.143 (0.870-4.140)	13.80	99
15+20+35+50	1.30	1.73	3.03	4.33	-	-	10.40 (3.40-12.10)	3.201 (0.870-4.190)	14.06	99
15+20+35+60	1.21	1.62	2.83	4.85	-	-	10.50 (3.40-12.30)	3.278 (0.870-4.280)	14.40	99
15+20+35+71	1.14	1.52	2.66	5.39	-	-	10.70 (3.40-12.40)	3.354 (0.870-4.330)	14.73	99
15+20+42+42	1.30	1.73	3.64	3.64	-	-	10.30 (3.30-12.10)	3.194 (0.870-4.190)	14.03	99
15+20+42+50	1.24	1.65	3.47	4.13	-	-	10.50 (3.40-12.20)	3.254 (0.870-4.240)	14.29	99
15+20+42+60	1.16	1.55	3.25	4.64	-	-	10.60 (3.40-12.40)	3.334 (0.870-4.330)	14.64	99
15+20+42+71	1.08	1.45	3.04	5.13	-	-	10.70 (3.40-12.40)	3.368 (0.870-4.330)	14.79	99
15+20+50+50	1.18	1.57	3.93	3.93	-	-	10.60 (3.40-12.30)	3.318 (0.870-4.280)	14.57	99
15+20+50+60	1.11	1.48	3.69	4.43	-	-	10.70 (3.40-12.40)	3.362 (0.870-4.330)	14.77	99
15+20+50+71	1.04	1.38	3.46	4.92	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+20+60+60	1.05	1.39	4.18	4.18	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+20+60+71	0.98	1.30	3.90	4.62	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+20+71+71	0.92	1.22	4.33	4.33	-	-	10.80 (3.40-12.50)	3.857 (0.870-4.400)	16.94	99
15+22+22+22	1.50	2.20	2.20	2.20	-	-	8.10 (3.10-10.70)	2.260 (0.910-4.220)	9.93	99
15+22+22+25	1.50	2.20	2.20	2.50	-	-	8.40 (3.20-10.80)	2.320 (0.890-4.100)	10.19	99
15+22+22+35	1.50	2.20	2.20	3.50	-	-	9.40 (3.30-11.40)	2.650 (0.870-3.950)	11.64	99
15+22+22+42	1.49	2.18	2.18	4.16	-	-	10.00 (3.30-11.80)	3.018 (0.870-4.050)	13.25	99
15+22+22+50	1.40	2.06	2.06	4.68	-	-	10.20 (3.30-11.90)	3.121 (0.870-4.100)	13.71	99
15+22+22+60	1.30	1.90	1.90	5.19	-	-	10.30 (3.30-12.10)	3.194 (0.870-4.190)	14.03	99
15+22+22+71	1.21	1.78	1.78	5.73	-	-	10.50 (3.40-12.30)	3.278 (0.870-4.280)	14.40	99
15+22+25+25	1.50	2.20	2.50	2.50	-	-	8.70 (3.30-11.00)	2.380 (0.880-3.850)	10.45	99
15+22+25+35	1.50	2.20	2.50	3.50	-	-	9.70 (3.30-11.60)	2.808 (0.870-4.000)	12.33	99
15+22+25+42	1.46	2.14	2.43	4.08	-	-	10.10 (3.30-11.90)	3.085 (0.870-4.100)	13.55	99
15+22+25+50	1.37	2.00	2.28	4.55	-	-	10.20 (3.30-12.00)	3.143 (0.870-4.140)	13.80	99
15+22+25+60	1.28	1.88	2.13	5.11	-	-	10.40 (3.40-12.10)	3.215 (0.870-4.190)	14.12	99
15+22+25+71	1.20	1.75	1.99	5.66	-	-	10.60 (3.40-12.30)	3.302 (0.870-4.280)	14.50	99
15+22+35+35	1.42	2.08	3.30	3.30	-	-	10.10 (3.30-11.90)	3.106 (0.870-4.100)	13.64	99
15+22+35+42	1.34	1.97	3.13	3.76	-	-	10.20 (3.30-12.00)	3.157 (0.870-4.140)	13.87	99
15+22+35+50	1.28	1.88	2.98	4.26	-	-	10.40 (3.40-12.10)	3.215 (0.870-4.190)	14.12	99
15+22+35+60	1.20	1.77	2.81	4.82	-	-	10.60 (3.40-12.30)	3.294 (0.870-4.280)	14.47	99
15+22+35+71	1.12	1.65	2.62	5.31	-	-	10.70 (3.40-12.40)	3.358 (0.870-4.330)	14.75	99
15+22+42+42	1.29	1.89	3.61	3.61	-	-	10.40 (3.40-12.10)	3.208 (0.870-4.190)	14.09	99
15+22+42+50	1.22	1.79	3.42	4.07	-	-	10.50 (3.40-12.20)	3.270 (0.870-4.240)	14.36	99
15+22+42+60	1.15	1.69	3.23	4.62	-	-	10.70 (3.40-12.40)	3.350 (0.870-4.330)	14.71	99
15+22+42+71	1.07	1.57	3.00	5.06	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
15+22+50+50	1.16	1.70	3.87	3.87	-	-	10.60 (3.40-12.40)	3.334 (0.870-4.330)	14.64	99
15+22+50+60	1.09	1.60	3.64	4.37	-	-	10.70 (3.40-12.40)	3.366 (0.870-4.330)	14.78	99
15+22+50+71	1.03	1.50	3.42	4.85	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+22+60+60	1.03	1.51	4.13	4.13	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+22+60+71	0.96	1.41	3.86	4.56	-	-	10.80 (3.40-12.50)	3.428 (0.870-4.400)	15.05	99
15+22+71+71	0.91	1.33	4.28	4.28	-	-	10.80 (3.40-12.50)	3.952 (0.870-4.400)	17.36	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+25+25+25	1.50	2.50	2.50	2.50	-	-	9.00 (3.30-11.10)	2.440 (0.870-3.880)	10.72	99
15+25+25+35	1.50	2.50	2.50	3.50	-	-	10.00 (3.30-11.80)	2.965 (0.870-4.050)	13.02	99
15+25+25+42	1.42	2.36	2.36	3.96	-	-	10.10 (3.30-11.90)	3.106 (0.870-4.100)	13.64	99
15+25+25+50	1.34	2.24	2.24	4.48	-	-	10.30 (3.30-12.00)	3.165 (0.870-4.140)	13.90	99
15+25+25+60	1.25	2.08	2.08	4.99	-	-	10.40 (3.40-12.20)	3.238 (0.870-4.240)	14.22	99
15+25+25+71	1.17	1.95	1.95	5.53	-	-	10.60 (3.40-12.30)	3.326 (0.870-4.280)	14.61	99
15+25+35+35	1.39	2.32	3.25	3.25	-	-	10.20 (3.30-12.00)	3.128 (0.870-4.140)	13.74	99
15+25+35+42	1.32	2.20	3.08	3.70	-	-	10.30 (3.30-12.10)	3.179 (0.870-4.190)	13.96	99
15+25+35+50	1.25	2.08	2.91	4.16	-	-	10.40 (3.40-12.20)	3.238 (0.870-4.240)	14.22	99
15+25+35+60	1.18	1.96	2.75	4.71	-	-	10.60 (3.40-12.30)	3.318 (0.870-4.280)	14.57	99
15+25+35+71	1.10	1.83	2.57	5.20	-	-	10.70 (3.40-12.40)	3.364 (0.870-4.330)	14.77	99
15+25+42+42	1.26	2.10	3.52	3.52	-	-	10.40 (3.40-12.20)	3.230 (0.870-4.240)	14.19	99
15+25+42+50	1.20	2.01	3.37	4.02	-	-	10.60 (3.40-12.30)	3.294 (0.870-4.280)	14.47	99
15+25+42+60	1.13	1.88	3.16	4.52	-	-	10.70 (3.40-12.40)	3.356 (0.870-4.330)	14.74	99
15+25+42+71	1.05	1.75	2.94	4.97	-	-	10.70 (3.40-12.40)	3.378 (0.870-4.330)	14.84	99
15+25+50+50	1.15	1.91	3.82	3.82	-	-	10.70 (3.40-12.40)	3.352 (0.870-4.330)	14.72	99
15+25+50+60	1.07	1.78	3.57	4.28	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
15+25+50+71	1.01	1.68	3.35	4.76	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+25+60+60	1.01	1.69	4.05	4.05	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+25+60+71	0.95	1.58	3.79	4.48	-	-	10.80 (3.40-12.50)	3.571 (0.870-4.400)	15.68	99
15+35+35+35	1.30	3.03	3.03	3.03	-	-	10.40 (3.40-12.10)	3.201 (0.870-4.190)	14.06	99
15+35+35+42	1.24	2.89	2.89	3.47	-	-	10.50 (3.40-12.20)	3.254 (0.870-4.240)	14.29	99
15+35+35+50	1.18	2.75	2.75	3.93	-	-	10.60 (3.40-12.30)	3.318 (0.870-4.280)	14.57	99
15+35+35+60	1.11	2.58	2.58	4.43	-	-	10.70 (3.40-12.40)	3.362 (0.870-4.330)	14.77	99
15+35+35+71	1.04	2.42	2.42	4.92	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+35+42+42	1.19	2.77	3.32	3.32	-	-	10.60 (3.40-12.30)	3.310 (0.870-4.280)	14.54	99
15+35+42+50	1.13	2.64	3.16	3.77	-	-	10.70 (3.40-12.40)	3.356 (0.870-4.330)	14.74	99
15+35+42+60	1.06	2.46	2.96	4.22	-	-	10.70 (3.40-12.40)	3.376 (0.870-4.330)	14.83	99
15+35+42+71	0.99	2.32	2.78	4.70	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+35+50+50	1.07	2.50	3.57	3.57	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
15+35+50+60	1.01	2.36	3.38	4.05	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+35+50+71	0.95	2.21	3.16	4.48	-	-	10.80 (3.40-12.50)	3.571 (0.870-4.400)	15.68	99
15+35+60+60	0.95	2.22	3.81	3.81	-	-	10.80 (3.40-12.50)	3.523 (0.870-4.400)	15.47	99
15+42+42+42	1.14	3.19	3.19	3.19	-	-	10.70 (3.40-12.40)	3.354 (0.870-4.330)	14.73	99
15+42+42+50	1.08	3.02	3.02	3.59	-	-	10.70 (3.40-12.40)	3.370 (0.870-4.330)	14.80	99
15+42+42+60	1.02	2.85	2.85	4.08	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+42+42+71	0.95	2.67	2.67	4.51	-	-	10.80 (3.40-12.50)	3.523 (0.870-4.400)	15.47	99
15+42+50+50	1.03	2.89	3.44	3.44	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+42+50+60	0.97	2.72	3.23	3.88	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+42+50+71	0.91	2.55	3.03	4.31	-	-	10.80 (3.40-12.50)	3.905 (0.870-4.400)	17.15	99
15+42+60+60	0.92	2.56	3.66	3.66	-	-	10.80 (3.40-12.50)	3.857 (0.870-4.400)	16.94	99
15+50+50+50	0.98	3.27	3.27	3.27	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
15+50+50+60	0.93	3.09	3.09	3.70	-	-	10.80 (3.40-12.50)	3.762 (0.870-4.400)	16.52	99
20+20+20+20	2.00	2.00	2.00	2.00	-	-	8.00 (3.10-10.60)	2.240 (0.910-4.340)	9.84	99
20+20+20+22	2.00	2.00	2.00	2.20	-	-	8.20 (3.20-10.70)	2.280 (0.900-4.220)	10.01	99
20+20+20+25	2.00	2.00	2.00	2.50	-	-	8.50 (3.20-10.90)	2.340 (0.890-3.970)	10.28	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+20+35	2.00	2.00	2.00	3.50	-	-	9.50 (3.30-11.50)	2.703 (0.870-3.980)	11.87	99
20+20+20+42	1.96	1.96	1.96	4.12	-	-	10.00 (3.30-11.80)	3.070 (0.870-4.050)	13.48	99
20+20+20+50	1.85	1.85	1.85	4.64	-	-	10.20 (3.30-12.00)	3.128 (0.870-4.140)	13.74	99
20+20+20+60	1.73	1.73	1.73	5.20	-	-	10.40 (3.40-12.10)	3.201 (0.870-4.190)	14.06	99
20+20+20+71	1.60	1.60	1.60	5.69	-	-	10.50 (3.40-12.30)	3.286 (0.870-4.280)	14.43	99
20+20+22+22	2.00	2.00	2.20	2.20	-	-	8.40 (3.20-10.80)	2.320 (0.890-4.100)	10.19	99
20+20+22+25	2.00	2.00	2.20	2.50	-	-	8.70 (3.30-11.00)	2.380 (0.880-3.850)	10.45	99
20+20+22+35	2.00	2.00	2.20	3.50	-	-	9.70 (3.30-11.60)	2.808 (0.870-4.000)	12.33	99
20+20+22+42	1.94	1.94	2.14	4.08	-	-	10.10 (3.30-11.90)	3.085 (0.870-4.100)	13.55	99
20+20+22+50	1.82	1.82	2.00	4.55	-	-	10.20 (3.30-12.00)	3.143 (0.870-4.140)	13.80	99
20+20+22+60	1.70	1.70	1.88	5.11	-	-	10.40 (3.40-12.10)	3.215 (0.870-4.190)	14.12	99
20+20+22+71	1.59	1.59	1.75	5.66	-	-	10.60 (3.40-12.30)	3.302 (0.870-4.280)	14.50	99
20+20+25+25	2.00	2.00	2.50	2.50	-	-	9.00 (3.30-11.10)	2.440 (0.870-3.880)	10.72	99
20+20+25+35	2.00	2.00	2.50	3.50	-	-	10.00 (3.30-11.80)	2.965 (0.870-4.050)	13.02	99
20+20+25+42	1.89	1.89	2.36	3.96	-	-	10.10 (3.30-11.90)	3.106 (0.870-4.100)	13.64	99
20+20+25+50	1.79	1.79	2.24	4.48	-	-	10.30 (3.30-12.00)	3.165 (0.870-4.140)	13.90	99
20+20+25+60	1.66	1.66	2.08	4.99	-	-	10.40 (3.40-12.20)	3.238 (0.870-4.240)	14.22	99
20+20+25+71	1.56	1.56	1.95	5.53	-	-	10.60 (3.40-12.30)	3.326 (0.870-4.280)	14.61	99
20+20+35+35	1.85	1.85	3.25	3.25	-	-	10.20 (3.30-12.00)	3.128 (0.870-4.140)	13.74	99
20+20+35+42	1.76	1.76	3.08	3.70	-	-	10.30 (3.30-12.10)	3.179 (0.870-4.190)	13.96	99
20+20+35+50	1.66	1.66	2.91	4.16	-	-	10.40 (3.40-12.20)	3.238 (0.870-4.240)	14.22	99
20+20+35+60	1.57	1.57	2.75	4.71	-	-	10.60 (3.40-12.30)	3.318 (0.870-4.280)	14.57	99
20+20+35+71	1.47	1.47	2.57	5.20	-	-	10.70 (3.40-12.40)	3.364 (0.870-4.330)	14.77	99
20+20+42+42	1.68	1.68	3.52	3.52	-	-	10.40 (3.40-12.20)	3.230 (0.870-4.240)	14.19	99
20+20+42+50	1.61	1.61	3.37	4.02	-	-	10.60 (3.40-12.30)	3.294 (0.870-4.280)	14.47	99
20+20+42+60	1.51	1.51	3.16	4.52	-	-	10.70 (3.40-12.40)	3.356 (0.870-4.330)	14.74	99
20+20+42+71	1.40	1.40	2.94	4.97	-	-	10.70 (3.40-12.40)	3.378 (0.870-4.330)	14.84	99
20+20+50+50	1.53	1.53	3.82	3.82	-	-	10.70 (3.40-12.40)	3.352 (0.870-4.330)	14.72	99
20+20+50+60	1.43	1.43	3.57	4.28	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
20+20+50+71	1.34	1.34	3.35	4.76	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+20+60+60	1.35	1.35	4.05	4.05	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+20+60+71	1.26	1.26	3.79	4.48	-	-	10.80 (3.40-12.50)	3.571 (0.870-4.400)	15.68	99
20+22+22+22	2.00	2.20	2.20	2.20	-	-	8.60 (3.30-10.90)	2.360 (0.880-3.970)	10.36	99
20+22+22+25	2.00	2.20	2.20	2.50	-	-	8.90 (3.30-11.10)	2.420 (0.870-3.880)	10.63	99
20+22+22+35	2.00	2.20	2.20	3.50	-	-	9.90 (3.30-11.70)	2.913 (0.870-4.030)	12.79	99
20+22+22+42	1.91	2.10	2.10	4.00	-	-	10.10 (3.30-11.90)	3.099 (0.870-4.100)	13.61	99
20+22+22+50	1.79	1.97	1.97	4.47	-	-	10.20 (3.30-12.00)	3.157 (0.870-4.140)	13.87	99
20+22+22+60	1.68	1.85	1.85	5.03	-	-	10.40 (3.40-12.20)	3.230 (0.870-4.240)	14.19	99
20+22+22+71	1.57	1.73	1.73	5.57	-	-	10.60 (3.40-12.30)	3.318 (0.870-4.280)	14.57	99
20+22+25+25	2.00	2.20	2.50	2.50	-	-	9.20 (3.30-11.30)	2.545 (0.870-3.930)	11.18	99
20+22+25+35	1.96	2.16	2.45	3.43	-	-	10.00 (3.30-11.80)	3.070 (0.870-4.050)	13.48	99
20+22+25+42	1.87	2.06	2.34	3.93	-	-	10.20 (3.30-11.90)	3.121 (0.870-4.100)	13.71	99
20+22+25+50	1.76	1.94	2.20	4.40	-	-	10.30 (3.30-12.10)	3.179 (0.870-4.190)	13.96	99
20+22+25+60	1.65	1.82	2.07	4.96	-	-	10.50 (3.40-12.20)	3.254 (0.870-4.240)	14.29	99
20+22+25+71	1.55	1.71	1.94	5.51	-	-	10.70 (3.40-12.40)	3.342 (0.870-4.330)	14.68	99
20+22+35+35	1.82	2.00	3.19	3.19	-	-	10.20 (3.30-12.00)	3.143 (0.870-4.140)	13.80	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+22+35+42	1.73	1.90	3.03	3.64	-	-	10.30 (3.30-12.10)	3.194 (0.870-4.190)	14.03	99
20+22+35+50	1.65	1.82	2.89	4.13	-	-	10.50 (3.40-12.20)	3.254 (0.870-4.240)	14.29	99
20+22+35+60	1.55	1.70	2.71	4.64	-	-	10.60 (3.40-12.40)	3.334 (0.870-4.330)	14.64	99
20+22+35+71	1.45	1.59	2.53	5.13	-	-	10.70 (3.40-12.40)	3.368 (0.870-4.330)	14.79	99
20+22+42+42	1.67	1.83	3.50	3.50	-	-	10.50 (3.40-12.20)	3.246 (0.870-4.240)	14.26	99
20+22+42+50	1.58	1.74	3.32	3.96	-	-	10.60 (3.40-12.30)	3.310 (0.870-4.280)	14.54	99
20+22+42+60	1.49	1.63	3.12	4.46	-	-	10.70 (3.40-12.40)	3.360 (0.870-4.330)	14.76	99
20+22+42+71	1.39	1.53	2.93	4.95	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+22+50+50	1.51	1.66	3.77	3.77	-	-	10.70 (3.40-12.40)	3.356 (0.870-4.330)	14.74	99
20+22+50+60	1.41	1.55	3.52	4.22	-	-	10.70 (3.40-12.40)	3.376 (0.870-4.330)	14.83	99
20+22+50+71	1.33	1.46	3.31	4.70	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+22+60+60	1.33	1.47	4.00	4.00	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+22+60+71	1.25	1.37	3.75	4.43	-	-	10.80 (3.40-12.50)	3.666 (0.870-4.400)	16.10	99
20+25+25+25	2.00	2.50	2.50	2.50	-	-	9.50 (3.30-11.50)	2.703 (0.870-3.980)	11.87	99
20+25+25+35	1.92	2.40	2.40	3.37	-	-	10.10 (3.30-11.90)	3.092 (0.870-4.100)	13.58	99
20+25+25+42	1.82	2.28	2.28	3.83	-	-	10.20 (3.30-12.00)	3.143 (0.870-4.140)	13.80	99
20+25+25+50	1.73	2.17	2.17	4.33	-	-	10.40 (3.40-12.10)	3.201 (0.870-4.190)	14.06	99
20+25+25+60	1.62	2.02	2.02	4.85	-	-	10.50 (3.40-12.30)	3.278 (0.870-4.280)	14.40	99
20+25+25+71	1.52	1.90	1.90	5.39	-	-	10.70 (3.40-12.40)	3.354 (0.870-4.330)	14.73	99
20+25+35+35	1.79	2.24	3.13	3.13	-	-	10.30 (3.30-12.00)	3.165 (0.870-4.140)	13.90	99
20+25+35+42	1.70	2.13	2.98	3.58	-	-	10.40 (3.40-12.10)	3.215 (0.870-4.190)	14.12	99
20+25+35+50	1.62	2.02	2.83	4.04	-	-	10.50 (3.40-12.30)	3.278 (0.870-4.280)	14.40	99
20+25+35+60	1.53	1.91	2.68	4.59	-	-	10.70 (3.40-12.40)	3.352 (0.870-4.330)	14.72	99
20+25+35+71	1.42	1.77	2.48	5.03	-	-	10.70 (3.40-12.40)	3.374 (0.870-4.330)	14.82	99
20+25+42+42	1.63	2.03	3.42	3.42	-	-	10.50 (3.40-12.20)	3.270 (0.870-4.240)	14.36	99
20+25+42+50	1.55	1.93	3.25	3.87	-	-	10.60 (3.40-12.40)	3.334 (0.870-4.330)	14.64	99
20+25+42+60	1.46	1.82	3.06	4.37	-	-	10.70 (3.40-12.40)	3.366 (0.870-4.330)	14.78	99
20+25+42+71	1.37	1.71	2.87	4.85	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+25+50+50	1.48	1.84	3.69	3.69	-	-	10.70 (3.40-12.40)	3.362 (0.870-4.330)	14.77	99
20+25+50+60	1.39	1.74	3.48	4.18	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+25+50+71	1.30	1.63	3.25	4.62	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+25+60+60	1.31	1.64	3.93	3.93	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+25+60+71	1.23	1.53	3.68	4.36	-	-	10.80 (3.40-12.50)	3.809 (0.870-4.400)	16.73	99
20+35+35+35	1.66	2.91	2.91	2.91	-	-	10.40 (3.40-12.20)	3.238 (0.870-4.240)	14.22	99
20+35+35+42	1.61	2.81	2.81	3.37	-	-	10.60 (3.40-12.30)	3.294 (0.870-4.280)	14.47	99
20+35+35+50	1.53	2.68	2.68	3.82	-	-	10.70 (3.40-12.40)	3.352 (0.870-4.330)	14.72	99
20+35+35+60	1.43	2.50	2.50	4.28	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
20+35+35+71	1.34	2.35	2.35	4.76	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+35+42+42	1.54	2.69	3.23	3.23	-	-	10.70 (3.40-12.40)	3.350 (0.870-4.330)	14.71	99
20+35+42+50	1.46	2.55	3.06	3.64	-	-	10.70 (3.40-12.40)	3.366 (0.870-4.330)	14.78	99
20+35+42+60	1.38	2.41	2.89	4.13	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+35+42+71	1.29	2.25	2.70	4.56	-	-	10.80 (3.40-12.50)	3.428 (0.870-4.400)	15.05	99
20+35+50+50	1.39	2.44	3.48	3.48	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+35+50+60	1.31	2.29	3.27	3.93	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+35+50+71	1.23	2.15	3.07	4.36	-	-	10.80 (3.40-12.50)	3.809 (0.870-4.400)	16.73	99
20+35+60+60	1.23	2.16	3.70	3.70	-	-	10.80 (3.40-12.50)	3.762 (0.870-4.400)	16.52	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+42+42+42	1.47	3.08	3.08	3.08	-	-	10.70 (3.40-12.40)	3.364 (0.870-4.330)	14.77	99
20+42+42+50	1.40	2.95	2.95	3.51	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+42+42+60	1.32	2.77	2.77	3.95	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+42+42+71	1.23	2.59	2.59	4.38	-	-	10.80 (3.40-12.50)	3.762 (0.870-4.400)	16.52	99
20+42+50+50	1.33	2.80	3.33	3.33	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
20+42+50+60	1.26	2.64	3.14	3.77	-	-	10.80 (3.40-12.50)	3.618 (0.870-4.400)	15.89	99
20+50+50+50	1.27	3.18	3.18	3.18	-	-	10.80 (3.40-12.50)	3.523 (0.870-4.400)	15.47	99
20+50+50+60	1.20	3.00	3.00	3.60	-	-	10.80 (3.40-12.50)	4.000 (0.870-4.400)	17.57	99
22+22+22+22	2.20	2.20	2.20	2.20	-	-	8.80 (3.30-11.00)	2.400 (0.870-3.850)	10.54	99
22+22+22+25	2.20	2.20	2.20	2.50	-	-	9.10 (3.30-11.20)	2.493 (0.870-3.900)	10.95	99
22+22+22+35	2.18	2.18	2.18	3.47	-	-	10.00 (3.30-11.80)	3.018 (0.870-4.050)	13.25	99
22+22+22+42	2.06	2.06	2.06	3.93	-	-	10.10 (3.30-11.90)	3.114 (0.870-4.100)	13.67	99
22+22+22+50	1.95	1.95	1.95	4.44	-	-	10.30 (3.30-12.00)	3.172 (0.870-4.140)	13.93	99
22+22+22+60	1.83	1.83	1.83	5.00	-	-	10.50 (3.40-12.20)	3.246 (0.870-4.240)	14.26	99
22+22+22+71	1.70	1.70	1.70	5.49	-	-	10.60 (3.40-12.40)	3.334 (0.870-4.330)	14.64	99
22+22+25+25	2.20	2.20	2.50	2.50	-	-	9.40 (3.30-11.40)	2.650 (0.870-3.950)	11.64	99
22+22+25+35	2.14	2.14	2.43	3.40	-	-	10.10 (3.30-11.90)	3.085 (0.870-4.100)	13.55	99
22+22+25+42	2.02	2.02	2.30	3.86	-	-	10.20 (3.30-12.00)	3.135 (0.870-4.140)	13.77	99
22+22+25+50	1.90	1.90	2.16	4.33	-	-	10.30 (3.30-12.10)	3.194 (0.870-4.190)	14.03	99
22+22+25+60	1.79	1.79	2.03	4.88	-	-	10.50 (3.40-12.20)	3.270 (0.870-4.240)	14.36	99
22+22+25+71	1.68	1.68	1.91	5.43	-	-	10.70 (3.40-12.40)	3.352 (0.870-4.330)	14.72	99
22+22+35+35	1.97	1.97	3.13	3.13	-	-	10.20 (3.30-12.00)	3.157 (0.870-4.140)	13.87	99
22+22+35+42	1.89	1.89	3.01	3.61	-	-	10.40 (3.40-12.10)	3.208 (0.870-4.190)	14.09	99
22+22+35+50	1.79	1.79	2.85	4.07	-	-	10.50 (3.40-12.20)	3.270 (0.870-4.240)	14.36	99
22+22+35+60	1.69	1.69	2.69	4.62	-	-	10.70 (3.40-12.40)	3.350 (0.870-4.330)	14.71	99
22+22+35+71	1.57	1.57	2.50	5.06	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
22+22+42+42	1.80	1.80	3.45	3.45	-	-	10.50 (3.40-12.20)	3.262 (0.870-4.240)	14.33	99
22+22+42+50	1.71	1.71	3.27	3.90	-	-	10.60 (3.40-12.30)	3.326 (0.870-4.280)	14.61	99
22+22+42+60	1.61	1.61	3.08	4.40	-	-	10.70 (3.40-12.40)	3.364 (0.870-4.330)	14.77	99
22+22+42+71	1.51	1.51	2.89	4.88	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+22+50+50	1.63	1.63	3.72	3.72	-	-	10.70 (3.40-12.40)	3.360 (0.870-4.330)	14.76	99
22+22+50+60	1.54	1.54	3.51	4.21	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+22+50+71	1.44	1.44	3.27	4.65	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+22+60+60	1.45	1.45	3.95	3.95	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+22+60+71	1.36	1.36	3.70	4.38	-	-	10.80 (3.40-12.50)	3.762 (0.870-4.400)	16.52	99
22+25+25+25	2.20	2.50	2.50	2.50	-	-	9.70 (3.30-11.60)	2.808 (0.870-4.000)	12.33	99
22+25+25+35	2.08	2.36	2.36	3.30	-	-	10.10 (3.30-11.90)	3.106 (0.870-4.100)	13.64	99
22+25+25+42	1.97	2.24	2.24	3.76	-	-	10.20 (3.30-12.00)	3.157 (0.870-4.140)	13.87	99
22+25+25+50	1.88	2.13	2.13	4.26	-	-	10.40 (3.40-12.10)	3.215 (0.870-4.190)	14.12	99
22+25+25+60	1.77	2.01	2.01	4.82	-	-	10.60 (3.40-12.30)	3.294 (0.870-4.280)	14.47	99
22+25+25+71	1.65	1.87	1.87	5.31	-	-	10.70 (3.40-12.40)	3.358 (0.870-4.330)	14.75	99
22+25+35+35	1.94	2.20	3.08	3.08	-	-	10.30 (3.30-12.10)	3.179 (0.870-4.190)	13.96	99
22+25+35+42	1.85	2.10	2.94	3.52	-	-	10.40 (3.40-12.20)	3.230 (0.870-4.240)	14.19	99
22+25+35+50	1.77	2.01	2.81	4.02	-	-	10.60 (3.40-12.30)	3.294 (0.870-4.280)	14.47	99
22+25+35+60	1.66	1.88	2.64	4.52	-	-	10.70 (3.40-12.40)	3.356 (0.870-4.330)	14.74	99
22+25+35+71	1.54	1.75	2.45	4.97	-	-	10.70 (3.40-12.40)	3.378 (0.870-4.330)	14.84	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+25+42+42	1.76	2.00	3.37	3.37	-	-	10.50 (3.40-12.30)	3.286 (0.870-4.280)	14.43	99
22+25+42+50	1.69	1.92	3.23	3.85	-	-	10.70 (3.40-12.40)	3.350 (0.870-4.330)	14.71	99
22+25+42+60	1.58	1.80	3.02	4.31	-	-	10.70 (3.40-12.40)	3.370 (0.870-4.330)	14.80	99
22+25+42+71	1.49	1.69	2.84	4.79	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+25+50+50	1.60	1.82	3.64	3.64	-	-	10.70 (3.40-12.40)	3.366 (0.870-4.330)	14.78	99
22+25+50+60	1.51	1.72	3.44	4.13	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+25+50+71	1.41	1.61	3.21	4.56	-	-	10.80 (3.40-12.50)	3.428 (0.870-4.400)	15.05	99
22+25+60+60	1.42	1.62	3.88	3.88	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+25+60+71	1.33	1.52	3.64	4.31	-	-	10.80 (3.40-12.50)	3.905 (0.870-4.400)	17.15	99
22+35+35+35	1.82	2.89	2.89	2.89	-	-	10.50 (3.40-12.20)	3.254 (0.870-4.240)	14.29	99
22+35+35+42	1.74	2.77	2.77	3.32	-	-	10.60 (3.40-12.30)	3.310 (0.870-4.280)	14.54	99
22+35+35+50	1.66	2.64	2.64	3.77	-	-	10.70 (3.40-12.40)	3.356 (0.870-4.330)	14.74	99
22+35+35+60	1.55	2.46	2.46	4.22	-	-	10.70 (3.40-12.40)	3.376 (0.870-4.330)	14.83	99
22+35+35+71	1.46	2.32	2.32	4.70	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+35+42+42	1.67	2.66	3.19	3.19	-	-	10.70 (3.40-12.40)	3.354 (0.870-4.330)	14.73	99
22+35+42+50	1.58	2.51	3.02	3.59	-	-	10.70 (3.40-12.40)	3.370 (0.870-4.330)	14.80	99
22+35+42+60	1.49	2.38	2.85	4.08	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+35+42+71	1.40	2.22	2.67	4.51	-	-	10.80 (3.40-12.50)	3.523 (0.870-4.400)	15.47	99
22+35+50+50	1.51	2.41	3.44	3.44	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+35+50+60	1.42	2.26	3.23	3.88	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+35+50+71	1.33	2.12	3.03	4.31	-	-	10.80 (3.40-12.50)	3.905 (0.870-4.400)	17.15	99
22+35+60+60	1.34	2.14	3.66	3.66	-	-	10.80 (3.40-12.50)	3.857 (0.870-4.400)	16.94	99
22+42+42+42	1.59	3.04	3.04	3.04	-	-	10.70 (3.40-12.40)	3.368 (0.870-4.330)	14.79	99
22+42+42+50	1.52	2.91	2.91	3.46	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+42+42+60	1.43	2.73	2.73	3.90	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+42+42+71	1.34	2.56	2.56	4.33	-	-	10.80 (3.40-12.50)	3.857 (0.870-4.400)	16.94	99
22+42+50+50	1.45	2.77	3.29	3.29	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
22+42+50+60	1.37	2.61	3.10	3.72	-	-	10.80 (3.40-12.50)	3.714 (0.870-4.400)	16.31	99
22+50+50+50	1.38	3.14	3.14	3.14	-	-	10.80 (3.40-12.50)	3.618 (0.870-4.400)	15.89	99
25+25+25+25	2.50	2.50	2.50	2.50	-	-	10.00 (3.30-11.80)	2.965 (0.870-4.050)	13.02	99
25+25+25+35	2.32	2.32	2.32	3.25	-	-	10.20 (3.30-12.00)	3.128 (0.870-4.140)	13.74	99
25+25+25+42	2.20	2.20	2.20	3.70	-	-	10.30 (3.30-12.10)	3.179 (0.870-4.190)	13.96	99
25+25+25+50	2.08	2.08	2.08	4.16	-	-	10.40 (3.40-12.20)	3.238 (0.870-4.240)	14.22	99
25+25+25+60	1.96	1.96	1.96	4.71	-	-	10.60 (3.40-12.30)	3.318 (0.870-4.280)	14.57	99
25+25+25+71	1.83	1.83	1.83	5.20	-	-	10.70 (3.40-12.40)	3.364 (0.870-4.330)	14.77	99
25+25+35+35	2.17	2.17	3.03	3.03	-	-	10.40 (3.40-12.10)	3.201 (0.870-4.190)	14.06	99
25+25+35+42	2.07	2.07	2.89	3.47	-	-	10.50 (3.40-12.20)	3.254 (0.870-4.240)	14.29	99
25+25+35+50	1.96	1.96	2.75	3.93	-	-	10.60 (3.40-12.30)	3.318 (0.870-4.280)	14.57	99
25+25+35+60	1.84	1.84	2.58	4.43	-	-	10.70 (3.40-12.40)	3.362 (0.870-4.330)	14.77	99
25+25+35+71	1.73	1.73	2.42	4.92	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+25+42+42	1.98	1.98	3.32	3.32	-	-	10.60 (3.40-12.30)	3.310 (0.870-4.280)	14.54	99
25+25+42+50	1.88	1.88	3.16	3.77	-	-	10.70 (3.40-12.40)	3.356 (0.870-4.330)	14.74	99
25+25+42+60	1.76	1.76	2.96	4.22	-	-	10.70 (3.40-12.40)	3.376 (0.870-4.330)	14.83	99
25+25+42+71	1.66	1.66	2.78	4.70	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+25+50+50	1.78	1.78	3.57	3.57	-	-	10.70 (3.40-12.40)	3.372 (0.870-4.330)	14.81	99
25+25+50+60	1.69	1.69	3.38	4.05	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
25+25+50+71	1.58	1.58	3.16	4.48	-	-	10.80 (3.40-12.50)	3.571 (0.870-4.400)	15.68	99
25+25+60+60	1.59	1.59	3.81	3.81	-	-	10.80 (3.40-12.50)	3.523 (0.870-4.400)	15.47	99
25+35+35+35	2.02	2.83	2.83	2.83	-	-	10.50 (3.40-12.30)	3.278 (0.870-4.280)	14.40	99
25+35+35+42	1.93	2.71	2.71	3.25	-	-	10.60 (3.40-12.40)	3.334 (0.870-4.330)	14.64	99
25+35+35+50	1.84	2.58	2.58	3.69	-	-	10.70 (3.40-12.40)	3.362 (0.870-4.330)	14.77	99
25+35+35+60	1.74	2.44	2.44	4.18	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+35+35+71	1.63	2.28	2.28	4.62	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+35+42+42	1.86	2.60	3.12	3.12	-	-	10.70 (3.40-12.40)	3.360 (0.870-4.330)	14.76	99
25+35+42+50	1.76	2.46	2.96	3.52	-	-	10.70 (3.40-12.40)	3.376 (0.870-4.330)	14.83	99
25+35+42+60	1.67	2.33	2.80	4.00	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+35+42+71	1.56	2.18	2.62	4.43	-	-	10.80 (3.40-12.50)	3.666 (0.870-4.400)	16.10	99
25+35+50+50	1.69	2.36	3.38	3.38	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+35+50+60	1.59	2.22	3.18	3.81	-	-	10.80 (3.40-12.50)	3.523 (0.870-4.400)	15.47	99
25+35+60+60	1.50	2.10	3.60	3.60	-	-	10.80 (3.40-12.50)	4.000 (0.870-4.400)	17.57	99
25+42+42+42	1.77	2.98	2.98	2.98	-	-	10.70 (3.40-12.40)	3.374 (0.870-4.330)	14.82	99
25+42+42+50	1.70	2.85	2.85	3.40	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+42+42+60	1.60	2.68	2.68	3.83	-	-	10.80 (3.40-12.50)	3.475 (0.870-4.400)	15.26	99
25+42+42+71	1.50	2.52	2.52	4.26	-	-	10.80 (3.40-12.50)	4.000 (0.870-4.400)	17.57	99
25+42+50+50	1.62	2.72	3.23	3.23	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
25+42+50+60	1.53	2.56	3.05	3.66	-	-	10.80 (3.40-12.50)	3.857 (0.870-4.400)	16.94	99
25+50+50+50	1.54	3.09	3.09	3.09	-	-	10.80 (3.40-12.50)	3.762 (0.870-4.400)	16.52	99
35+35+35+35	2.68	2.68	2.68	2.68	-	-	10.70 (3.40-12.40)	3.352 (0.870-4.330)	14.72	99
35+35+35+42	2.55	2.55	2.55	3.06	-	-	10.70 (3.40-12.40)	3.366 (0.870-4.330)	14.78	99
35+35+35+50	2.44	2.44	2.44	3.48	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
35+35+35+60	2.29	2.29	2.29	3.93	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
35+35+35+71	2.15	2.15	2.15	4.36	-	-	10.80 (3.40-12.50)	3.809 (0.870-4.400)	16.73	99
35+35+42+42	2.45	2.45	2.95	2.95	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
35+35+42+50	2.33	2.33	2.80	3.33	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
35+35+42+60	2.20	2.20	2.64	3.77	-	-	10.80 (3.40-12.50)	3.618 (0.870-4.400)	15.89	99
35+35+50+50	2.22	2.22	3.18	3.18	-	-	10.80 (3.40-12.50)	3.523 (0.870-4.400)	15.47	99
35+35+50+60	2.10	2.10	3.00	3.60	-	-	10.80 (3.40-12.50)	4.000 (0.870-4.400)	17.57	99
35+42+42+42	2.35	2.82	2.82	2.82	-	-	10.80 (3.40-12.50)	3.380 (0.870-4.400)	14.84	99
35+42+42+50	2.24	2.68	2.68	3.20	-	-	10.80 (3.40-12.50)	3.475 (0.870-4.400)	15.26	99
35+42+42+60	2.11	2.53	2.53	3.62	-	-	10.80 (3.40-12.50)	3.952 (0.870-4.400)	17.36	99
35+42+50+50	2.14	2.56	3.05	3.05	-	-	10.80 (3.40-12.50)	3.857 (0.870-4.400)	16.94	99
42+42+42+42	2.70	2.70	2.70	2.70	-	-	10.80 (3.40-12.50)	3.428 (0.870-4.400)	15.05	99
42+42+42+50	2.58	2.58	2.58	3.07	-	-	10.80 (3.40-12.50)	3.809 (0.870-4.400)	16.73	99
15+15+15+15+15	1.50	1.50	1.50	1.50	1.50	-	7.50 (3.30-10.50)	1.800 (0.930-4.910)	7.91	99
15+15+15+15+20	1.50	1.50	1.50	1.50	2.00	-	8.00 (3.30-10.80)	2.062 (0.930-5.040)	9.05	99
15+15+15+15+22	1.50	1.50	1.50	1.50	2.20	-	8.20 (3.30-10.90)	2.166 (0.930-5.090)	9.51	99
15+15+15+15+25	1.50	1.50	1.50	1.50	2.50	-	8.50 (3.30-11.00)	2.323 (0.930-5.130)	10.20	99
15+15+15+15+35	1.50	1.50	1.50	1.50	3.50	-	9.50 (3.30-11.50)	2.846 (0.930-5.350)	12.50	99
15+15+15+15+42	1.50	1.50	1.50	1.50	4.20	-	10.20 (3.30-12.10)	3.185 (0.920-5.550)	13.99	99
15+15+15+15+50	1.50	1.50	1.50	1.50	5.00	-	11.00 (3.50-13.20)	3.385 (0.890-5.810)	14.87	99
15+15+15+15+60	1.45	1.45	1.45	1.45	5.80	-	11.60 (3.50-13.20)	3.616 (0.890-5.780)	15.88	99
15+15+15+15+71	1.36	1.36	1.36	1.36	6.45	-	11.90 (3.50-13.20)	3.867 (0.890-5.760)	16.98	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+20+20	1.50	1.50	1.50	2.00	2.00	-	8.50 (3.30-11.00)	2.323 (0.930-5.130)	10.20	99
15+15+15+20+22	1.50	1.50	1.50	2.00	2.20	-	8.70 (3.30-11.10)	2.428 (0.930-5.170)	10.66	99
15+15+15+20+25	1.50	1.50	1.50	2.00	2.50	-	9.00 (3.30-11.30)	2.585 (0.930-5.260)	11.35	99
15+15+15+20+35	1.50	1.50	1.50	2.00	3.50	-	10.00 (3.30-11.80)	3.108 (0.930-5.480)	13.65	99
15+15+15+20+42	1.50	1.50	1.50	2.00	4.20	-	10.70 (3.40-12.80)	3.310 (0.900-5.720)	14.54	99
15+15+15+20+50	1.47	1.47	1.47	1.97	4.91	-	11.30 (3.50-13.20)	3.501 (0.890-5.790)	15.38	99
15+15+15+20+60	1.43	1.43	1.43	1.90	5.71	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
15+15+15+20+71	1.32	1.32	1.32	1.76	6.26	-	12.00 (3.50-13.30)	3.905 (0.890-5.780)	17.15	99
15+15+15+22+22	1.50	1.50	1.50	2.20	2.20	-	8.90 (3.30-11.20)	2.532 (0.930-5.260)	11.12	99
15+15+15+22+25	1.50	1.50	1.50	2.20	2.50	-	9.20 (3.30-11.40)	2.689 (0.930-5.300)	11.81	99
15+15+15+22+35	1.50	1.50	1.50	2.20	3.50	-	10.20 (3.30-12.10)	3.185 (0.920-5.550)	13.99	99
15+15+15+22+42	1.50	1.50	1.50	2.20	4.20	-	10.90 (3.50-13.10)	3.360 (0.890-5.790)	14.76	99
15+15+15+22+50	1.46	1.46	1.46	2.14	4.87	-	11.40 (3.50-13.20)	3.547 (0.890-5.790)	15.58	99
15+15+15+22+60	1.41	1.41	1.41	2.06	5.62	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
15+15+15+22+71	1.30	1.30	1.30	1.91	6.17	-	12.00 (3.50-13.30)	3.913 (0.890-5.780)	17.19	99
15+15+15+25+25	1.50	1.50	1.50	2.50	2.50	-	9.50 (3.30-11.50)	2.846 (0.930-5.350)	12.50	99
15+15+15+25+35	1.50	1.50	1.50	2.50	3.50	-	10.50 (3.40-12.50)	3.260 (0.910-5.650)	14.32	99
15+15+15+25+42	1.49	1.49	1.49	2.48	4.16	-	11.10 (3.50-13.20)	3.433 (0.890-5.800)	15.08	99
15+15+15+25+50	1.45	1.45	1.45	2.42	4.83	-	11.60 (3.50-13.20)	3.616 (0.890-5.780)	15.88	99
15+15+15+25+60	1.37	1.37	1.37	2.29	5.49	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
15+15+15+25+71	1.28	1.28	1.28	2.13	6.04	-	12.00 (3.50-13.30)	3.925 (0.890-5.780)	17.24	99
15+15+15+35+35	1.47	1.47	1.47	3.44	3.44	-	11.30 (3.50-13.20)	3.501 (0.890-5.790)	15.38	99
15+15+15+35+42	1.44	1.44	1.44	3.36	4.03	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
15+15+15+35+50	1.37	1.37	1.37	3.20	4.58	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
15+15+15+35+60	1.29	1.29	1.29	3.00	5.14	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
15+15+15+35+71	1.20	1.20	1.20	2.80	5.69	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
15+15+15+42+42	1.38	1.38	1.38	3.87	3.87	-	11.90 (3.50-13.20)	3.821 (0.890-5.760)	16.78	99
15+15+15+42+50	1.31	1.31	1.31	3.68	4.38	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
15+15+15+42+60	1.22	1.22	1.22	3.43	4.90	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
15+15+15+42+71	1.15	1.15	1.15	3.22	5.44	-	12.10 (3.50-13.30)	3.980 (0.890-5.780)	17.48	99
15+15+15+50+50	1.24	1.24	1.24	4.14	4.14	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
15+15+15+50+60	1.17	1.17	1.17	3.90	4.68	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
15+15+15+50+71	1.09	1.09	1.09	3.64	5.18	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
15+15+15+60+60	1.10	1.10	1.10	4.40	4.40	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+15+15+60+71	1.04	1.04	1.04	4.16	4.92	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+20+20+20	1.50	1.50	2.00	2.00	2.00	-	9.00 (3.30-11.30)	2.585 (0.930-5.260)	11.35	99
15+15+20+20+22	1.50	1.50	2.00	2.00	2.20	-	9.20 (3.30-11.40)	2.689 (0.930-5.300)	11.81	99
15+15+20+20+25	1.50	1.50	2.00	2.00	2.50	-	9.50 (3.30-11.50)	2.846 (0.930-5.350)	12.50	99
15+15+20+20+35	1.50	1.50	2.00	2.00	3.50	-	10.50 (3.40-12.50)	3.260 (0.910-5.650)	14.32	99
15+15+20+20+42	1.49	1.49	1.98	1.98	4.16	-	11.10 (3.50-13.20)	3.433 (0.890-5.800)	15.08	99
15+15+20+20+50	1.45	1.45	1.93	1.93	4.83	-	11.60 (3.50-13.20)	3.616 (0.890-5.780)	15.88	99
15+15+20+20+60	1.37	1.37	1.83	1.83	5.49	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
15+15+20+20+71	1.28	1.28	1.70	1.70	6.04	-	12.00 (3.50-13.30)	3.925 (0.890-5.780)	17.24	99
15+15+20+22+22	1.50	1.50	2.00	2.20	2.20	-	9.40 (3.30-11.50)	2.794 (0.930-5.350)	12.27	99
15+15+20+22+25	1.50	1.50	2.00	2.20	2.50	-	9.70 (3.30-11.60)	2.951 (0.930-5.390)	12.96	99
15+15+20+22+35	1.50	1.50	2.00	2.20	3.50	-	10.70 (3.40-12.80)	3.310 (0.900-5.720)	14.54	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+20+22+42	1.47	1.47	1.96	2.16	4.13	-	11.20 (3.50-13.20)	3.479 (0.890-5.800)	15.28	99
15+15+20+22+50	1.44	1.44	1.92	2.11	4.80	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
15+15+20+22+60	1.35	1.35	1.80	1.98	5.41	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
15+15+20+22+71	1.26	1.26	1.68	1.85	5.96	-	12.00 (3.50-13.30)	3.932 (0.890-5.780)	17.27	99
15+15+20+25+25	1.50	1.50	2.00	2.50	2.50	-	10.00 (3.30-11.80)	3.108 (0.930-5.480)	13.65	99
15+15+20+25+35	1.50	1.50	2.00	2.50	3.50	-	11.00 (3.50-13.20)	3.385 (0.890-5.810)	14.87	99
15+15+20+25+42	1.46	1.46	1.95	2.44	4.09	-	11.40 (3.50-13.20)	3.547 (0.890-5.790)	15.58	99
15+15+20+25+50	1.43	1.43	1.90	2.38	4.76	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
15+15+20+25+60	1.33	1.33	1.78	2.22	5.33	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
15+15+20+25+71	1.23	1.23	1.64	2.05	5.84	-	12.00 (3.50-13.30)	3.943 (0.890-5.780)	17.32	99
15+15+20+35+35	1.45	1.45	1.93	3.38	3.38	-	11.60 (3.50-13.20)	3.616 (0.890-5.780)	15.88	99
15+15+20+35+42	1.41	1.41	1.87	3.28	3.94	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
15+15+20+35+50	1.33	1.33	1.78	3.11	4.44	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
15+15+20+35+60	1.24	1.24	1.66	2.90	4.97	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
15+15+20+35+71	1.16	1.16	1.55	2.71	5.51	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
15+15+20+42+42	1.34	1.34	1.79	3.76	3.76	-	12.00 (3.50-13.30)	3.898 (0.890-5.780)	17.12	99
15+15+20+42+50	1.27	1.27	1.69	3.55	4.23	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
15+15+20+42+60	1.19	1.19	1.59	3.34	4.78	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
15+15+20+42+71	1.11	1.11	1.48	3.12	5.27	-	12.10 (3.50-13.30)	4.005 (0.890-5.780)	17.59	99
15+15+20+50+50	1.21	1.21	1.61	4.03	4.03	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
15+15+20+50+60	1.13	1.13	1.51	3.78	4.54	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
15+15+20+50+71	1.07	1.07	1.43	3.57	5.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+20+60+60	1.08	1.08	1.44	4.31	4.31	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+22+22+22	1.50	1.50	2.20	2.20	2.20	-	9.60 (3.30-11.60)	2.898 (0.930-5.390)	12.73	99
15+15+22+22+25	1.50	1.50	2.20	2.20	2.50	-	9.90 (3.30-11.70)	3.055 (0.930-5.440)	13.42	99
15+15+22+22+35	1.50	1.50	2.20	2.20	3.50	-	10.90 (3.50-13.10)	3.360 (0.890-5.790)	14.76	99
15+15+22+22+42	1.47	1.47	2.16	2.16	4.13	-	11.40 (3.50-13.20)	3.524 (0.890-5.790)	15.48	99
15+15+22+22+50	1.43	1.43	2.09	2.09	4.76	-	11.80 (3.50-13.20)	3.707 (0.890-5.760)	16.28	99
15+15+22+22+60	1.34	1.34	1.97	1.97	5.37	-	12.00 (3.50-13.30)	3.898 (0.890-5.780)	17.12	99
15+15+22+22+71	1.24	1.24	1.82	1.82	5.88	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
15+15+22+25+25	1.50	1.50	2.20	2.50	2.50	-	10.20 (3.30-12.10)	3.185 (0.920-5.550)	13.99	99
15+15+22+25+35	1.49	1.49	2.18	2.48	3.47	-	11.10 (3.50-13.20)	3.433 (0.890-5.800)	15.08	99
15+15+22+25+42	1.45	1.45	2.13	2.42	4.06	-	11.50 (3.50-13.20)	3.593 (0.890-5.780)	15.78	99
15+15+22+25+50	1.41	1.41	2.06	2.34	4.69	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
15+15+22+25+60	1.31	1.31	1.93	2.19	5.26	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
15+15+22+25+71	1.22	1.22	1.78	2.03	5.76	-	12.00 (3.50-13.30)	3.949 (0.890-5.780)	17.34	99
15+15+22+35+35	1.44	1.44	2.11	3.36	3.36	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
15+15+22+35+42	1.38	1.38	2.03	3.23	3.87	-	11.90 (3.50-13.20)	3.821 (0.890-5.760)	16.78	99
15+15+22+35+50	1.31	1.31	1.93	3.07	4.38	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
15+15+22+35+60	1.22	1.22	1.80	2.86	4.90	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
15+15+22+35+71	1.15	1.15	1.68	2.68	5.44	-	12.10 (3.50-13.30)	3.980 (0.890-5.780)	17.48	99
15+15+22+42+42	1.32	1.32	1.94	3.71	3.71	-	12.00 (3.50-13.30)	3.905 (0.890-5.780)	17.15	99
15+15+22+42+50	1.25	1.25	1.83	3.50	4.17	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
15+15+22+42+60	1.18	1.18	1.73	3.30	4.71	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
15+15+22+42+71	1.10	1.10	1.61	3.08	5.21	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+15+22+50+50	1.19	1.19	1.75	3.98	3.98	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+22+50+60	1.12	1.12	1.64	3.73	4.48	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
15+15+22+50+71	1.06	1.06	1.55	3.53	5.01	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+22+60+60	1.06	1.06	1.56	4.26	4.26	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+25+25+25	1.50	1.50	2.50	2.50	2.50	-	10.50 (3.40-12.50)	3.260 (0.910-5.650)	14.32	99
15+15+25+25+35	1.47	1.47	2.46	2.46	3.44	-	11.30 (3.50-13.20)	3.501 (0.890-5.790)	15.38	99
15+15+25+25+42	1.44	1.44	2.40	2.40	4.03	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
15+15+25+25+50	1.37	1.37	2.29	2.29	4.58	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
15+15+25+25+60	1.29	1.29	2.14	2.14	5.14	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
15+15+25+25+71	1.20	1.20	2.00	2.00	5.69	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
15+15+25+35+35	1.43	1.43	2.38	3.33	3.33	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
15+15+25+35+42	1.35	1.35	2.25	3.16	3.79	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
15+15+25+35+50	1.29	1.29	2.14	3.00	4.29	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
15+15+25+35+60	1.21	1.21	2.02	2.82	4.84	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
15+15+25+35+71	1.13	1.13	1.88	2.63	5.34	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
15+15+25+42+42	1.29	1.29	2.16	3.63	3.63	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99
15+15+25+42+50	1.22	1.22	2.04	3.43	4.08	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
15+15+25+42+60	1.16	1.16	1.93	3.24	4.62	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
15+15+25+42+71	1.09	1.09	1.82	3.05	5.16	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+25+50+50	1.17	1.17	1.95	3.90	3.90	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
15+15+25+50+60	1.10	1.10	1.83	3.67	4.40	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+15+25+50+71	1.04	1.04	1.73	3.47	4.92	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+25+60+60	1.05	1.05	1.74	4.18	4.18	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+35+35+35	1.33	1.33	3.11	3.11	3.11	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
15+15+35+35+42	1.27	1.27	2.96	2.96	3.55	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
15+15+35+35+50	1.21	1.21	2.82	2.82	4.03	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
15+15+35+35+60	1.13	1.13	2.65	2.65	4.54	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
15+15+35+35+71	1.07	1.07	2.50	2.50	5.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+35+42+42	1.21	1.21	2.82	3.38	3.38	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
15+15+35+42+50	1.16	1.16	2.70	3.24	3.85	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
15+15+35+42+60	1.10	1.10	2.56	3.07	4.38	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
15+15+35+42+71	1.03	1.03	2.40	2.88	4.87	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+35+50+50	1.10	1.10	2.57	3.67	3.67	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+15+35+50+60	1.05	1.05	2.44	3.49	4.18	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+42+42+42	1.16	1.16	3.26	3.26	3.26	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
15+15+42+42+50	1.11	1.11	3.10	3.10	3.69	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
15+15+42+42+60	1.05	1.05	2.94	2.94	4.21	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+42+50+50	1.06	1.06	2.98	3.55	3.55	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+50+50+50	1.02	1.02	3.39	3.39	3.39	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+20+20+20	1.50	2.00	2.00	2.00	2.00	-	9.50 (3.30-11.50)	2.846 (0.930-5.350)	12.50	99
15+20+20+20+22	1.50	2.00	2.00	2.00	2.20	-	9.70 (3.30-11.60)	2.951 (0.930-5.390)	12.96	99
15+20+20+20+25	1.50	2.00	2.00	2.00	2.50	-	10.00 (3.30-11.80)	3.108 (0.930-5.480)	13.65	99
15+20+20+20+35	1.50	2.00	2.00	2.00	3.50	-	11.00 (3.50-13.20)	3.385 (0.890-5.810)	14.87	99
15+20+20+20+42	1.46	1.95	1.95	1.95	4.09	-	11.40 (3.50-13.20)	3.547 (0.890-5.790)	15.58	99
15+20+20+20+50	1.43	1.90	1.90	1.90	4.76	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
15+20+20+20+60	1.33	1.78	1.78	1.78	5.33	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
15+20+20+20+71	1.23	1.64	1.64	1.64	5.84	-	12.00 (3.50-13.30)	3.943 (0.890-5.780)	17.32	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+20+22+22	1.50	2.00	2.00	2.20	2.20	-	9.90 (3.30-11.70)	3.055 (0.930-5.440)	13.42	99
15+20+20+22+25	1.50	2.00	2.00	2.20	2.50	-	10.20 (3.30-12.10)	3.185 (0.920-5.550)	13.99	99
15+20+20+22+35	1.49	1.98	1.98	2.18	3.47	-	11.10 (3.50-13.20)	3.433 (0.890-5.800)	15.08	99
15+20+20+22+42	1.45	1.93	1.93	2.13	4.06	-	11.50 (3.50-13.20)	3.593 (0.890-5.780)	15.78	99
15+20+20+22+50	1.41	1.87	1.87	2.06	4.69	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
15+20+20+22+60	1.31	1.75	1.75	1.93	5.26	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
15+20+20+22+71	1.22	1.62	1.62	1.78	5.76	-	12.00 (3.50-13.30)	3.949 (0.890-5.780)	17.34	99
15+20+20+25+25	1.50	2.00	2.00	2.50	2.50	-	10.50 (3.40-12.50)	3.260 (0.910-5.650)	14.32	99
15+20+20+25+35	1.47	1.97	1.97	2.46	3.44	-	11.30 (3.50-13.20)	3.501 (0.890-5.790)	15.38	99
15+20+20+25+42	1.44	1.92	1.92	2.40	4.03	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
15+20+20+25+50	1.37	1.83	1.83	2.29	4.58	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
15+20+20+25+60	1.29	1.71	1.71	2.14	5.14	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
15+20+20+25+71	1.20	1.60	1.60	2.00	5.69	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
15+20+20+35+35	1.43	1.90	1.90	3.33	3.33	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
15+20+20+35+42	1.35	1.80	1.80	3.16	3.79	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
15+20+20+35+50	1.29	1.71	1.71	3.00	4.29	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
15+20+20+35+60	1.21	1.61	1.61	2.82	4.84	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
15+20+20+35+71	1.13	1.50	1.50	2.63	5.34	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
15+20+20+42+42	1.29	1.73	1.73	3.63	3.63	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99
15+20+20+42+50	1.22	1.63	1.63	3.43	4.08	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
15+20+20+42+60	1.16	1.54	1.54	3.24	4.62	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
15+20+20+42+71	1.09	1.45	1.45	3.05	5.16	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+20+50+50	1.17	1.56	1.56	3.90	3.90	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
15+20+20+50+60	1.10	1.47	1.47	3.67	4.40	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+20+20+50+71	1.04	1.39	1.39	3.47	4.92	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+20+60+60	1.05	1.39	1.39	4.18	4.18	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+22+22+22	1.50	2.00	2.20	2.20	2.20	-	10.10 (3.30-11.90)	3.160 (0.930-5.500)	13.88	99
15+20+22+22+25	1.50	2.00	2.20	2.20	2.50	-	10.40 (3.40-12.40)	3.235 (0.910-5.620)	14.21	99
15+20+22+22+35	1.47	1.96	2.16	2.16	3.44	-	11.20 (3.50-13.20)	3.479 (0.890-5.800)	15.28	99
15+20+22+22+42	1.45	1.93	2.13	2.13	4.06	-	11.70 (3.50-13.20)	3.639 (0.890-5.770)	15.98	99
15+20+22+22+50	1.38	1.84	2.03	2.03	4.61	-	11.90 (3.50-13.20)	3.821 (0.890-5.760)	16.78	99
15+20+22+22+60	1.29	1.73	1.90	1.90	5.18	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99
15+20+22+22+71	1.21	1.61	1.77	1.77	5.73	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
15+20+22+25+25	1.50	2.00	2.20	2.50	2.50	-	10.70 (3.40-12.80)	3.310 (0.900-5.720)	14.54	99
15+20+22+25+35	1.46	1.95	2.14	2.44	3.41	-	11.40 (3.50-13.20)	3.547 (0.890-5.790)	15.58	99
15+20+22+25+42	1.43	1.90	2.09	2.38	4.00	-	11.80 (3.50-13.20)	3.707 (0.890-5.760)	16.28	99
15+20+22+25+50	1.35	1.80	1.98	2.25	4.51	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
15+20+22+25+60	1.27	1.69	1.86	2.11	5.07	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
15+20+22+25+71	1.19	1.58	1.74	1.98	5.62	-	12.10 (3.50-13.30)	3.965 (0.890-5.780)	17.41	99
15+20+22+35+35	1.41	1.87	2.06	3.28	3.28	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
15+20+22+35+42	1.34	1.79	1.97	3.13	3.76	-	12.00 (3.50-13.30)	3.898 (0.890-5.780)	17.12	99
15+20+22+35+50	1.27	1.69	1.86	2.96	4.23	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
15+20+22+35+60	1.19	1.59	1.75	2.79	4.78	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
15+20+22+35+71	1.11	1.48	1.63	2.60	5.27	-	12.10 (3.50-13.30)	4.005 (0.890-5.780)	17.59	99
15+20+22+42+42	1.28	1.70	1.87	3.57	3.57	-	12.00 (3.50-13.30)	3.925 (0.890-5.780)	17.24	99
15+20+22+42+50	1.21	1.61	1.77	3.38	4.03	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+22+42+60	1.14	1.52	1.67	3.20	4.57	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
15+20+22+42+71	1.08	1.44	1.58	3.01	5.10	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+22+50+50	1.16	1.54	1.70	3.85	3.85	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
15+20+22+50+60	1.10	1.46	1.61	3.65	4.38	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
15+20+22+50+71	1.03	1.37	1.51	3.43	4.87	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+22+60+60	1.03	1.38	1.52	4.14	4.14	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+25+25+25	1.50	2.00	2.50	2.50	2.50	-	11.00 (3.50-13.20)	3.385 (0.890-5.810)	14.87	99
15+20+25+25+35	1.45	1.93	2.42	2.42	3.38	-	11.60 (3.50-13.20)	3.616 (0.890-5.780)	15.88	99
15+20+25+25+42	1.41	1.87	2.34	2.34	3.94	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
15+20+25+25+50	1.33	1.78	2.22	2.22	4.44	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
15+20+25+25+60	1.24	1.66	2.07	2.07	4.97	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
15+20+25+25+71	1.16	1.55	1.94	1.94	5.51	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
15+20+25+35+35	1.37	1.83	2.29	3.20	3.20	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
15+20+25+35+42	1.31	1.75	2.19	3.07	3.68	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
15+20+25+35+50	1.24	1.66	2.07	2.90	4.14	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
15+20+25+35+60	1.17	1.56	1.95	2.73	4.68	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
15+20+25+35+71	1.09	1.46	1.82	2.55	5.18	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
15+20+25+42+42	1.25	1.67	2.08	3.50	3.50	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
15+20+25+42+50	1.19	1.59	1.99	3.34	3.98	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
15+20+25+42+60	1.12	1.49	1.87	3.14	4.48	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
15+20+25+42+71	1.06	1.41	1.76	2.96	5.01	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+25+50+50	1.13	1.51	1.89	3.78	3.78	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
15+20+25+50+60	1.08	1.44	1.79	3.59	4.31	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+25+60+60	1.02	1.36	1.69	4.07	4.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+35+35+35	1.29	1.71	3.00	3.00	3.00	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
15+20+35+35+42	1.22	1.63	2.86	2.86	3.43	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
15+20+35+35+50	1.17	1.56	2.73	2.73	3.90	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
15+20+35+35+60	1.10	1.47	2.57	2.57	4.40	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+20+35+35+71	1.04	1.39	2.43	2.43	4.92	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+35+42+42	1.18	1.57	2.75	3.30	3.30	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
15+20+35+42+50	1.12	1.49	2.61	3.14	3.73	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
15+20+35+42+60	1.06	1.42	2.48	2.98	4.26	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+35+50+50	1.08	1.44	2.51	3.59	3.59	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+35+50+60	1.02	1.36	2.37	3.39	4.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+42+42+42	1.13	1.50	3.16	3.16	3.16	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
15+20+42+42+50	1.08	1.44	3.03	3.03	3.61	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+42+42+60	1.02	1.36	2.86	2.86	4.09	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+20+42+50+50	1.03	1.38	2.89	3.45	3.45	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+22+22+22	1.50	2.20	2.20	2.20	2.20	-	10.30 (3.40-12.20)	3.210 (0.920-5.570)	14.10	99
15+22+22+22+25	1.50	2.20	2.20	2.20	2.50	-	10.60 (3.40-12.60)	3.285 (0.910-5.670)	14.43	99
15+22+22+22+35	1.47	2.16	2.16	2.16	3.44	-	11.40 (3.50-13.20)	3.524 (0.890-5.790)	15.48	99
15+22+22+22+42	1.44	2.11	2.11	2.11	4.03	-	11.80 (3.50-13.20)	3.684 (0.890-5.770)	16.18	99
15+22+22+22+50	1.36	2.00	2.00	2.00	4.54	-	11.90 (3.50-13.20)	3.867 (0.890-5.760)	16.98	99
15+22+22+22+60	1.28	1.87	1.87	1.87	5.11	-	12.00 (3.50-13.30)	3.925 (0.890-5.780)	17.24	99
15+22+22+22+71	1.19	1.75	1.75	1.75	5.65	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
15+22+22+25+25	1.50	2.20	2.20	2.50	2.50	-	10.90 (3.50-13.10)	3.360 (0.890-5.790)	14.76	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+22+22+25+35	1.45	2.13	2.13	2.42	3.38	-	11.50 (3.50-13.20)	3.593 (0.890-5.780)	15.78	99
15+22+22+25+42	1.42	2.08	2.08	2.36	3.97	-	11.90 (3.50-13.20)	3.753 (0.890-5.760)	16.48	99
15+22+22+25+50	1.34	1.97	1.97	2.24	4.48	-	12.00 (3.50-13.30)	3.898 (0.890-5.780)	17.12	99
15+22+22+25+60	1.25	1.83	1.83	2.08	5.00	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
15+22+22+25+71	1.17	1.72	1.72	1.95	5.54	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
15+22+22+35+35	1.38	2.03	2.03	3.23	3.23	-	11.90 (3.50-13.20)	3.821 (0.890-5.760)	16.78	99
15+22+22+35+42	1.32	1.94	1.94	3.09	3.71	-	12.00 (3.50-13.30)	3.905 (0.890-5.780)	17.15	99
15+22+22+35+50	1.25	1.83	1.83	2.92	4.17	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
15+22+22+35+60	1.18	1.73	1.73	2.75	4.71	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
15+22+22+35+71	1.10	1.61	1.61	2.57	5.21	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+22+22+42+42	1.26	1.85	1.85	3.52	3.52	-	12.00 (3.50-13.30)	3.932 (0.890-5.780)	17.27	99
15+22+22+42+50	1.20	1.76	1.76	3.37	4.01	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
15+22+22+42+60	1.13	1.65	1.65	3.16	4.51	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
15+22+22+42+71	1.06	1.56	1.56	2.98	5.04	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+22+50+50	1.14	1.67	1.67	3.81	3.81	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
15+22+22+50+60	1.08	1.59	1.59	3.61	4.33	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+22+50+71	1.02	1.49	1.49	3.39	4.81	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+22+60+60	1.02	1.50	1.50	4.09	4.09	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+25+25+25	1.49	2.18	2.48	2.48	2.48	-	11.10 (3.50-13.20)	3.433 (0.890-5.800)	15.08	99
15+22+25+25+35	1.44	2.11	2.40	2.40	3.36	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
15+22+25+25+42	1.38	2.03	2.31	2.31	3.87	-	11.90 (3.50-13.20)	3.821 (0.890-5.760)	16.78	99
15+22+25+25+50	1.31	1.93	2.19	2.19	4.38	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
15+22+25+25+60	1.22	1.80	2.04	2.04	4.90	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
15+22+25+25+71	1.15	1.68	1.91	1.91	5.44	-	12.10 (3.50-13.30)	3.980 (0.890-5.780)	17.48	99
15+22+25+35+35	1.35	1.98	2.25	3.16	3.16	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
15+22+25+35+42	1.29	1.90	2.16	3.02	3.63	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99
15+22+25+35+50	1.22	1.80	2.04	2.86	4.08	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
15+22+25+35+60	1.16	1.70	1.93	2.70	4.62	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
15+22+25+35+71	1.09	1.60	1.82	2.54	5.16	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+25+42+42	1.23	1.81	2.05	3.45	3.45	-	12.00 (3.50-13.30)	3.943 (0.890-5.780)	17.32	99
15+22+25+42+50	1.18	1.73	1.96	3.30	3.93	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
15+22+25+42+60	1.11	1.62	1.84	3.10	4.43	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
15+22+25+42+71	1.05	1.53	1.74	2.93	4.95	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+25+50+50	1.12	1.64	1.87	3.73	3.73	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
15+22+25+50+60	1.06	1.56	1.77	3.55	4.26	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+35+35+35	1.27	1.86	2.96	2.96	2.96	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
15+22+35+35+42	1.21	1.77	2.82	2.82	3.38	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
15+22+35+35+50	1.16	1.70	2.70	2.70	3.85	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
15+22+35+35+60	1.10	1.61	2.56	2.56	4.38	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
15+22+35+35+71	1.03	1.51	2.40	2.40	4.87	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+35+42+42	1.16	1.71	2.71	3.26	3.26	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
15+22+35+42+50	1.11	1.62	2.58	3.10	3.69	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
15+22+35+42+60	1.05	1.54	2.45	2.94	4.21	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+35+50+50	1.06	1.56	2.48	3.55	3.55	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+22+42+42+42	1.11	1.63	3.12	3.12	3.12	-	12.10 (3.50-13.30)	4.005 (0.890-5.780)	17.59	99
15+22+42+42+50	1.07	1.57	3.00	3.00	3.57	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+22+42+50+50	1.02	1.50	2.86	3.41	3.41	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+25+25+25+25	1.47	2.46	2.46	2.46	2.46	-	11.30 (3.50-13.20)	3.501 (0.890-5.790)	15.38	99
15+25+25+25+35	1.43	2.38	2.38	2.38	3.33	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
15+25+25+25+42	1.35	2.25	2.25	2.25	3.79	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
15+25+25+25+50	1.29	2.14	2.14	2.14	4.29	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
15+25+25+25+60	1.21	2.02	2.02	2.02	4.84	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
15+25+25+25+71	1.13	1.88	1.88	1.88	5.34	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
15+25+25+35+35	1.33	2.22	2.22	3.11	3.11	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
15+25+25+35+42	1.27	2.11	2.11	2.96	3.55	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
15+25+25+35+50	1.21	2.02	2.02	2.82	4.03	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
15+25+25+35+60	1.13	1.89	1.89	2.65	4.54	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
15+25+25+35+71	1.07	1.78	1.78	2.50	5.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+25+25+42+42	1.21	2.01	2.01	3.38	3.38	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
15+25+25+42+50	1.16	1.93	1.93	3.24	3.85	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
15+25+25+42+60	1.10	1.83	1.83	3.07	4.38	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
15+25+25+42+71	1.03	1.71	1.71	2.88	4.87	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+25+25+50+50	1.10	1.83	1.83	3.67	3.67	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
15+25+25+50+60	1.05	1.74	1.74	3.49	4.18	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+25+35+35+35	1.24	2.07	2.90	2.90	2.90	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
15+25+35+35+42	1.19	1.99	2.79	2.79	3.34	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
15+25+35+35+50	1.13	1.89	2.65	2.65	3.78	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
15+25+35+35+60	1.08	1.79	2.51	2.51	4.31	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+25+35+42+42	1.14	1.90	2.66	3.20	3.20	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
15+25+35+42+50	1.10	1.83	2.56	3.07	3.65	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
15+25+35+42+60	1.03	1.72	2.41	2.89	4.14	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+25+35+50+50	1.05	1.74	2.44	3.49	3.49	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+25+42+42+42	1.09	1.82	3.06	3.06	3.06	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
15+25+42+42+50	1.05	1.75	2.94	2.94	3.51	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+35+35+35+35	1.17	2.73	2.73	2.73	2.73	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
15+35+35+35+42	1.12	2.61	2.61	2.61	3.14	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
15+35+35+35+50	1.08	2.51	2.51	2.51	3.59	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+35+35+35+60	1.02	2.37	2.37	2.37	4.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+35+35+42+42	1.08	2.53	2.53	3.03	3.03	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+35+35+42+50	1.03	2.41	2.41	2.89	3.45	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+35+42+42+42	1.04	2.43	2.91	2.91	2.91	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+20+20+20	2.00	2.00	2.00	2.00	2.00	-	10.00 (3.30-11.80)	3.108 (0.930-5.480)	13.65	99
20+20+20+20+22	2.00	2.00	2.00	2.00	2.20	-	10.20 (3.30-12.10)	3.185 (0.920-5.550)	13.99	99
20+20+20+20+25	2.00	2.00	2.00	2.00	2.50	-	10.50 (3.40-12.50)	3.260 (0.910-5.650)	14.32	99
20+20+20+20+35	1.97	1.97	1.97	1.97	3.44	-	11.30 (3.50-13.20)	3.501 (0.890-5.790)	15.38	99
20+20+20+20+42	1.92	1.92	1.92	1.92	4.03	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
20+20+20+20+50	1.83	1.83	1.83	1.83	4.58	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
20+20+20+20+60	1.71	1.71	1.71	1.71	5.14	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
20+20+20+20+71	1.60	1.60	1.60	1.60	5.69	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
20+20+20+22+22	2.00	2.00	2.00	2.20	2.20	-	10.40 (3.40-12.40)	3.235 (0.910-5.620)	14.21	99
20+20+20+22+25	2.00	2.00	2.00	2.20	2.50	-	10.70 (3.40-12.80)	3.310 (0.900-5.720)	14.54	99
20+20+20+22+35	1.95	1.95	1.95	2.14	3.41	-	11.40 (3.50-13.20)	3.547 (0.890-5.790)	15.58	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+20+22+42	1.90	1.90	1.90	2.09	4.00	-	11.80 (3.50-13.20)	3.707 (0.890-5.760)	16.28	99
20+20+20+22+50	1.80	1.80	1.80	1.98	4.51	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
20+20+20+22+60	1.69	1.69	1.69	1.86	5.07	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
20+20+20+22+71	1.58	1.58	1.58	1.74	5.62	-	12.10 (3.50-13.30)	3.965 (0.890-5.780)	17.41	99
20+20+20+25+25	2.00	2.00	2.00	2.50	2.50	-	11.00 (3.50-13.20)	3.385 (0.890-5.810)	14.87	99
20+20+20+25+35	1.93	1.93	1.93	2.42	3.38	-	11.60 (3.50-13.20)	3.616 (0.890-5.780)	15.88	99
20+20+20+25+42	1.87	1.87	1.87	2.34	3.94	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
20+20+20+25+50	1.78	1.78	1.78	2.22	4.44	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
20+20+20+25+60	1.66	1.66	1.66	2.07	4.97	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
20+20+20+25+71	1.55	1.55	1.55	1.94	5.51	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
20+20+20+35+35	1.83	1.83	1.83	3.20	3.20	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
20+20+20+35+42	1.75	1.75	1.75	3.07	3.68	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
20+20+20+35+50	1.66	1.66	1.66	2.90	4.14	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
20+20+20+35+60	1.56	1.56	1.56	2.73	4.68	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
20+20+20+35+71	1.46	1.46	1.46	2.55	5.18	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
20+20+20+42+42	1.67	1.67	1.67	3.50	3.50	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
20+20+20+42+50	1.59	1.59	1.59	3.34	3.98	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
20+20+20+42+60	1.49	1.49	1.49	3.14	4.48	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
20+20+20+42+71	1.41	1.41	1.41	2.96	5.01	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+20+50+50	1.51	1.51	1.51	3.78	3.78	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
20+20+20+50+60	1.44	1.44	1.44	3.59	4.31	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+20+60+60	1.36	1.36	1.36	4.07	4.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+22+22+22	2.00	2.00	2.20	2.20	2.20	-	10.60 (3.40-12.60)	3.285 (0.910-5.670)	14.43	99
20+20+22+22+25	2.00	2.00	2.20	2.20	2.50	-	10.90 (3.50-13.10)	3.360 (0.890-5.790)	14.76	99
20+20+22+22+35	1.93	1.93	2.13	2.13	3.38	-	11.50 (3.50-13.20)	3.593 (0.890-5.780)	15.78	99
20+20+22+22+42	1.89	1.89	2.08	2.08	3.97	-	11.90 (3.50-13.20)	3.753 (0.890-5.760)	16.48	99
20+20+22+22+50	1.79	1.79	1.97	1.97	4.48	-	12.00 (3.50-13.30)	3.898 (0.890-5.780)	17.12	99
20+20+22+22+60	1.67	1.67	1.83	1.83	5.00	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
20+20+22+22+71	1.56	1.56	1.72	1.72	5.54	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
20+20+22+25+25	1.98	1.98	2.18	2.48	2.48	-	11.10 (3.50-13.20)	3.433 (0.890-5.800)	15.08	99
20+20+22+25+35	1.92	1.92	2.11	2.40	3.36	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
20+20+22+25+42	1.84	1.84	2.03	2.31	3.87	-	11.90 (3.50-13.20)	3.821 (0.890-5.760)	16.78	99
20+20+22+25+50	1.75	1.75	1.93	2.19	4.38	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
20+20+22+25+60	1.63	1.63	1.80	2.04	4.90	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
20+20+22+25+71	1.53	1.53	1.68	1.91	5.44	-	12.10 (3.50-13.30)	3.980 (0.890-5.780)	17.48	99
20+20+22+35+35	1.80	1.80	1.98	3.16	3.16	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
20+20+22+35+42	1.73	1.73	1.90	3.02	3.63	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99
20+20+22+35+50	1.63	1.63	1.80	2.86	4.08	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
20+20+22+35+60	1.54	1.54	1.70	2.70	4.62	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
20+20+22+35+71	1.45	1.45	1.60	2.54	5.16	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+22+42+42	1.64	1.64	1.81	3.45	3.45	-	12.00 (3.50-13.30)	3.943 (0.890-5.780)	17.32	99
20+20+22+42+50	1.57	1.57	1.73	3.30	3.93	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
20+20+22+42+60	1.48	1.48	1.62	3.10	4.43	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
20+20+22+42+71	1.39	1.39	1.53	2.93	4.95	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+22+50+50	1.49	1.49	1.64	3.73	3.73	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
20+20+22+50+60	1.42	1.42	1.56	3.55	4.26	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+25+25+25	1.97	1.97	2.46	2.46	2.46	-	11.30 (3.50-13.20)	3.501 (0.890-5.790)	15.38	99
20+20+25+25+35	1.90	1.90	2.38	2.38	3.33	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
20+20+25+25+42	1.80	1.80	2.25	2.25	3.79	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
20+20+25+25+50	1.71	1.71	2.14	2.14	4.29	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
20+20+25+25+60	1.61	1.61	2.02	2.02	4.84	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
20+20+25+25+71	1.50	1.50	1.88	1.88	5.34	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
20+20+25+35+35	1.78	1.78	2.22	3.11	3.11	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99
20+20+25+35+42	1.69	1.69	2.11	2.96	3.55	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
20+20+25+35+50	1.61	1.61	2.02	2.82	4.03	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
20+20+25+35+60	1.51	1.51	1.89	2.65	4.54	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
20+20+25+35+71	1.43	1.43	1.78	2.50	5.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+25+42+42	1.61	1.61	2.01	3.38	3.38	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
20+20+25+42+50	1.54	1.54	1.93	3.24	3.85	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
20+20+25+42+60	1.46	1.46	1.83	3.07	4.38	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
20+20+25+42+71	1.37	1.37	1.71	2.88	4.87	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+25+50+50	1.47	1.47	1.83	3.67	3.67	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
20+20+25+50+60	1.39	1.39	1.74	3.49	4.18	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+35+35+35	1.66	1.66	2.90	2.90	2.90	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
20+20+35+35+42	1.59	1.59	2.79	2.79	3.34	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
20+20+35+35+50	1.51	1.51	2.65	2.65	3.78	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
20+20+35+35+60	1.44	1.44	2.51	2.51	4.31	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+35+42+42	1.52	1.52	2.66	3.20	3.20	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
20+20+35+42+50	1.46	1.46	2.56	3.07	3.65	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
20+20+35+42+60	1.38	1.38	2.41	2.89	4.14	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+35+50+50	1.39	1.39	2.44	3.49	3.49	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+20+42+42+42	1.46	1.46	3.06	3.06	3.06	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
20+20+42+42+50	1.40	1.40	2.94	2.94	3.51	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+22+22+22	2.00	2.20	2.20	2.20	2.20	-	10.80 (3.50-12.90)	3.335 (0.900-5.740)	14.65	99
20+22+22+22+25	2.00	2.20	2.20	2.20	2.50	-	11.10 (3.50-13.20)	3.410 (0.890-5.810)	14.98	99
20+22+22+22+35	1.93	2.13	2.13	2.13	3.38	-	11.70 (3.50-13.20)	3.639 (0.890-5.770)	15.98	99
20+22+22+22+42	1.86	2.05	2.05	2.05	3.90	-	11.90 (3.50-13.20)	3.799 (0.890-5.760)	16.68	99
20+22+22+22+50	1.76	1.94	1.94	1.94	4.41	-	12.00 (3.50-13.30)	3.905 (0.890-5.780)	17.15	99
20+22+22+22+60	1.64	1.81	1.81	1.81	4.93	-	12.00 (3.50-13.30)	3.943 (0.890-5.780)	17.32	99
20+22+22+22+71	1.54	1.70	1.70	1.70	5.47	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
20+22+22+25+25	1.96	2.16	2.16	2.46	2.46	-	11.20 (3.50-13.20)	3.479 (0.890-5.800)	15.28	99
20+22+22+25+35	1.90	2.09	2.09	2.38	3.33	-	11.80 (3.50-13.20)	3.707 (0.890-5.760)	16.28	99
20+22+22+25+42	1.82	2.00	2.00	2.27	3.82	-	11.90 (3.50-13.20)	3.867 (0.890-5.760)	16.98	99
20+22+22+25+50	1.73	1.90	1.90	2.16	4.32	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99
20+22+22+25+60	1.61	1.77	1.77	2.01	4.83	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
20+22+22+25+71	1.51	1.66	1.66	1.89	5.37	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
20+22+22+35+35	1.79	1.97	1.97	3.13	3.13	-	12.00 (3.50-13.30)	3.898 (0.890-5.780)	17.12	99
20+22+22+35+42	1.70	1.87	1.87	2.98	3.57	-	12.00 (3.50-13.30)	3.925 (0.890-5.780)	17.24	99
20+22+22+35+50	1.61	1.77	1.77	2.82	4.03	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
20+22+22+35+60	1.52	1.67	1.67	2.66	4.57	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
20+22+22+35+71	1.44	1.58	1.58	2.51	5.10	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+22+42+42	1.62	1.78	1.78	3.41	3.41	-	12.00 (3.50-13.30)	3.949 (0.890-5.780)	17.34	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+22+22+42+50	1.55	1.71	1.71	3.26	3.88	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
20+22+22+42+60	1.46	1.60	1.60	3.06	4.37	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
20+22+22+42+71	1.38	1.52	1.52	2.89	4.89	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+22+50+50	1.48	1.62	1.62	3.69	3.69	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
20+22+22+50+60	1.40	1.54	1.54	3.51	4.21	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+25+25+25	1.95	2.14	2.44	2.44	2.44	-	11.40 (3.50-13.20)	3.547 (0.890-5.790)	15.58	99
20+22+25+25+35	1.87	2.06	2.34	2.34	3.28	-	11.90 (3.50-13.20)	3.776 (0.890-5.760)	16.58	99
20+22+25+25+42	1.79	1.97	2.24	2.24	3.76	-	12.00 (3.50-13.30)	3.898 (0.890-5.780)	17.12	99
20+22+25+25+50	1.69	1.86	2.11	2.11	4.23	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
20+22+25+25+60	1.59	1.75	1.99	1.99	4.78	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
20+22+25+25+71	1.48	1.63	1.86	1.86	5.27	-	12.10 (3.50-13.30)	4.005 (0.890-5.780)	17.59	99
20+22+25+35+35	1.75	1.93	2.19	3.07	3.07	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
20+22+25+35+42	1.67	1.83	2.08	2.92	3.50	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
20+22+25+35+50	1.59	1.75	1.99	2.79	3.98	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
20+22+25+35+60	1.49	1.64	1.87	2.61	4.48	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
20+22+25+35+71	1.41	1.55	1.76	2.47	5.01	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+25+42+42	1.60	1.76	2.00	3.37	3.37	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
20+22+25+42+50	1.52	1.67	1.90	3.20	3.81	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
20+22+25+42+60	1.44	1.59	1.80	3.03	4.33	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+25+42+71	1.36	1.49	1.69	2.85	4.81	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+25+50+50	1.46	1.61	1.83	3.65	3.65	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
20+22+25+50+60	1.38	1.52	1.72	3.45	4.14	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+35+35+35	1.63	1.80	2.86	2.86	2.86	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
20+22+35+35+42	1.57	1.73	2.75	2.75	3.30	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
20+22+35+35+50	1.49	1.64	2.61	2.61	3.73	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
20+22+35+35+60	1.42	1.56	2.48	2.48	4.26	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+35+42+42	1.50	1.65	2.63	3.16	3.16	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
20+22+35+42+50	1.44	1.59	2.53	3.03	3.61	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+35+42+60	1.36	1.50	2.39	2.86	4.09	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+35+50+50	1.38	1.52	2.41	3.45	3.45	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+42+42+42	1.45	1.60	3.05	3.05	3.05	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+22+42+42+50	1.39	1.53	2.91	2.91	3.47	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+25+25+25	1.93	2.42	2.42	2.42	2.42	-	11.60 (3.50-13.20)	3.616 (0.890-5.780)	15.88	99
20+25+25+25+35	1.83	2.29	2.29	2.29	3.20	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
20+25+25+25+42	1.75	2.19	2.19	2.19	3.68	-	12.00 (3.50-13.30)	3.909 (0.890-5.780)	17.17	99
20+25+25+25+50	1.66	2.07	2.07	2.07	4.14	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
20+25+25+25+60	1.56	1.95	1.95	1.95	4.68	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
20+25+25+25+71	1.46	1.82	1.82	1.82	5.18	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
20+25+25+35+35	1.71	2.14	2.14	3.00	3.00	-	12.00 (3.50-13.30)	3.921 (0.890-5.780)	17.22	99
20+25+25+35+42	1.63	2.04	2.04	2.86	3.43	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
20+25+25+35+50	1.56	1.95	1.95	2.73	3.90	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
20+25+25+35+60	1.47	1.83	1.83	2.57	4.40	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
20+25+25+35+71	1.39	1.73	1.73	2.43	4.92	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+25+42+42	1.57	1.96	1.96	3.30	3.30	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
20+25+25+42+50	1.49	1.87	1.87	3.14	3.73	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
20+25+25+42+60	1.42	1.77	1.77	2.98	4.26	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+25+25+50+50	1.44	1.79	1.79	3.59	3.59	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+25+50+60	1.36	1.69	1.69	3.39	4.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+35+35+35	1.61	2.02	2.82	2.82	2.82	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
20+25+35+35+42	1.54	1.93	2.70	2.70	3.24	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
20+25+35+35+50	1.47	1.83	2.57	2.57	3.67	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
20+25+35+35+60	1.39	1.74	2.44	2.44	4.18	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+35+42+42	1.48	1.84	2.58	3.10	3.10	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
20+25+35+42+50	1.42	1.77	2.48	2.98	3.55	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+35+50+50	1.36	1.69	2.37	3.39	3.39	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+42+42+42	1.43	1.78	3.00	3.00	3.00	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+25+42+42+50	1.36	1.70	2.86	2.86	3.41	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+35+35+35+35	1.51	2.65	2.65	2.65	2.65	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
20+35+35+35+42	1.46	2.56	2.56	2.56	3.07	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
20+35+35+35+50	1.39	2.44	2.44	2.44	3.49	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
20+35+35+42+42	1.40	2.45	2.45	2.94	2.94	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+22+22+22	2.20	2.20	2.20	2.20	2.20	-	11.00 (3.50-13.20)	3.385 (0.890-5.810)	14.87	99
22+22+22+22+25	2.18	2.18	2.18	2.18	2.48	-	11.20 (3.50-13.20)	3.456 (0.890-5.800)	15.18	99
22+22+22+22+35	2.11	2.11	2.11	2.11	3.36	-	11.80 (3.50-13.20)	3.684 (0.890-5.770)	16.18	99
22+22+22+22+42	2.01	2.01	2.01	2.01	3.84	-	11.90 (3.50-13.20)	3.844 (0.890-5.760)	16.88	99
22+22+22+22+50	1.91	1.91	1.91	1.91	4.35	-	12.00 (3.50-13.30)	3.913 (0.890-5.780)	17.19	99
22+22+22+22+60	1.78	1.78	1.78	1.78	4.86	-	12.00 (3.50-13.30)	3.949 (0.890-5.780)	17.34	99
22+22+22+22+71	1.67	1.67	1.67	1.67	5.40	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
22+22+22+25+25	2.16	2.16	2.16	2.46	2.46	-	11.40 (3.50-13.20)	3.524 (0.890-5.790)	15.48	99
22+22+22+25+35	2.08	2.08	2.08	2.36	3.31	-	11.90 (3.50-13.20)	3.753 (0.890-5.760)	16.48	99
22+22+22+25+42	1.97	1.97	1.97	2.24	3.76	-	11.90 (3.50-13.20)	3.894 (0.890-5.760)	17.10	99
22+22+22+25+50	1.87	1.87	1.87	2.13	4.26	-	12.00 (3.50-13.30)	3.925 (0.890-5.780)	17.24	99
22+22+22+25+60	1.76	1.76	1.76	2.00	4.81	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
22+22+22+25+71	1.64	1.64	1.64	1.87	5.30	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
22+22+22+35+35	1.94	1.94	1.94	3.09	3.09	-	12.00 (3.50-13.30)	3.905 (0.890-5.780)	17.15	99
22+22+22+35+42	1.85	1.85	1.85	2.94	3.52	-	12.00 (3.50-13.30)	3.932 (0.890-5.780)	17.27	99
22+22+22+35+50	1.76	1.76	1.76	2.80	4.01	-	12.10 (3.50-13.30)	3.958 (0.890-5.780)	17.38	99
22+22+22+35+60	1.65	1.65	1.65	2.63	4.51	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
22+22+22+35+71	1.56	1.56	1.56	2.48	5.04	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+22+42+42	1.77	1.77	1.77	3.39	3.39	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
22+22+22+42+50	1.68	1.68	1.68	3.22	3.83	-	12.10 (3.50-13.30)	3.980 (0.890-5.780)	17.48	99
22+22+22+42+60	1.60	1.60	1.60	3.05	4.36	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+22+42+71	1.50	1.50	1.50	2.86	4.84	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+22+50+50	1.60	1.60	1.60	3.64	3.64	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
22+22+22+50+60	1.53	1.53	1.53	3.47	4.16	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+25+25+25	2.13	2.13	2.42	2.42	2.42	-	11.50 (3.50-13.20)	3.593 (0.890-5.780)	15.78	99
22+22+25+25+35	2.03	2.03	2.31	2.31	3.23	-	11.90 (3.50-13.20)	3.821 (0.890-5.760)	16.78	99
22+22+25+25+42	1.94	1.94	2.21	2.21	3.71	-	12.00 (3.50-13.30)	3.905 (0.890-5.780)	17.15	99
22+22+25+25+50	1.83	1.83	2.08	2.08	4.17	-	12.00 (3.50-13.30)	3.936 (0.890-5.780)	17.29	99
22+22+25+25+60	1.73	1.73	1.96	1.96	4.71	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
22+22+25+25+71	1.61	1.61	1.83	1.83	5.21	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
22+22+25+35+35	1.90	1.90	2.16	3.02	3.02	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+22+25+35+42	1.81	1.81	2.05	2.88	3.45	-	12.00 (3.50-13.30)	3.943 (0.890-5.780)	17.32	99
22+22+25+35+50	1.73	1.73	1.96	2.75	3.93	-	12.10 (3.50-13.30)	3.968 (0.890-5.780)	17.43	99
22+22+25+35+60	1.62	1.62	1.84	2.58	4.43	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
22+22+25+35+71	1.53	1.53	1.74	2.44	4.95	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+25+42+42	1.74	1.74	1.98	3.32	3.32	-	12.10 (3.50-13.30)	3.965 (0.890-5.780)	17.41	99
22+22+25+42+50	1.65	1.65	1.88	3.16	3.76	-	12.10 (3.50-13.30)	3.995 (0.890-5.780)	17.55	99
22+22+25+42+60	1.57	1.57	1.78	3.00	4.28	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+25+50+50	1.59	1.59	1.80	3.61	3.61	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+25+50+60	1.50	1.50	1.70	3.41	4.09	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+35+35+35	1.77	1.77	2.82	2.82	2.82	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
22+22+35+35+42	1.71	1.71	2.71	2.71	3.26	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
22+22+35+35+50	1.62	1.62	2.58	2.58	3.69	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
22+22+35+35+60	1.54	1.54	2.45	2.45	4.21	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+35+42+42	1.63	1.63	2.60	3.12	3.12	-	12.10 (3.50-13.30)	4.005 (0.890-5.780)	17.59	99
22+22+35+42+50	1.57	1.57	2.50	3.00	3.57	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+35+50+50	1.50	1.50	2.39	3.41	3.41	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+42+42+42	1.58	1.58	3.01	3.01	3.01	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+22+42+42+50	1.51	1.51	2.88	2.88	3.43	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+25+25+25+25	2.11	2.40	2.40	2.40	2.40	-	11.70 (3.50-13.20)	3.661 (0.890-5.770)	16.08	99
22+25+25+25+35	1.98	2.25	2.25	2.25	3.16	-	11.90 (3.50-13.20)	3.890 (0.890-5.760)	17.08	99
22+25+25+25+42	1.90	2.16	2.16	2.16	3.63	-	12.00 (3.50-13.30)	3.917 (0.890-5.780)	17.20	99
22+25+25+25+50	1.80	2.04	2.04	2.04	4.08	-	12.00 (3.50-13.30)	3.946 (0.890-5.780)	17.33	99
22+25+25+25+60	1.70	1.93	1.93	1.93	4.62	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
22+25+25+25+71	1.60	1.82	1.82	1.82	5.16	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+25+25+35+35	1.86	2.11	2.11	2.96	2.96	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
22+25+25+35+42	1.77	2.01	2.01	2.82	3.38	-	12.00 (3.50-13.30)	3.952 (0.890-5.780)	17.36	99
22+25+25+35+50	1.70	1.93	1.93	2.70	3.85	-	12.10 (3.50-13.30)	3.977 (0.890-5.780)	17.47	99
22+25+25+35+60	1.61	1.83	1.83	2.56	4.38	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
22+25+25+35+71	1.51	1.71	1.71	2.40	4.87	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+25+25+42+42	1.71	1.94	1.94	3.26	3.26	-	12.10 (3.50-13.30)	3.974 (0.890-5.780)	17.45	99
22+25+25+42+50	1.62	1.84	1.84	3.10	3.69	-	12.10 (3.50-13.30)	4.010 (0.890-5.780)	17.61	99
22+25+25+42+60	1.54	1.75	1.75	2.94	4.21	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+25+25+50+50	1.56	1.77	1.77	3.55	3.55	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+25+35+35+35	1.75	1.99	2.79	2.79	2.79	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
22+25+35+35+42	1.67	1.90	2.66	2.66	3.20	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
22+25+35+35+50	1.61	1.83	2.56	2.56	3.65	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
22+25+35+35+60	1.52	1.72	2.41	2.41	4.14	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+25+35+42+42	1.60	1.82	2.55	3.06	3.06	-	12.10 (3.50-13.30)	4.020 (0.890-5.780)	17.65	99
22+25+35+42+50	1.54	1.75	2.45	2.94	3.51	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+25+42+42+42	1.55	1.76	2.96	2.96	2.96	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+35+35+35+35	1.64	2.61	2.61	2.61	2.61	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
22+35+35+35+42	1.59	2.53	2.53	2.53	3.03	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+35+35+35+50	1.52	2.41	2.41	2.41	3.45	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
22+35+35+42+42	1.53	2.43	2.43	2.91	2.91	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+25+25+25	2.38	2.38	2.38	2.38	2.38	-	11.90 (3.50-13.20)	3.730 (0.890-5.760)	16.38	99
25+25+25+25+35	2.22	2.22	2.22	2.22	3.11	-	12.00 (3.50-13.30)	3.902 (0.890-5.780)	17.13	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
25+25+25+25+42	2.11	2.11	2.11	2.11	3.55	-	12.00 (3.50-13.30)	3.928 (0.890-5.780)	17.25	99
25+25+25+25+50	2.02	2.02	2.02	2.02	4.03	-	12.10 (3.50-13.30)	3.955 (0.890-5.780)	17.37	99
25+25+25+25+60	1.89	1.89	1.89	1.89	4.54	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
25+25+25+25+71	1.78	1.78	1.78	1.78	5.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+25+35+35	2.07	2.07	2.07	2.90	2.90	-	12.00 (3.50-13.30)	3.940 (0.890-5.780)	17.30	99
25+25+25+35+42	1.99	1.99	1.99	2.79	3.34	-	12.10 (3.50-13.30)	3.962 (0.890-5.780)	17.40	99
25+25+25+35+50	1.89	1.89	1.89	2.65	3.78	-	12.10 (3.50-13.30)	3.990 (0.890-5.780)	17.52	99
25+25+25+35+60	1.79	1.79	1.79	2.51	4.31	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+25+42+42	1.90	1.90	1.90	3.20	3.20	-	12.10 (3.50-13.30)	3.985 (0.890-5.780)	17.50	99
25+25+25+42+50	1.83	1.83	1.83	3.07	3.65	-	12.20 (3.50-13.40)	4.025 (0.890-5.790)	17.68	99
25+25+25+42+60	1.72	1.72	1.72	2.89	4.14	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+25+50+50	1.74	1.74	1.74	3.49	3.49	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+35+35+35	1.95	1.95	2.73	2.73	2.73	-	12.10 (3.50-13.30)	3.971 (0.890-5.780)	17.44	99
25+25+35+35+42	1.87	1.87	2.61	2.61	3.14	-	12.10 (3.50-13.30)	4.000 (0.890-5.780)	17.57	99
25+25+35+35+50	1.79	1.79	2.51	2.51	3.59	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+35+35+60	1.69	1.69	2.37	2.37	4.07	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+35+42+42	1.80	1.80	2.53	3.03	3.03	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+35+42+50	1.72	1.72	2.41	2.89	3.45	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+25+42+42+42	1.73	1.73	2.91	2.91	2.91	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+35+35+35+35	1.83	2.57	2.57	2.57	2.57	-	12.10 (3.50-13.30)	4.015 (0.890-5.780)	17.63	99
25+35+35+35+42	1.77	2.48	2.48	2.48	2.98	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+35+35+35+50	1.69	2.37	2.37	2.37	3.39	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
25+35+35+42+42	1.70	2.39	2.39	2.86	2.86	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
35+35+35+35+35	2.44	2.44	2.44	2.44	2.44	-	12.20 (3.50-13.40)	4.030 (0.890-5.790)	17.70	99
15+15+15+15+15+15	1.50	1.50	1.50	1.50	1.50	1.50	9.00 (3.30-12.40)	2.400 (0.910-5.610)	10.54	99
15+15+15+15+15+20	1.48	1.48	1.48	1.48	1.48	1.98	9.40 (3.30-12.40)	2.650 (0.910-5.610)	11.64	99
15+15+15+15+15+22	1.48	1.48	1.48	1.48	1.48	2.18	9.60 (3.30-12.50)	2.750 (0.910-5.630)	12.08	99
15+15+15+15+15+25	1.47	1.47	1.47	1.47	1.47	2.45	9.80 (3.30-12.50)	2.900 (0.910-5.630)	12.74	99
15+15+15+15+15+35	1.45	1.45	1.45	1.45	1.45	3.37	10.60 (3.30-12.50)	3.401 (0.910-5.630)	14.94	99
15+15+15+15+15+42	1.44	1.44	1.44	1.44	1.44	4.02	11.20 (3.30-12.60)	3.758 (0.910-5.650)	16.50	99
15+15+15+15+15+50	1.40	1.40	1.40	1.40	1.40	4.68	11.70 (3.40-13.10)	3.930 (0.900-5.490)	17.26	99
15+15+15+15+15+60	1.34	1.34	1.34	1.34	1.34	5.38	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
15+15+15+15+15+71	1.25	1.25	1.25	1.25	1.25	5.93	12.20 (3.50-13.50)	3.973 (0.880-5.330)	17.45	99
15+15+15+15+20+20	1.47	1.47	1.47	1.47	1.96	1.96	9.80 (3.30-12.50)	2.900 (0.910-5.630)	12.74	99
15+15+15+15+20+22	1.47	1.47	1.47	1.47	1.96	2.16	10.00 (3.30-12.50)	3.000 (0.910-5.630)	13.18	99
15+15+15+15+20+25	1.46	1.46	1.46	1.46	1.94	2.43	10.20 (3.30-12.50)	3.150 (0.910-5.630)	13.83	99
15+15+15+15+20+35	1.43	1.43	1.43	1.43	1.91	3.35	11.00 (3.30-12.60)	3.656 (0.910-5.650)	16.06	99
15+15+15+15+20+42	1.41	1.41	1.41	1.41	1.89	3.96	11.50 (3.40-12.90)	3.895 (0.900-5.560)	17.11	99
15+15+15+15+20+50	1.37	1.37	1.37	1.37	1.83	4.58	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
15+15+15+15+20+60	1.31	1.31	1.31	1.31	1.74	5.23	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+15+15+15+20+71	1.21	1.21	1.21	1.21	1.62	5.74	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
15+15+15+15+22+22	1.46	1.46	1.46	1.46	2.14	2.14	10.10 (3.30-12.50)	3.100 (0.910-5.630)	13.61	99
15+15+15+15+22+25	1.46	1.46	1.46	1.46	2.14	2.43	10.40 (3.30-12.50)	3.250 (0.910-5.630)	14.27	99
15+15+15+15+22+35	1.44	1.44	1.44	1.44	2.11	3.35	11.20 (3.30-12.60)	3.758 (0.910-5.650)	16.50	99
15+15+15+15+22+42	1.40	1.40	1.40	1.40	2.06	3.93	11.60 (3.40-13.10)	3.918 (0.900-5.490)	17.21	99
15+15+15+15+22+50	1.36	1.36	1.36	1.36	2.00	4.55	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+15+22+60	1.29	1.29	1.29	1.29	1.89	5.15	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+15+15+15+22+71	1.20	1.20	1.20	1.20	1.75	5.66	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+15+15+15+25+25	1.45	1.45	1.45	1.45	2.41	2.41	10.60 (3.30-12.50)	3.401 (0.910-5.630)	14.94	99
15+15+15+15+25+35	1.43	1.43	1.43	1.43	2.38	3.33	11.40 (3.30-12.80)	3.872 (0.910-5.590)	17.00	99
15+15+15+15+25+42	1.39	1.39	1.39	1.39	2.32	3.90	11.80 (3.40-13.20)	3.953 (0.890-5.460)	17.36	99
15+15+15+15+25+50	1.34	1.34	1.34	1.34	2.24	4.48	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
15+15+15+15+25+60	1.26	1.26	1.26	1.26	2.10	5.05	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+15+15+15+25+71	1.17	1.17	1.17	1.17	1.96	5.55	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
15+15+15+15+35+35	1.37	1.37	1.37	1.37	3.20	3.20	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
15+15+15+15+35+42	1.32	1.32	1.32	1.32	3.09	3.71	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+15+15+15+35+50	1.26	1.26	1.26	1.26	2.94	4.21	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+15+15+15+35+60	1.18	1.18	1.18	1.18	2.75	4.72	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+15+15+15+35+71	1.10	1.10	1.10	1.10	2.57	5.22	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+15+15+42+42	1.27	1.27	1.27	1.27	3.56	3.56	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
15+15+15+15+42+50	1.20	1.20	1.20	1.20	3.37	4.01	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+15+15+15+42+60	1.13	1.13	1.13	1.13	3.16	4.52	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+15+15+42+71	1.06	1.06	1.06	1.06	2.96	5.01	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
15+15+15+15+50+50	1.14	1.14	1.14	1.14	3.81	3.81	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+15+15+15+50+60	1.08	1.08	1.08	1.08	3.59	4.31	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+15+15+60+60	1.02	1.02	1.02	1.02	4.07	4.07	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+15+15+20+20+20	1.46	1.46	1.46	1.94	1.94	1.94	10.20 (3.30-12.50)	3.150 (0.910-5.630)	13.83	99
15+15+15+20+20+22	1.46	1.46	1.46	1.94	1.94	2.14	10.40 (3.30-12.50)	3.250 (0.910-5.630)	14.27	99
15+15+15+20+20+25	1.45	1.45	1.45	1.93	1.93	2.41	10.60 (3.30-12.50)	3.401 (0.910-5.630)	14.94	99
15+15+15+20+20+35	1.43	1.43	1.43	1.90	1.90	3.33	11.40 (3.30-12.80)	3.872 (0.910-5.590)	17.00	99
15+15+15+20+20+42	1.39	1.39	1.39	1.86	1.86	3.90	11.80 (3.40-13.20)	3.953 (0.890-5.460)	17.36	99
15+15+15+20+20+50	1.34	1.34	1.34	1.79	1.79	4.48	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
15+15+15+20+20+60	1.26	1.26	1.26	1.68	1.68	5.05	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+15+15+20+20+71	1.17	1.17	1.17	1.56	1.56	5.55	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
15+15+15+20+22+22	1.44	1.44	1.44	1.93	2.12	2.12	10.50 (3.30-12.50)	3.350 (0.910-5.630)	14.71	99
15+15+15+20+22+25	1.45	1.45	1.45	1.93	2.12	2.41	10.80 (3.30-12.60)	3.503 (0.910-5.650)	15.38	99
15+15+15+20+22+35	1.41	1.41	1.41	1.89	2.07	3.30	11.50 (3.40-12.90)	3.895 (0.900-5.560)	17.11	99
15+15+15+20+22+42	1.38	1.38	1.38	1.84	2.03	3.87	11.90 (3.50-13.40)	3.977 (0.890-5.400)	17.46	99
15+15+15+20+22+50	1.32	1.32	1.32	1.77	1.94	4.42	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+15+15+20+22+60	1.24	1.24	1.24	1.66	1.83	4.98	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+15+15+20+22+71	1.16	1.16	1.16	1.54	1.70	5.48	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+15+20+25+25	1.43	1.43	1.43	1.91	2.39	2.39	11.00 (3.30-12.60)	3.656 (0.910-5.650)	16.06	99
15+15+15+20+25+35	1.40	1.40	1.40	1.87	2.34	3.28	11.70 (3.40-13.10)	3.930 (0.900-5.490)	17.26	99
15+15+15+20+25+42	1.36	1.36	1.36	1.82	2.27	3.82	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99
15+15+15+20+25+50	1.31	1.31	1.31	1.74	2.18	4.36	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+15+15+20+25+60	1.22	1.22	1.22	1.63	2.03	4.88	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+15+15+20+25+71	1.14	1.14	1.14	1.52	1.89	5.38	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+15+20+35+35	1.34	1.34	1.34	1.79	3.14	3.14	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
15+15+15+20+35+42	1.29	1.29	1.29	1.72	3.01	3.61	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+15+15+20+35+50	1.22	1.22	1.22	1.63	2.85	4.07	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+15+15+20+35+60	1.14	1.14	1.14	1.53	2.67	4.58	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+15+15+20+35+71	1.07	1.07	1.07	1.43	2.50	5.07	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+20+42+42	1.23	1.23	1.23	1.64	3.44	3.44	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
15+15+15+20+42+50	1.17	1.17	1.17	1.55	3.26	3.89	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+15+20+42+60	1.10	1.10	1.10	1.46	3.07	4.38	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+15+20+42+71	1.03	1.03	1.03	1.37	2.88	4.87	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+15+15+20+50+50	1.11	1.11	1.11	1.48	3.70	3.70	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+15+15+20+50+60	1.05	1.05	1.05	1.39	3.49	4.18	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+15+22+22+22	1.45	1.45	1.45	2.12	2.12	2.12	10.70 (3.30-12.60)	3.452 (0.910-5.650)	15.16	99
15+15+15+22+22+25	1.43	1.43	1.43	2.10	2.10	2.39	10.90 (3.30-12.60)	3.605 (0.910-5.650)	15.83	99
15+15+15+22+22+35	1.40	1.40	1.40	2.06	2.06	3.27	11.60 (3.40-13.10)	3.918 (0.900-5.490)	17.21	99
15+15+15+22+22+42	1.37	1.37	1.37	2.02	2.02	3.85	12.00 (3.50-13.50)	4.000 (0.880-5.370)	17.57	99
15+15+15+22+22+50	1.32	1.32	1.32	1.93	1.93	4.39	12.20 (3.50-13.50)	3.986 (0.880-5.350)	17.50	99
15+15+15+22+22+60	1.23	1.23	1.23	1.80	1.80	4.91	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
15+15+15+22+22+71	1.14	1.14	1.14	1.68	1.68	5.41	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+15+15+22+25+25	1.44	1.44	1.44	2.11	2.39	2.39	11.20 (3.30-12.60)	3.758 (0.910-5.650)	16.50	99
15+15+15+22+25+35	1.39	1.39	1.39	2.04	2.32	3.25	11.80 (3.40-13.20)	3.953 (0.890-5.460)	17.36	99
15+15+15+22+25+42	1.35	1.35	1.35	1.99	2.26	3.79	12.10 (3.50-13.50)	3.995 (0.880-5.360)	17.54	99
15+15+15+22+25+50	1.29	1.29	1.29	1.89	2.15	4.30	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+15+15+22+25+60	1.20	1.20	1.20	1.77	2.01	4.82	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+15+15+22+25+71	1.12	1.12	1.12	1.65	1.87	5.31	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.39	99
15+15+15+22+35+35	1.32	1.32	1.32	1.94	3.09	3.09	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+15+15+22+35+42	1.27	1.27	1.27	1.86	2.97	3.56	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
15+15+15+22+35+50	1.20	1.20	1.20	1.77	2.81	4.01	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+15+15+22+35+60	1.13	1.13	1.13	1.66	2.64	4.52	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+15+22+35+71	1.06	1.06	1.06	1.55	2.47	5.01	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
15+15+15+22+42+42	1.21	1.21	1.21	1.78	3.39	3.39	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
15+15+15+22+42+50	1.15	1.15	1.15	1.69	3.22	3.84	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+15+15+22+42+60	1.08	1.08	1.08	1.59	3.03	4.33	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+15+15+22+42+71	1.02	1.02	1.02	1.49	2.85	4.81	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+15+15+22+50+50	1.10	1.10	1.10	1.61	3.65	3.65	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+15+22+50+60	1.03	1.03	1.03	1.52	3.45	4.14	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+15+15+25+25+25	1.43	1.43	1.43	2.38	2.38	2.38	11.40 (3.30-12.80)	3.872 (0.910-5.590)	17.00	99
15+15+15+25+25+35	1.37	1.37	1.37	2.29	2.29	3.20	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
15+15+15+25+25+42	1.32	1.32	1.32	2.21	2.21	3.71	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+15+15+25+25+50	1.26	1.26	1.26	2.10	2.10	4.21	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+15+15+25+25+60	1.18	1.18	1.18	1.97	1.97	4.72	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+15+15+25+25+71	1.10	1.10	1.10	1.84	1.84	5.22	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+15+25+35+35	1.31	1.31	1.31	2.18	3.05	3.05	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+15+15+25+35+42	1.24	1.24	1.24	2.07	2.90	3.49	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+15+15+25+35+50	1.18	1.18	1.18	1.97	2.75	3.94	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+15+15+25+35+60	1.11	1.11	1.11	1.85	2.59	4.44	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+15+15+25+35+71	1.04	1.04	1.04	1.73	2.43	4.92	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+15+15+25+42+42	1.19	1.19	1.19	1.98	3.33	3.33	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+15+15+25+42+50	1.13	1.13	1.13	1.88	3.16	3.77	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+15+25+42+60	1.06	1.06	1.06	1.77	2.98	4.26	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+15+15+25+50+50	1.08	1.08	1.08	1.79	3.59	3.59	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+15+25+50+60	1.02	1.02	1.02	1.69	3.39	4.07	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+35+35+35	1.22	1.22	1.22	2.85	2.85	2.85	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+15+15+35+35+42	1.17	1.17	1.17	2.72	2.72	3.26	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+15+35+35+50	1.11	1.11	1.11	2.59	2.59	3.70	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+15+15+35+35+60	1.05	1.05	1.05	2.44	2.44	4.18	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+15+35+42+42	1.12	1.12	1.12	2.60	3.12	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+15+15+35+42+50	1.06	1.06	1.06	2.48	2.98	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+15+15+35+50+50	1.02	1.02	1.02	2.37	3.39	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+15+15+42+42+42	1.07	1.07	1.07	3.00	3.00	3.00	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+15+42+42+50	1.02	1.02	1.02	2.86	2.86	3.41	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+15+20+20+20+20	1.45	1.45	1.93	1.93	1.93	1.93	10.60 (3.30-12.50)	3.401 (0.910-5.630)	14.94	99
15+15+20+20+20+22	1.45	1.45	1.93	1.93	1.93	2.12	10.80 (3.30-12.60)	3.503 (0.910-5.650)	15.38	99
15+15+20+20+20+25	1.43	1.43	1.91	1.91	1.91	2.39	11.00 (3.30-12.60)	3.656 (0.910-5.650)	16.06	99
15+15+20+20+20+35	1.40	1.40	1.87	1.87	1.87	3.28	11.70 (3.40-13.10)	3.930 (0.900-5.490)	17.26	99
15+15+20+20+20+42	1.36	1.36	1.82	1.82	1.82	3.82	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99
15+15+20+20+20+50	1.31	1.31	1.74	1.74	1.74	4.36	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+15+20+20+20+60	1.22	1.22	1.63	1.63	1.63	4.88	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+15+20+20+20+71	1.14	1.14	1.52	1.52	1.52	5.38	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+20+20+22+22	1.43	1.43	1.91	1.91	2.10	2.10	10.90 (3.30-12.60)	3.605 (0.910-5.650)	15.83	99
15+15+20+20+22+25	1.44	1.44	1.91	1.91	2.11	2.39	11.20 (3.30-12.60)	3.758 (0.910-5.650)	16.50	99
15+15+20+20+22+35	1.39	1.39	1.86	1.86	2.04	3.25	11.80 (3.40-13.20)	3.953 (0.890-5.460)	17.36	99
15+15+20+20+22+42	1.35	1.35	1.81	1.81	1.99	3.79	12.10 (3.50-13.50)	3.995 (0.880-5.360)	17.54	99
15+15+20+20+22+50	1.29	1.29	1.72	1.72	1.89	4.30	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+15+20+20+22+60	1.20	1.20	1.61	1.61	1.77	4.82	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+15+20+20+22+71	1.12	1.12	1.50	1.50	1.65	5.31	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.39	99
15+15+20+20+25+25	1.43	1.43	1.90	1.90	2.38	2.38	11.40 (3.30-12.80)	3.872 (0.910-5.590)	17.00	99
15+15+20+20+25+35	1.37	1.37	1.83	1.83	2.29	3.20	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
15+15+20+20+25+42	1.32	1.32	1.77	1.77	2.21	3.71	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+15+20+20+25+50	1.26	1.26	1.68	1.68	2.10	4.21	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+15+20+20+25+60	1.18	1.18	1.57	1.57	1.97	4.72	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+15+20+20+25+71	1.10	1.10	1.47	1.47	1.84	5.22	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+20+20+35+35	1.31	1.31	1.74	1.74	3.05	3.05	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+15+20+20+35+42	1.24	1.24	1.66	1.66	2.90	3.49	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+15+20+20+35+50	1.18	1.18	1.57	1.57	2.75	3.94	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+15+20+20+35+60	1.11	1.11	1.48	1.48	2.59	4.44	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+15+20+20+35+71	1.04	1.04	1.39	1.39	2.43	4.92	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+15+20+20+42+42	1.19	1.19	1.58	1.58	3.33	3.33	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+15+20+20+42+50	1.13	1.13	1.51	1.51	3.16	3.77	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+20+20+42+60	1.06	1.06	1.42	1.42	2.98	4.26	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+15+20+20+50+50	1.08	1.08	1.44	1.44	3.59	3.59	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+20+20+50+60	1.02	1.02	1.36	1.36	3.39	4.07	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+15+20+22+22+22	1.44	1.44	1.91	2.11	2.11	2.11	11.10 (3.30-12.60)	3.707 (0.910-5.650)	16.28	99
15+15+20+22+22+25	1.42	1.42	1.90	2.09	2.09	2.37	11.30 (3.30-12.60)	3.860 (0.910-5.650)	16.95	99
15+15+20+22+22+35	1.38	1.38	1.84	2.03	2.03	3.23	11.90 (3.50-13.40)	3.977 (0.890-5.400)	17.46	99
15+15+20+22+22+42	1.33	1.33	1.78	1.96	1.96	3.74	12.10 (3.50-13.50)	3.991 (0.880-5.360)	17.53	99
15+15+20+22+22+50	1.27	1.27	1.69	1.86	1.86	4.24	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
15+15+20+22+22+60	1.19	1.19	1.58	1.74	1.74	4.75	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+20+22+22+71	1.11	1.11	1.48	1.63	1.63	5.25	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+15+20+22+25+25	1.41	1.41	1.89	2.07	2.36	2.36	11.50 (3.40-12.90)	3.895 (0.900-5.560)	17.11	99
15+15+20+22+25+35	1.36	1.36	1.82	2.00	2.27	3.18	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99
15+15+20+22+25+42	1.32	1.32	1.76	1.93	2.19	3.69	12.20 (3.50-13.50)	3.986 (0.880-5.350)	17.50	99
15+15+20+22+25+50	1.24	1.24	1.66	1.83	2.07	4.15	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+15+20+22+25+60	1.17	1.17	1.55	1.71	1.94	4.66	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+20+22+25+71	1.09	1.09	1.45	1.60	1.82	5.16	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.38	99
15+15+20+22+35+35	1.29	1.29	1.72	1.89	3.01	3.01	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+15+20+22+35+42	1.23	1.23	1.64	1.80	2.87	3.44	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
15+15+20+22+35+50	1.17	1.17	1.55	1.71	2.72	3.89	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+20+22+35+60	1.10	1.10	1.46	1.61	2.56	4.38	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+20+22+35+71	1.03	1.03	1.37	1.51	2.40	4.87	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+15+20+22+42+42	1.17	1.17	1.56	1.72	3.28	3.28	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
15+15+20+22+42+50	1.12	1.12	1.49	1.64	3.12	3.72	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+15+20+22+42+60	1.05	1.05	1.40	1.54	2.94	4.21	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+20+22+50+50	1.06	1.06	1.42	1.56	3.55	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+15+20+25+25+25	1.40	1.40	1.87	2.34	2.34	2.34	11.70 (3.40-13.10)	3.930 (0.900-5.490)	17.26	99
15+15+20+25+25+35	1.34	1.34	1.79	2.24	2.24	3.14	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
15+15+20+25+25+42	1.29	1.29	1.72	2.15	2.15	3.61	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+15+20+25+25+50	1.22	1.22	1.63	2.03	2.03	4.07	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+15+20+25+25+60	1.14	1.14	1.53	1.91	1.91	4.58	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+15+20+25+25+71	1.07	1.07	1.43	1.78	1.78	5.07	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+20+25+35+35	1.26	1.26	1.68	2.10	2.94	2.94	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+15+20+25+35+42	1.20	1.20	1.61	2.01	2.81	3.37	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+15+20+25+35+50	1.14	1.14	1.53	1.91	2.67	3.81	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+15+20+25+35+60	1.08	1.08	1.44	1.79	2.51	4.31	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+20+25+42+42	1.15	1.15	1.53	1.92	3.22	3.22	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+15+20+25+42+50	1.10	1.10	1.46	1.83	3.07	3.65	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+20+25+42+60	1.03	1.03	1.38	1.72	2.89	4.14	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+15+20+25+50+50	1.05	1.05	1.39	1.74	3.49	3.49	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+20+35+35+35	1.18	1.18	1.57	2.75	2.75	2.75	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+15+20+35+35+42	1.13	1.13	1.51	2.64	2.64	3.16	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+20+35+35+50	1.08	1.08	1.44	2.51	2.51	3.59	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+20+35+35+60	1.02	1.02	1.36	2.37	2.37	4.07	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+15+20+35+42+42	1.08	1.08	1.44	2.53	3.03	3.03	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+15+20+35+42+50	1.03	1.03	1.38	2.41	2.89	3.45	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+15+20+42+42+42	1.04	1.04	1.39	2.91	2.91	2.91	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+15+22+22+22+22	1.42	1.42	2.09	2.09	2.09	2.09	11.20 (3.30-12.60)	3.809 (0.910-5.650)	16.73	99
15+15+22+22+22+25	1.43	1.43	2.09	2.09	2.09	2.38	11.50 (3.30-12.80)	3.883 (0.910-5.590)	17.05	99
15+15+22+22+22+35	1.37	1.37	2.02	2.02	2.02	3.21	12.00 (3.50-13.50)	4.000 (0.880-5.370)	17.57	99
15+15+22+22+22+42	1.33	1.33	1.94	1.94	1.94	3.71	12.20 (3.50-13.50)	3.987 (0.880-5.350)	17.51	99
15+15+22+22+22+50	1.25	1.25	1.84	1.84	1.84	4.18	12.20 (3.50-13.50)	3.973 (0.880-5.330)	17.45	99
15+15+22+22+22+60	1.17	1.17	1.72	1.72	1.72	4.69	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
15+15+22+22+22+71	1.10	1.10	1.61	1.61	1.61	5.19	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+22+22+25+25	1.40	1.40	2.06	2.06	2.34	2.34	11.60 (3.40-13.10)	3.918 (0.900-5.490)	17.21	99
15+15+22+22+25+35	1.35	1.35	1.99	1.99	2.26	3.16	12.10 (3.50-13.50)	3.995 (0.880-5.360)	17.54	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+22+22+25+42	1.30	1.30	1.90	1.90	2.16	3.63	12.20 (3.50-13.50)	3.982 (0.880-5.340)	17.49	99
15+15+22+22+25+50	1.23	1.23	1.80	1.80	2.05	4.09	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
15+15+22+22+25+60	1.15	1.15	1.69	1.69	1.92	4.60	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+15+22+22+25+71	1.08	1.08	1.58	1.58	1.79	5.10	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+22+22+35+35	1.27	1.27	1.86	1.86	2.97	2.97	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
15+15+22+22+35+42	1.21	1.21	1.78	1.78	2.83	3.39	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
15+15+22+22+35+50	1.15	1.15	1.69	1.69	2.69	3.84	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+15+22+22+35+60	1.08	1.08	1.59	1.59	2.53	4.33	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+15+22+22+35+71	1.02	1.02	1.49	1.49	2.37	4.81	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+15+22+22+42+42	1.16	1.16	1.70	1.70	3.24	3.24	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+22+22+42+50	1.10	1.10	1.62	1.62	3.09	3.67	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+22+22+42+60	1.04	1.04	1.53	1.53	2.91	4.16	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+15+22+22+50+50	1.05	1.05	1.54	1.54	3.51	3.51	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+22+25+25+25	1.39	1.39	2.04	2.32	2.32	2.32	11.80 (3.40-13.20)	3.953 (0.890-5.460)	17.36	99
15+15+22+25+25+35	1.32	1.32	1.94	2.21	2.21	3.09	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+15+22+25+25+42	1.27	1.27	1.86	2.12	2.12	3.56	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
15+15+22+25+25+50	1.20	1.20	1.77	2.01	2.01	4.01	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+15+22+25+25+60	1.13	1.13	1.66	1.88	1.88	4.52	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+22+25+25+71	1.06	1.06	1.55	1.76	1.76	5.01	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
15+15+22+25+35+35	1.24	1.24	1.83	2.07	2.90	2.90	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+15+22+25+35+42	1.19	1.19	1.74	1.98	2.77	3.33	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+15+22+25+35+50	1.13	1.13	1.66	1.88	2.64	3.77	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+22+25+35+60	1.06	1.06	1.56	1.77	2.48	4.26	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+15+22+25+42+42	1.14	1.14	1.67	1.89	3.18	3.18	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+15+22+25+42+50	1.08	1.08	1.59	1.80	3.03	3.61	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+15+22+25+42+60	1.02	1.02	1.50	1.70	2.86	4.09	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+15+22+25+50+50	1.03	1.03	1.52	1.72	3.45	3.45	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+15+22+35+35+35	1.17	1.17	1.71	2.72	2.72	2.72	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+22+35+35+42	1.12	1.12	1.64	2.60	2.60	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+15+22+35+35+50	1.06	1.06	1.56	2.48	2.48	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+15+22+35+42+42	1.07	1.07	1.57	2.50	3.00	3.00	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+22+35+42+50	1.02	1.02	1.50	2.39	2.86	3.41	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+15+22+42+42+42	1.03	1.03	1.51	2.88	2.88	2.88	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+15+25+25+25+25	1.37	1.37	2.29	2.29	2.29	2.29	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
15+15+25+25+25+35	1.31	1.31	2.18	2.18	2.18	3.05	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+15+25+25+25+42	1.24	1.24	2.07	2.07	2.07	3.49	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+15+25+25+25+50	1.18	1.18	1.97	1.97	1.97	3.94	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+15+25+25+25+60	1.11	1.11	1.85	1.85	1.85	4.44	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+15+25+25+25+71	1.04	1.04	1.73	1.73	1.73	4.92	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+15+25+25+35+35	1.22	1.22	2.03	2.03	2.85	2.85	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+15+25+25+35+42	1.17	1.17	1.94	1.94	2.72	3.26	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+15+25+25+35+50	1.11	1.11	1.85	1.85	2.59	3.70	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+15+25+25+35+60	1.05	1.05	1.74	1.74	2.44	4.18	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+25+25+42+42	1.12	1.12	1.86	1.86	3.12	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+15+25+25+42+50	1.06	1.06	1.77	1.77	2.98	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+15+25+25+50+50	1.02	1.02	1.69	1.69	3.39	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+25+35+35+35	1.14	1.14	1.91	2.67	2.67	2.67	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+15+25+35+35+42	1.10	1.10	1.83	2.56	2.56	3.07	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+15+25+35+35+50	1.05	1.05	1.74	2.44	2.44	3.49	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+25+35+42+42	1.05	1.05	1.75	2.45	2.94	2.94	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+15+35+35+35+35	1.08	1.08	2.51	2.51	2.51	2.51	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+15+35+35+35+42	1.03	1.03	2.41	2.41	2.41	2.89	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+20+20+20+20+20	1.43	1.91	1.91	1.91	1.91	1.91	11.00 (3.30-12.60)	3.656 (0.910-5.650)	16.06	99
15+20+20+20+20+22	1.44	1.91	1.91	1.91	1.91	2.11	11.20 (3.30-12.60)	3.758 (0.910-5.650)	16.50	99
15+20+20+20+20+25	1.43	1.90	1.90	1.90	1.90	2.38	11.40 (3.30-12.80)	3.872 (0.910-5.590)	17.00	99
15+20+20+20+20+35	1.37	1.83	1.83	1.83	1.83	3.20	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
15+20+20+20+20+42	1.32	1.77	1.77	1.77	1.77	3.71	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+20+20+20+20+50	1.26	1.68	1.68	1.68	1.68	4.21	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+20+20+20+20+60	1.18	1.57	1.57	1.57	1.57	4.72	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+20+20+20+20+71	1.10	1.47	1.47	1.47	1.47	5.22	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+20+20+20+22+22	1.42	1.90	1.90	1.90	2.09	2.09	11.30 (3.30-12.60)	3.860 (0.910-5.650)	16.95	99
15+20+20+20+22+25	1.41	1.89	1.89	1.89	2.07	2.36	11.50 (3.40-12.90)	3.895 (0.900-5.560)	17.11	99
15+20+20+20+22+35	1.36	1.82	1.82	1.82	2.00	3.18	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99
15+20+20+20+22+42	1.32	1.76	1.76	1.76	1.93	3.69	12.20 (3.50-13.50)	3.986 (0.880-5.350)	17.50	99
15+20+20+20+22+50	1.24	1.66	1.66	1.66	1.83	4.15	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+20+20+20+22+60	1.17	1.55	1.55	1.55	1.71	4.66	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+20+20+20+22+71	1.09	1.45	1.45	1.45	1.60	5.16	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.38	99
15+20+20+20+25+25	1.40	1.87	1.87	1.87	2.34	2.34	11.70 (3.40-13.10)	3.930 (0.900-5.490)	17.26	99
15+20+20+20+25+35	1.34	1.79	1.79	1.79	2.24	3.14	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
15+20+20+20+25+42	1.29	1.72	1.72	1.72	2.15	3.61	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+20+20+20+25+50	1.22	1.63	1.63	1.63	2.03	4.07	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+20+20+20+25+60	1.14	1.53	1.53	1.53	1.91	4.58	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+20+20+20+25+71	1.07	1.43	1.43	1.43	1.78	5.07	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+20+20+20+35+35	1.26	1.68	1.68	1.68	2.94	2.94	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+20+20+20+35+42	1.20	1.61	1.61	1.61	2.81	3.37	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+20+20+20+35+50	1.14	1.53	1.53	1.53	2.67	3.81	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+20+20+20+35+60	1.08	1.44	1.44	1.44	2.51	4.31	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+20+20+20+42+42	1.15	1.53	1.53	1.53	3.22	3.22	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+20+20+20+42+50	1.10	1.46	1.46	1.46	3.07	3.65	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+20+20+20+42+60	1.03	1.38	1.38	1.38	2.89	4.14	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+20+20+20+50+50	1.05	1.39	1.39	1.39	3.49	3.49	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+20+20+22+22+22	1.43	1.90	1.90	2.09	2.09	2.09	11.50 (3.30-12.80)	3.883 (0.910-5.590)	17.05	99
15+20+20+22+22+25	1.40	1.87	1.87	2.06	2.06	2.34	11.60 (3.40-13.10)	3.918 (0.900-5.490)	17.21	99
15+20+20+22+22+35	1.35	1.81	1.81	1.99	1.99	3.16	12.10 (3.50-13.50)	3.995 (0.880-5.360)	17.54	99
15+20+20+22+22+42	1.30	1.73	1.73	1.90	1.90	3.63	12.20 (3.50-13.50)	3.982 (0.880-5.340)	17.49	99
15+20+20+22+22+50	1.23	1.64	1.64	1.80	1.80	4.09	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
15+20+20+22+22+60	1.15	1.53	1.53	1.69	1.69	4.60	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+20+20+22+22+71	1.08	1.44	1.44	1.58	1.58	5.10	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+20+20+22+25+25	1.39	1.86	1.86	2.04	2.32	2.32	11.80 (3.40-13.20)	3.953 (0.890-5.460)	17.36	99
15+20+20+22+25+35	1.32	1.77	1.77	1.94	2.21	3.09	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+20+20+22+25+42	1.27	1.69	1.69	1.86	2.12	3.56	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
15+20+20+22+25+50	1.20	1.61	1.61	1.77	2.01	4.01	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+20+22+25+60	1.13	1.51	1.51	1.66	1.88	4.52	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+20+20+22+25+71	1.06	1.41	1.41	1.55	1.76	5.01	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
15+20+20+22+35+35	1.24	1.66	1.66	1.83	2.90	2.90	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+20+20+22+35+42	1.19	1.58	1.58	1.74	2.77	3.33	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+20+20+22+35+50	1.13	1.51	1.51	1.66	2.64	3.77	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+20+20+22+35+60	1.06	1.42	1.42	1.56	2.48	4.26	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+20+20+22+42+42	1.14	1.52	1.52	1.67	3.18	3.18	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+20+20+22+42+50	1.08	1.44	1.44	1.59	3.03	3.61	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+20+20+22+42+60	1.02	1.36	1.36	1.50	2.86	4.09	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+20+20+22+50+50	1.03	1.38	1.38	1.52	3.45	3.45	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+20+20+25+25+25	1.37	1.83	1.83	2.29	2.29	2.29	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
15+20+20+25+25+35	1.31	1.74	1.74	2.18	2.18	3.05	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+20+20+25+25+42	1.24	1.66	1.66	2.07	2.07	3.49	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+20+20+25+25+50	1.18	1.57	1.57	1.97	1.97	3.94	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+20+20+25+25+60	1.11	1.48	1.48	1.85	1.85	4.44	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+20+20+25+25+71	1.04	1.39	1.39	1.73	1.73	4.92	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+20+20+25+35+35	1.22	1.63	1.63	2.03	2.85	2.85	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+20+20+25+35+42	1.17	1.55	1.55	1.94	2.72	3.26	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+20+20+25+35+50	1.11	1.48	1.48	1.85	2.59	3.70	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+20+20+25+35+60	1.05	1.39	1.39	1.74	2.44	4.18	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+20+20+25+42+42	1.12	1.49	1.49	1.86	3.12	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+20+20+25+42+50	1.06	1.42	1.42	1.77	2.98	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+20+20+25+50+50	1.02	1.36	1.36	1.69	3.39	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+20+20+35+35+35	1.14	1.53	1.53	2.67	2.67	2.67	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+20+20+35+35+42	1.10	1.46	1.46	2.56	2.56	3.07	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+20+20+35+35+50	1.05	1.39	1.39	2.44	2.44	3.49	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+20+20+35+42+42	1.05	1.40	1.40	2.45	2.94	2.94	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+20+22+22+22+22	1.41	1.89	2.07	2.07	2.07	2.07	11.60 (3.40-12.90)	3.907 (0.900-5.560)	17.16	99
15+20+22+22+22+25	1.39	1.86	2.04	2.04	2.04	2.32	11.70 (3.40-13.20)	3.942 (0.890-5.460)	17.31	99
15+20+22+22+22+35	1.33	1.78	1.96	1.96	1.96	3.11	12.10 (3.50-13.50)	3.991 (0.880-5.360)	17.53	99
15+20+22+22+22+42	1.28	1.71	1.88	1.88	1.88	3.58	12.20 (3.50-13.50)	3.979 (0.880-5.340)	17.47	99
15+20+22+22+22+50	1.21	1.62	1.78	1.78	1.78	4.04	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
15+20+22+22+22+60	1.14	1.52	1.67	1.67	1.67	4.55	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+20+22+22+22+71	1.06	1.42	1.56	1.56	1.56	5.04	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+20+22+22+25+25	1.38	1.84	2.03	2.03	2.31	2.31	11.90 (3.50-13.40)	3.977 (0.890-5.400)	17.46	99
15+20+22+22+25+35	1.32	1.76	1.93	1.93	2.19	3.07	12.20 (3.50-13.50)	3.986 (0.880-5.350)	17.50	99
15+20+22+22+25+42	1.25	1.67	1.84	1.84	2.09	3.51	12.20 (3.50-13.50)	3.973 (0.880-5.330)	17.45	99
15+20+22+22+25+50	1.19	1.58	1.74	1.74	1.98	3.96	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+20+22+22+25+60	1.12	1.49	1.64	1.64	1.86	4.46	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+20+22+22+25+71	1.05	1.39	1.53	1.53	1.74	4.95	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+20+22+22+35+35	1.23	1.64	1.80	1.80	2.87	2.87	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
15+20+22+22+35+42	1.17	1.56	1.72	1.72	2.74	3.28	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
15+20+22+22+35+50	1.12	1.49	1.64	1.64	2.60	3.72	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+20+22+22+35+60	1.05	1.40	1.54	1.54	2.45	4.21	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+20+22+22+42+42	1.12	1.50	1.65	1.65	3.14	3.14	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.39	99
15+20+22+22+42+50	1.07	1.43	1.57	1.57	3.00	3.57	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+22+22+50+50	1.02	1.36	1.50	1.50	3.41	3.41	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+20+22+25+25+25	1.36	1.82	2.00	2.27	2.27	2.27	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99
15+20+22+25+25+35	1.29	1.72	1.89	2.15	2.15	3.01	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
15+20+22+25+25+42	1.23	1.64	1.80	2.05	2.05	3.44	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
15+20+22+25+25+50	1.17	1.55	1.71	1.94	1.94	3.89	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+20+22+25+25+60	1.10	1.46	1.61	1.83	1.83	4.38	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+20+22+25+25+71	1.03	1.37	1.51	1.71	1.71	4.87	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+20+22+25+35+35	1.20	1.61	1.77	2.01	2.81	2.81	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+20+22+25+35+42	1.15	1.53	1.69	1.92	2.69	3.22	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+20+22+25+35+50	1.10	1.46	1.61	1.83	2.56	3.65	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+20+22+25+35+60	1.03	1.38	1.52	1.72	2.41	4.14	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+20+22+25+42+42	1.10	1.47	1.62	1.84	3.09	3.09	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+20+22+25+42+50	1.05	1.40	1.54	1.75	2.94	3.51	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+20+22+35+35+35	1.13	1.51	1.66	2.64	2.64	2.64	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+20+22+35+35+42	1.08	1.44	1.59	2.53	2.53	3.03	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+20+22+35+35+50	1.03	1.38	1.52	2.41	2.41	3.45	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+20+22+35+42+42	1.04	1.39	1.53	2.43	2.91	2.91	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+20+25+25+25+25	1.34	1.79	2.24	2.24	2.24	2.24	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
15+20+25+25+25+35	1.26	1.68	2.10	2.10	2.10	2.94	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+20+25+25+25+42	1.20	1.61	2.01	2.01	2.01	3.37	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
15+20+25+25+25+50	1.14	1.53	1.91	1.91	1.91	3.81	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+20+25+25+25+60	1.08	1.44	1.79	1.79	1.79	4.31	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+20+25+25+35+35	1.18	1.57	1.97	1.97	2.75	2.75	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
15+20+25+25+35+42	1.13	1.51	1.88	1.88	2.64	3.16	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+20+25+25+35+50	1.08	1.44	1.79	1.79	2.51	3.59	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+20+25+25+35+60	1.02	1.36	1.69	1.69	2.37	4.07	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+20+25+25+42+42	1.08	1.44	1.80	1.80	3.03	3.03	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+20+25+25+42+50	1.03	1.38	1.72	1.72	2.89	3.45	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+20+25+35+35+35	1.11	1.48	1.85	2.59	2.59	2.59	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+20+25+35+35+42	1.06	1.42	1.77	2.48	2.48	2.98	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+20+25+35+35+50	1.02	1.36	1.69	2.37	2.37	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+20+25+35+42+42	1.02	1.36	1.70	2.39	2.86	2.86	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+20+35+35+35+35	1.05	1.39	2.44	2.44	2.44	2.44	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+22+22+22+22+22	1.40	2.06	2.06	2.06	2.06	2.06	11.70 (3.40-13.10)	3.930 (0.900-5.490)	17.26	99
15+22+22+22+22+25	1.38	2.03	2.03	2.03	2.03	2.30	11.80 (3.50-13.40)	3.965 (0.890-5.400)	17.41	99
15+22+22+22+22+35	1.33	1.94	1.94	1.94	1.94	3.09	12.20 (3.50-13.50)	3.987 (0.880-5.350)	17.51	99
15+22+22+22+22+42	1.26	1.85	1.85	1.85	1.85	3.53	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
15+22+22+22+22+50	1.20	1.75	1.75	1.75	1.75	3.99	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+22+22+22+22+60	1.12	1.65	1.65	1.65	1.65	4.49	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.39	99
15+22+22+22+22+71	1.05	1.54	1.54	1.54	1.54	4.98	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+22+22+22+25+25	1.37	2.02	2.02	2.02	2.29	2.29	12.00 (3.50-13.50)	4.000 (0.880-5.370)	17.57	99
15+22+22+22+25+35	1.30	1.90	1.90	1.90	2.16	3.03	12.20 (3.50-13.50)	3.982 (0.880-5.340)	17.49	99
15+22+22+22+25+42	1.24	1.81	1.81	1.81	2.06	3.46	12.20 (3.50-13.50)	3.970 (0.880-5.320)	17.43	99
15+22+22+22+25+50	1.17	1.72	1.72	1.72	1.96	3.91	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
15+22+22+22+25+60	1.10	1.62	1.62	1.62	1.84	4.41	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+22+22+22+25+71	1.03	1.52	1.52	1.52	1.72	4.89	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+22+22+22+35+35	1.21	1.78	1.78	1.78	2.83	2.83	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
15+22+22+22+35+42	1.16	1.70	1.70	1.70	2.70	3.24	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+22+22+22+35+50	1.10	1.62	1.62	1.62	2.57	3.67	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+22+22+22+35+60	1.04	1.53	1.53	1.53	2.43	4.16	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+22+22+22+42+42	1.11	1.63	1.63	1.63	3.11	3.11	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+22+22+22+42+50	1.06	1.55	1.55	1.55	2.96	3.53	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
15+22+22+25+25+25	1.35	1.99	1.99	2.26	2.26	2.26	12.10 (3.50-13.50)	3.995 (0.880-5.360)	17.54	99
15+22+22+25+25+35	1.27	1.86	1.86	2.12	2.12	2.97	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
15+22+22+25+25+42	1.21	1.78	1.78	2.02	2.02	3.39	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
15+22+22+25+25+50	1.15	1.69	1.69	1.92	1.92	3.84	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
15+22+22+25+25+60	1.08	1.59	1.59	1.80	1.80	4.33	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+22+22+25+25+71	1.02	1.49	1.49	1.69	1.69	4.81	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
15+22+22+25+35+35	1.19	1.74	1.74	1.98	2.77	2.77	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+22+22+25+35+42	1.14	1.67	1.67	1.89	2.65	3.18	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+22+22+25+35+50	1.08	1.59	1.59	1.80	2.53	3.61	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
15+22+22+25+35+60	1.02	1.50	1.50	1.70	2.39	4.09	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+22+22+25+42+42	1.09	1.60	1.60	1.82	3.05	3.05	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.38	99
15+22+22+25+42+50	1.04	1.53	1.53	1.73	2.91	3.47	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
15+22+22+35+35+35	1.12	1.64	1.64	2.60	2.60	2.60	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+22+22+35+35+42	1.07	1.57	1.57	2.50	2.50	3.00	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+22+22+35+35+50	1.02	1.50	1.50	2.39	2.39	3.41	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+22+22+35+42+42	1.03	1.51	1.51	2.40	2.88	2.88	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+22+25+25+25+25	1.32	1.94	2.21	2.21	2.21	2.21	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
15+22+25+25+25+35	1.24	1.83	2.07	2.07	2.07	2.90	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
15+22+25+25+25+42	1.19	1.74	1.98	1.98	1.98	3.33	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
15+22+25+25+25+50	1.13	1.66	1.88	1.88	1.88	3.77	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
15+22+25+25+25+60	1.06	1.56	1.77	1.77	1.77	4.26	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+22+25+25+35+35	1.17	1.71	1.94	1.94	2.72	2.72	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+22+25+25+35+42	1.12	1.64	1.86	1.86	2.60	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
15+22+25+25+35+50	1.06	1.56	1.77	1.77	2.48	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
15+22+25+25+42+42	1.07	1.57	1.78	1.78	3.00	3.00	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+22+25+25+42+50	1.02	1.50	1.70	1.70	2.86	3.41	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
15+22+25+35+35+35	1.10	1.61	1.83	2.56	2.56	2.56	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+22+25+35+35+42	1.05	1.54	1.75	2.45	2.45	2.94	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+22+35+35+35+35	1.03	1.52	2.41	2.41	2.41	2.41	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
15+25+25+25+25+25	1.31	2.18	2.18	2.18	2.18	2.18	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
15+25+25+25+25+35	1.22	2.03	2.03	2.03	2.03	2.85	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
15+25+25+25+25+42	1.17	1.94	1.94	1.94	1.94	3.26	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
15+25+25+25+25+50	1.11	1.85	1.85	1.85	1.85	3.70	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
15+25+25+25+25+60	1.05	1.74	1.74	1.74	1.74	4.18	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+25+25+25+35+35	1.14	1.91	1.91	1.91	2.67	2.67	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
15+25+25+25+35+42	1.10	1.83	1.83	1.83	2.56	3.07	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
15+25+25+25+35+50	1.05	1.74	1.74	1.74	2.44	3.49	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+25+25+25+42+42	1.05	1.75	1.75	1.75	2.94	2.94	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
15+25+25+35+35+35	1.08	1.79	1.79	2.51	2.51	2.51	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
15+25+25+35+35+42	1.03	1.72	1.72	2.41	2.41	2.89	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+25+35+35+35+35	1.02	1.69	2.37	2.37	2.37	2.37	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+20+20+20+20+20	1.90	1.90	1.90	1.90	1.90	1.90	11.40 (3.30-12.80)	3.872 (0.910-5.590)	17.00	99
20+20+20+20+20+22	1.89	1.89	1.89	1.89	1.89	2.07	11.50 (3.40-12.90)	3.895 (0.900-5.560)	17.11	99
20+20+20+20+20+25	1.87	1.87	1.87	1.87	1.87	2.34	11.70 (3.40-13.10)	3.930 (0.900-5.490)	17.26	99
20+20+20+20+20+35	1.79	1.79	1.79	1.79	1.79	3.14	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
20+20+20+20+20+42	1.72	1.72	1.72	1.72	1.72	3.61	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
20+20+20+20+20+50	1.63	1.63	1.63	1.63	1.63	4.07	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
20+20+20+20+20+60	1.53	1.53	1.53	1.53	1.53	4.58	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
20+20+20+20+20+71	1.43	1.43	1.43	1.43	1.43	5.07	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+20+20+20+22+22	1.87	1.87	1.87	1.87	2.06	2.06	11.60 (3.40-13.10)	3.918 (0.900-5.490)	17.21	99
20+20+20+20+22+25	1.86	1.86	1.86	1.86	2.04	2.32	11.80 (3.40-13.20)	3.953 (0.890-5.460)	17.36	99
20+20+20+20+22+35	1.77	1.77	1.77	1.77	1.94	3.09	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
20+20+20+20+22+42	1.69	1.69	1.69	1.69	1.86	3.56	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
20+20+20+20+22+50	1.61	1.61	1.61	1.61	1.77	4.01	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
20+20+20+20+22+60	1.51	1.51	1.51	1.51	1.66	4.52	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
20+20+20+20+22+71	1.41	1.41	1.41	1.41	1.55	5.01	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
20+20+20+20+25+25	1.83	1.83	1.83	1.83	2.29	2.29	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
20+20+20+20+25+35	1.74	1.74	1.74	1.74	2.18	3.05	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
20+20+20+20+25+42	1.66	1.66	1.66	1.66	2.07	3.49	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
20+20+20+20+25+50	1.57	1.57	1.57	1.57	1.97	3.94	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
20+20+20+20+25+60	1.48	1.48	1.48	1.48	1.85	4.44	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
20+20+20+20+25+71	1.39	1.39	1.39	1.39	1.73	4.92	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
20+20+20+20+35+35	1.63	1.63	1.63	1.63	2.85	2.85	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
20+20+20+20+35+42	1.55	1.55	1.55	1.55	2.72	3.26	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
20+20+20+20+35+50	1.48	1.48	1.48	1.48	2.59	3.70	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
20+20+20+20+35+60	1.39	1.39	1.39	1.39	2.44	4.18	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+20+20+20+42+42	1.49	1.49	1.49	1.49	3.12	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
20+20+20+20+42+50	1.42	1.42	1.42	1.42	2.98	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
20+20+20+20+50+50	1.36	1.36	1.36	1.36	3.39	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+20+20+22+22+22	1.86	1.86	1.86	2.04	2.04	2.04	11.70 (3.40-13.20)	3.942 (0.890-5.460)	17.31	99
20+20+20+22+22+25	1.84	1.84	1.84	2.03	2.03	2.31	11.90 (3.50-13.40)	3.977 (0.890-5.400)	17.46	99
20+20+20+22+22+35	1.76	1.76	1.76	1.93	1.93	3.07	12.20 (3.50-13.50)	3.986 (0.880-5.350)	17.50	99
20+20+20+22+22+42	1.67	1.67	1.67	1.84	1.84	3.51	12.20 (3.50-13.50)	3.973 (0.880-5.330)	17.45	99
20+20+20+22+22+50	1.58	1.58	1.58	1.74	1.74	3.96	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
20+20+20+22+22+60	1.49	1.49	1.49	1.64	1.64	4.46	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
20+20+20+22+22+71	1.39	1.39	1.39	1.53	1.53	4.95	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+20+20+22+25+25	1.82	1.82	1.82	2.00	2.27	2.27	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99
20+20+20+22+25+35	1.72	1.72	1.72	1.89	2.15	3.01	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
20+20+20+22+25+42	1.64	1.64	1.64	1.80	2.05	3.44	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
20+20+20+22+25+50	1.55	1.55	1.55	1.71	1.94	3.89	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
20+20+20+22+25+60	1.46	1.46	1.46	1.61	1.83	4.38	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
20+20+20+22+25+71	1.37	1.37	1.37	1.51	1.71	4.87	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
20+20+20+22+35+35	1.61	1.61	1.61	1.77	2.81	2.81	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
20+20+20+22+35+42	1.53	1.53	1.53	1.69	2.69	3.22	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
20+20+20+22+35+50	1.46	1.46	1.46	1.61	2.56	3.65	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
20+20+20+22+35+60	1.38	1.38	1.38	1.52	2.41	4.14	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+20+22+42+42	1.47	1.47	1.47	1.62	3.09	3.09	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
20+20+20+22+42+50	1.40	1.40	1.40	1.54	2.94	3.51	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+20+20+25+25+25	1.79	1.79	1.79	2.24	2.24	2.24	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
20+20+20+25+25+35	1.68	1.68	1.68	2.10	2.10	2.94	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
20+20+20+25+25+42	1.61	1.61	1.61	2.01	2.01	3.37	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
20+20+20+25+25+50	1.53	1.53	1.53	1.91	1.91	3.81	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
20+20+20+25+25+60	1.44	1.44	1.44	1.79	1.79	4.31	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+20+20+25+35+35	1.57	1.57	1.57	1.97	2.75	2.75	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
20+20+20+25+35+42	1.51	1.51	1.51	1.88	2.64	3.16	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
20+20+20+25+35+50	1.44	1.44	1.44	1.79	2.51	3.59	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+20+20+25+35+60	1.36	1.36	1.36	1.69	2.37	4.07	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+20+20+25+42+42	1.44	1.44	1.44	1.80	3.03	3.03	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
20+20+20+25+42+50	1.38	1.38	1.38	1.72	2.89	3.45	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
20+20+20+35+35+35	1.48	1.48	1.48	2.59	2.59	2.59	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
20+20+20+35+35+42	1.42	1.42	1.42	2.48	2.48	2.98	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
20+20+20+35+35+50	1.36	1.36	1.36	2.37	2.37	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+20+20+35+42+42	1.36	1.36	1.36	2.39	2.86	2.86	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
20+20+22+22+22+22	1.84	1.84	2.03	2.03	2.03	2.03	11.80 (3.50-13.40)	3.965 (0.890-5.400)	17.41	99
20+20+22+22+22+25	1.83	1.83	2.02	2.02	2.02	2.29	12.00 (3.50-13.50)	4.000 (0.880-5.370)	17.57	99
20+20+22+22+22+35	1.73	1.73	1.90	1.90	1.90	3.03	12.20 (3.50-13.50)	3.982 (0.880-5.340)	17.49	99
20+20+22+22+22+42	1.65	1.65	1.81	1.81	1.81	3.46	12.20 (3.50-13.50)	3.970 (0.880-5.320)	17.43	99
20+20+22+22+22+50	1.56	1.56	1.72	1.72	1.72	3.91	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
20+20+22+22+22+60	1.47	1.47	1.62	1.62	1.62	4.41	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
20+20+22+22+22+71	1.38	1.38	1.52	1.52	1.52	4.89	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
20+20+22+22+25+25	1.81	1.81	1.99	1.99	2.26	2.26	12.10 (3.50-13.50)	3.995 (0.880-5.360)	17.54	99
20+20+22+22+25+35	1.69	1.69	1.86	1.86	2.12	2.97	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
20+20+22+22+25+42	1.62	1.62	1.78	1.78	2.02	3.39	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
20+20+22+22+25+50	1.53	1.53	1.69	1.69	1.92	3.84	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
20+20+22+22+25+60	1.44	1.44	1.59	1.59	1.80	4.33	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
20+20+22+22+25+71	1.36	1.36	1.49	1.49	1.69	4.81	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+20+22+22+35+35	1.58	1.58	1.74	1.74	2.77	2.77	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
20+20+22+22+35+42	1.52	1.52	1.67	1.67	2.65	3.18	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
20+20+22+22+35+50	1.44	1.44	1.59	1.59	2.53	3.61	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
20+20+22+22+35+60	1.36	1.36	1.50	1.50	2.39	4.09	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
20+20+22+22+42+42	1.45	1.45	1.60	1.60	3.05	3.05	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.38	99
20+20+22+22+42+50	1.39	1.39	1.53	1.53	2.91	3.47	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
20+20+22+25+25+25	1.77	1.77	1.94	2.21	2.21	2.21	12.10 (3.50-13.50)	3.989 (0.880-5.350)	17.52	99
20+20+22+25+25+35	1.66	1.66	1.83	2.07	2.07	2.90	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
20+20+22+25+25+42	1.58	1.58	1.74	1.98	1.98	3.33	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
20+20+22+25+25+50	1.51	1.51	1.66	1.88	1.88	3.77	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
20+20+22+25+25+60	1.42	1.42	1.56	1.77	1.77	4.26	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
20+20+22+25+35+35	1.55	1.55	1.71	1.94	2.72	2.72	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
20+20+22+25+35+42	1.49	1.49	1.64	1.86	2.60	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
20+20+22+25+35+50	1.42	1.42	1.56	1.77	2.48	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
20+20+22+25+42+42	1.43	1.43	1.57	1.78	3.00	3.00	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+20+22+25+42+50	1.36	1.36	1.50	1.70	2.86	3.41	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+22+35+35+35	1.46	1.46	1.61	2.56	2.56	2.56	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
20+20+22+35+35+42	1.40	1.40	1.54	2.45	2.45	2.94	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+20+25+25+25+25	1.74	1.74	2.18	2.18	2.18	2.18	12.20 (3.50-13.50)	3.984 (0.880-5.350)	17.50	99
20+20+25+25+25+35	1.63	1.63	2.03	2.03	2.03	2.85	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
20+20+25+25+25+42	1.55	1.55	1.94	1.94	1.94	3.26	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
20+20+25+25+25+50	1.48	1.48	1.85	1.85	1.85	3.70	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
20+20+25+25+25+60	1.39	1.39	1.74	1.74	1.74	4.18	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+20+25+25+35+35	1.53	1.53	1.91	1.91	2.67	2.67	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
20+20+25+25+35+42	1.46	1.46	1.83	1.83	2.56	3.07	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
20+20+25+25+35+50	1.39	1.39	1.74	1.74	2.44	3.49	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+20+25+25+42+42	1.40	1.40	1.75	1.75	2.94	2.94	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+20+25+35+35+35	1.44	1.44	1.79	2.51	2.51	2.51	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+20+25+35+35+42	1.38	1.38	1.72	2.41	2.41	2.89	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
20+20+35+35+35+35	1.36	1.36	2.37	2.37	2.37	2.37	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+22+22+22+22+22	1.83	2.01	2.01	2.01	2.01	2.01	11.90 (3.50-13.50)	3.988 (0.880-5.370)	17.52	99
20+22+22+22+22+25	1.80	1.98	1.98	1.98	1.98	2.26	12.00 (3.50-13.50)	3.996 (0.880-5.360)	17.55	99
20+22+22+22+22+35	1.71	1.88	1.88	1.88	1.88	2.99	12.20 (3.50-13.50)	3.979 (0.880-5.340)	17.47	99
20+22+22+22+22+42	1.63	1.79	1.79	1.79	1.79	3.42	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
20+22+22+22+22+50	1.54	1.70	1.70	1.70	1.70	3.86	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
20+22+22+22+22+60	1.45	1.60	1.60	1.60	1.60	4.36	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.38	99
20+22+22+22+22+71	1.36	1.50	1.50	1.50	1.50	4.84	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
20+22+22+22+25+25	1.78	1.96	1.96	1.96	2.22	2.22	12.10 (3.50-13.50)	3.991 (0.880-5.360)	17.53	99
20+22+22+22+25+35	1.67	1.84	1.84	1.84	2.09	2.92	12.20 (3.50-13.50)	3.973 (0.880-5.330)	17.45	99
20+22+22+22+25+42	1.59	1.75	1.75	1.75	1.99	3.35	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99
20+22+22+22+25+50	1.52	1.67	1.67	1.67	1.89	3.79	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
20+22+22+22+25+60	1.43	1.57	1.57	1.57	1.78	4.28	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+22+22+22+35+35	1.56	1.72	1.72	1.72	2.74	2.74	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
20+22+22+22+35+42	1.50	1.65	1.65	1.65	2.62	3.14	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.39	99
20+22+22+22+35+50	1.43	1.57	1.57	1.57	2.50	3.57	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+22+22+22+42+42	1.44	1.58	1.58	1.58	3.01	3.01	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+22+22+22+42+50	1.37	1.51	1.51	1.51	2.88	3.43	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
20+22+22+25+25+25	1.76	1.93	1.93	2.19	2.19	2.19	12.20 (3.50-13.50)	3.986 (0.880-5.350)	17.50	99
20+22+22+25+25+35	1.64	1.80	1.80	2.05	2.05	2.87	12.20 (3.50-13.50)	3.968 (0.880-5.320)	17.43	99
20+22+22+25+25+42	1.56	1.72	1.72	1.96	1.96	3.28	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.40	99
20+22+22+25+25+50	1.49	1.64	1.64	1.86	1.86	3.72	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
20+22+22+25+25+60	1.40	1.54	1.54	1.75	1.75	4.21	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+22+22+25+35+35	1.53	1.69	1.69	1.92	2.69	2.69	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
20+22+22+25+35+42	1.47	1.62	1.62	1.84	2.57	3.09	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
20+22+22+25+35+50	1.40	1.54	1.54	1.75	2.45	3.51	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
20+22+22+25+42+42	1.41	1.55	1.55	1.76	2.96	2.96	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
20+22+22+35+35+35	1.44	1.59	1.59	2.53	2.53	2.53	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
20+22+22+35+35+42	1.39	1.53	1.53	2.43	2.43	2.91	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
20+22+25+25+25+25	1.72	1.89	2.15	2.15	2.15	2.15	12.20 (3.50-13.50)	3.980 (0.880-5.340)	17.48	99
20+22+25+25+25+35	1.61	1.77	2.01	2.01	2.01	2.81	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
20+22+25+25+25+42	1.53	1.69	1.92	1.92	1.92	3.22	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.40	99
20+22+25+25+25+50	1.46	1.61	1.83	1.83	1.83	3.65	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+22+25+25+25+60	1.38	1.52	1.72	1.72	1.72	4.14	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
20+22+25+25+35+35	1.51	1.66	1.88	1.88	2.64	2.64	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
20+22+25+25+35+42	1.44	1.59	1.80	1.80	2.53	3.03	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
20+22+25+25+35+50	1.38	1.52	1.72	1.72	2.41	3.45	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
20+22+25+25+42+42	1.39	1.53	1.73	1.73	2.91	2.91	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
20+22+25+35+35+35	1.42	1.56	1.77	2.48	2.48	2.48	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
20+22+25+35+35+42	1.36	1.50	1.70	2.39	2.39	2.86	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
20+25+25+25+25+25	1.68	2.10	2.10	2.10	2.10	2.10	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
20+25+25+25+25+35	1.57	1.97	1.97	1.97	1.97	2.75	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
20+25+25+25+25+42	1.51	1.88	1.88	1.88	1.88	3.16	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
20+25+25+25+25+50	1.44	1.79	1.79	1.79	1.79	3.59	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
20+25+25+25+25+60	1.36	1.69	1.69	1.69	1.69	4.07	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+25+25+25+35+35	1.48	1.85	1.85	1.85	2.59	2.59	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
20+25+25+25+35+42	1.42	1.77	1.77	1.77	2.48	2.98	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
20+25+25+25+35+50	1.36	1.69	1.69	1.69	2.37	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
20+25+25+25+42+42	1.36	1.70	1.70	1.70	2.86	2.86	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
20+25+25+35+35+35	1.39	1.74	1.74	2.44	2.44	2.44	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
22+22+22+22+22+22	2.00	2.00	2.00	2.00	2.00	2.00	12.00 (3.50-13.50)	3.998 (0.880-5.370)	17.56	99
22+22+22+22+22+25	1.97	1.97	1.97	1.97	1.97	2.24	12.10 (3.50-13.50)	3.993 (0.880-5.360)	17.54	99
22+22+22+22+22+35	1.85	1.85	1.85	1.85	1.85	2.94	12.20 (3.50-13.50)	3.975 (0.880-5.330)	17.46	99
22+22+22+22+22+42	1.77	1.77	1.77	1.77	1.77	3.37	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.41	99
22+22+22+22+22+50	1.68	1.68	1.68	1.68	1.68	3.81	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
22+22+22+22+22+60	1.58	1.58	1.58	1.58	1.58	4.31	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
22+22+22+22+25+25	1.94	1.94	1.94	1.94	2.21	2.21	12.20 (3.50-13.50)	3.987 (0.880-5.350)	17.51	99
22+22+22+22+25+35	1.81	1.81	1.81	1.81	2.06	2.89	12.20 (3.50-13.50)	3.970 (0.880-5.320)	17.43	99
22+22+22+22+25+42	1.73	1.73	1.73	1.73	1.97	3.31	12.20 (3.50-13.50)	3.963 (0.880-5.320)	17.41	99
22+22+22+22+25+50	1.65	1.65	1.65	1.65	1.87	3.74	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.39	99
22+22+22+22+25+60	1.55	1.55	1.55	1.55	1.76	4.23	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
22+22+22+22+35+35	1.70	1.70	1.70	1.70	2.70	2.70	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
22+22+22+22+35+42	1.63	1.63	1.63	1.63	2.59	3.11	12.20 (3.50-13.50)	3.958 (0.880-5.320)	17.38	99
22+22+22+22+35+50	1.55	1.55	1.55	1.55	2.47	3.53	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.36	99
22+22+22+22+42+42	1.56	1.56	1.56	1.56	2.98	2.98	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
22+22+22+22+42+50	1.49	1.49	1.49	1.49	2.85	3.39	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99
22+22+22+25+25+25	1.90	1.90	1.90	2.16	2.16	2.16	12.20 (3.50-13.50)	3.982 (0.880-5.340)	17.49	99
22+22+22+25+25+35	1.78	1.78	1.78	2.02	2.02	2.83	12.20 (3.50-13.50)	3.965 (0.880-5.320)	17.42	99
22+22+22+25+25+42	1.70	1.70	1.70	1.93	1.93	3.24	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
22+22+22+25+25+50	1.62	1.62	1.62	1.84	1.84	3.67	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
22+22+22+25+25+60	1.53	1.53	1.53	1.73	1.73	4.16	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
22+22+22+25+35+35	1.67	1.67	1.67	1.89	2.65	2.65	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
22+22+22+25+35+42	1.60	1.60	1.60	1.82	2.54	3.05	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.38	99
22+22+22+25+35+50	1.53	1.53	1.53	1.73	2.43	3.47	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.36	99
22+22+22+25+42+42	1.53	1.53	1.53	1.74	2.93	2.93	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
22+22+22+35+35+35	1.57	1.57	1.57	2.50	2.50	2.50	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
22+22+22+35+35+42	1.51	1.51	1.51	2.40	2.40	2.88	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
22+22+25+25+25+25	1.86	1.86	2.12	2.12	2.12	2.12	12.20 (3.50-13.50)	3.977 (0.880-5.330)	17.46	99
22+22+25+25+25+35	1.74	1.74	1.98	1.98	1.98	2.77	12.20 (3.50-13.50)	3.964 (0.880-5.320)	17.41	99

MXZ-6C122VA COOLING

Indoor units combination	Cooling Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+22+25+25+25+42	1.67	1.67	1.89	1.89	1.89	3.18	12.20 (3.50-13.50)	3.960 (0.880-5.320)	17.39	99
22+22+25+25+25+50	1.59	1.59	1.80	1.80	1.80	3.61	12.20 (3.50-13.50)	3.956 (0.880-5.320)	17.37	99
22+22+25+25+25+60	1.50	1.50	1.70	1.70	1.70	4.09	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
22+22+25+25+35+35	1.64	1.64	1.86	1.86	2.60	2.60	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
22+22+25+25+35+42	1.57	1.57	1.78	1.78	2.50	3.00	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
22+22+25+25+35+50	1.50	1.50	1.70	1.70	2.39	3.41	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
22+22+25+25+42+42	1.51	1.51	1.71	1.71	2.88	2.88	12.20 (3.50-13.50)	3.951 (0.880-5.320)	17.35	99
22+22+25+35+35+35	1.54	1.54	1.75	2.45	2.45	2.45	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
22+25+25+25+25+25	1.83	2.07	2.07	2.07	2.07	2.07	12.20 (3.50-13.50)	3.971 (0.880-5.330)	17.44	99
22+25+25+25+25+35	1.71	1.94	1.94	1.94	1.94	2.72	12.20 (3.50-13.50)	3.962 (0.880-5.320)	17.40	99
22+25+25+25+25+42	1.64	1.86	1.86	1.86	1.86	3.12	12.20 (3.50-13.50)	3.959 (0.880-5.320)	17.38	99
22+25+25+25+25+50	1.56	1.77	1.77	1.77	1.77	3.55	12.20 (3.50-13.50)	3.954 (0.880-5.320)	17.37	99
22+25+25+25+35+35	1.61	1.83	1.83	1.83	2.56	2.56	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
22+25+25+25+35+42	1.54	1.75	1.75	1.75	2.45	2.94	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
22+25+25+35+35+35	1.52	1.72	1.72	2.41	2.41	2.41	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
25+25+25+25+25+25	2.03	2.03	2.03	2.03	2.03	2.03	12.20 (3.50-13.50)	3.966 (0.880-5.320)	17.42	99
25+25+25+25+25+35	1.91	1.91	1.91	1.91	1.91	2.67	12.20 (3.50-13.50)	3.961 (0.880-5.320)	17.39	99
25+25+25+25+25+42	1.83	1.83	1.83	1.83	1.83	3.07	12.20 (3.50-13.50)	3.957 (0.880-5.320)	17.38	99
25+25+25+25+25+50	1.74	1.74	1.74	1.74	1.74	3.49	12.20 (3.50-13.50)	3.953 (0.880-5.320)	17.36	99
25+25+25+25+35+35	1.79	1.79	1.79	1.79	2.51	2.51	12.20 (3.50-13.50)	3.955 (0.880-5.320)	17.37	99
25+25+25+25+35+42	1.72	1.72	1.72	1.72	2.41	2.89	12.20 (3.50-13.50)	3.952 (0.880-5.320)	17.35	99
25+25+25+35+35+35	1.69	1.69	1.69	2.37	2.37	2.37	12.20 (3.50-13.50)	3.950 (0.880-5.320)	17.35	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15	1.70	-	-	-	-	-	1.70 (1.50-3.00)	1.030 (0.910-1.920)	4.52	99
20	2.20	-	-	-	-	-	2.20 (2.00-3.90)	1.070 (0.980-2.510)	4.70	99
22	3.30	-	-	-	-	-	3.30 (2.70-4.20)	1.110 (0.960-1.360)	4.87	99
25	3.60	-	-	-	-	-	3.60 (2.70-4.50)	1.170 (0.960-1.450)	5.14	99
35	4.00	-	-	-	-	-	4.00 (2.70-5.50)	1.140 (0.960-1.810)	5.01	99
42	5.40	-	-	-	-	-	5.40 (2.70-6.50)	1.610 (0.960-2.260)	7.07	99
50	7.20	-	-	-	-	-	7.20 (2.70-7.70)	2.270 (0.960-2.710)	9.97	99
60	7.90	-	-	-	-	-	7.90 (2.70-9.30)	2.270 (0.850-3.310)	9.97	99
71	8.60	-	-	-	-	-	8.60 (2.70-9.90)	2.410 (0.850-3.790)	10.58	99
15+15	1.70	1.50	-	-	-	-	3.40 (2.70-5.30)	0.940 (0.910-3.350)	4.13	99
15+20	1.67	2.00	-	-	-	-	3.90 (2.70-6.20)	1.090 (0.910-3.270)	4.79	99
15+22	2.03	2.20	-	-	-	-	5.00 (2.80-7.20)	1.372 (0.890-2.930)	6.02	99
15+25	1.99	2.50	-	-	-	-	5.30 (2.80-7.30)	1.443 (0.880-2.790)	6.34	99
15+35	1.71	3.50	-	-	-	-	5.70 (2.80-7.50)	1.535 (0.870-2.660)	6.74	99
15+42	1.89	4.20	-	-	-	-	7.20 (2.80-9.00)	1.950 (0.830-2.700)	8.56	99
15+50	2.08	5.00	-	-	-	-	9.00 (2.80-10.90)	2.630 (0.830-3.450)	11.55	99
15+60	1.92	6.00	-	-	-	-	9.60 (2.80-11.20)	2.901 (0.830-3.560)	12.74	99
15+71	1.80	7.02	-	-	-	-	10.30 (2.80-11.50)	3.221 (0.830-3.670)	14.15	99
20+20	2.20	2.00	-	-	-	-	4.40 (2.70-7.00)	1.230 (0.910-3.190)	5.40	99
20+22	2.62	2.20	-	-	-	-	5.50 (2.80-7.30)	1.490 (0.870-2.700)	6.54	99
20+25	2.58	2.50	-	-	-	-	5.80 (2.80-7.60)	1.558 (0.860-2.640)	6.84	99
20+35	2.25	3.50	-	-	-	-	6.20 (2.80-8.00)	1.649 (0.850-2.550)	7.24	99
20+42	2.58	4.20	-	-	-	-	8.00 (2.80-10.40)	2.310 (0.830-3.460)	10.14	99
20+50	2.69	5.00	-	-	-	-	9.40 (2.80-11.10)	2.810 (0.830-3.520)	12.34	99
20+60	2.53	6.00	-	-	-	-	10.10 (2.80-11.40)	3.130 (0.830-3.630)	13.75	99
20+71	2.46	6.71	-	-	-	-	11.20 (2.80-12.50)	3.470 (0.830-3.880)	15.24	99
22+22	3.30	2.20	-	-	-	-	6.60 (2.80-8.30)	1.740 (0.830-2.450)	7.64	99
22+25	3.23	2.50	-	-	-	-	6.90 (2.80-8.30)	1.850 (0.830-2.450)	8.12	99
22+35	2.93	3.50	-	-	-	-	7.60 (2.80-9.70)	2.130 (0.830-3.080)	9.35	99
22+42	2.99	4.20	-	-	-	-	8.70 (2.80-10.80)	2.534 (0.830-3.460)	11.13	99
22+50	3.30	5.00	-	-	-	-	10.80 (2.80-11.70)	3.450 (0.830-3.740)	15.15	99
22+60	3.03	6.00	-	-	-	-	11.30 (2.80-12.70)	3.400 (0.820-3.920)	14.93	99
22+71	2.67	6.64	-	-	-	-	11.30 (2.80-12.70)	3.400 (0.820-3.920)	14.93	99
25+25	3.60	2.50	-	-	-	-	7.20 (2.80-9.00)	1.950 (0.830-2.700)	8.56	99
25+35	3.33	3.50	-	-	-	-	8.00 (2.80-10.40)	2.310 (0.830-3.460)	10.14	99
25+42	3.51	4.20	-	-	-	-	9.40 (2.80-11.10)	2.810 (0.830-3.520)	12.34	99
25+50	3.73	5.00	-	-	-	-	11.20 (2.80-12.50)	3.470 (0.830-3.880)	15.24	99
25+60	3.32	5.93	-	-	-	-	11.30 (2.80-12.70)	3.450 (0.830-3.920)	15.15	99
25+71	2.94	6.51	-	-	-	-	11.30 (2.80-12.80)	3.320 (0.820-3.590)	14.58	99
35+35	4.00	3.50	-	-	-	-	8.00 (2.80-10.40)	2.310 (0.830-3.460)	10.14	99
35+42	4.27	4.20	-	-	-	-	9.40 (2.80-11.10)	2.810 (0.830-3.520)	12.34	99
35+50	4.65	4.94	-	-	-	-	11.30 (2.80-12.70)	3.400 (0.820-3.920)	14.93	99
35+60	4.16	5.49	-	-	-	-	11.30 (2.80-12.70)	3.380 (0.820-3.920)	14.84	99
35+71	3.73	6.10	-	-	-	-	11.30 (2.80-12.80)	3.270 (0.810-3.590)	14.36	99
42+42	5.60	4.20	-	-	-	-	11.20 (2.80-12.50)	3.470 (0.830-3.880)	15.24	99
42+50	5.16	4.73	-	-	-	-	11.30 (2.80-12.80)	3.230 (0.810-3.590)	14.19	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
42+60	4.65	5.35	-	-	-	-	11.30 (2.80-12.80)	3.150 (0.800-3.590)	13.83	99
42+71	4.20	5.91	-	-	-	-	11.30 (2.80-12.80)	3.150 (0.800-3.590)	13.83	99
50+50	5.65	4.45	-	-	-	-	11.30 (2.80-12.80)	3.140 (0.800-3.590)	13.79	99
50+60	5.14	5.07	-	-	-	-	11.30 (2.80-12.90)	3.120 (0.800-3.570)	13.70	99
50+71	4.67	5.63	-	-	-	-	11.30 (2.80-13.00)	3.090 (0.800-3.550)	13.57	99
60+60	5.65	4.80	-	-	-	-	11.30 (2.80-13.00)	3.090 (0.800-3.550)	13.57	99
60+71	5.18	5.26	-	-	-	-	11.30 (2.80-13.00)	3.080 (0.800-3.550)	13.53	99
71+71	5.65	4.85	-	-	-	-	11.30 (2.90-13.00)	3.000 (0.800-3.460)	13.18	99
15+15+15	1.70	1.50	1.50	-	-	-	5.10 (3.10-8.90)	1.130 (0.820-3.990)	4.96	99
15+15+20	1.68	1.50	2.00	-	-	-	5.60 (3.10-9.40)	1.280 (0.820-4.220)	5.62	99
15+15+22	1.93	1.50	2.20	-	-	-	6.70 (3.10-10.60)	1.607 (0.820-4.710)	7.06	99
15+15+25	1.91	1.50	2.50	-	-	-	7.00 (3.10-10.80)	1.689 (0.820-4.660)	7.42	99
15+15+35	1.71	1.50	3.50	-	-	-	7.40 (3.10-11.10)	1.798 (0.810-4.590)	7.90	99
15+15+42	1.83	1.50	4.20	-	-	-	8.80 (3.20-11.90)	2.190 (0.790-4.370)	9.62	99
15+15+50	1.99	1.54	5.13	-	-	-	10.60 (3.20-13.30)	2.877 (0.770-4.300)	12.63	99
15+15+60	1.88	1.48	5.93	-	-	-	11.30 (3.20-13.90)	3.310 (0.770-4.570)	14.54	99
15+15+71	1.78	1.43	6.75	-	-	-	12.00 (3.20-14.50)	3.750 (0.770-4.940)	16.47	99
15+20+20	1.66	2.00	2.00	-	-	-	6.10 (3.10-10.00)	1.430 (0.820-4.490)	6.28	99
15+20+22	1.89	2.00	2.20	-	-	-	7.20 (3.10-10.90)	1.744 (0.810-4.630)	7.66	99
15+20+25	1.88	2.00	2.50	-	-	-	7.50 (3.10-11.10)	1.825 (0.810-4.580)	8.02	99
15+20+35	1.69	2.00	3.50	-	-	-	7.90 (3.20-11.40)	1.936 (0.800-4.510)	8.50	99
15+20+42	1.81	1.97	4.15	-	-	-	9.30 (3.20-12.30)	2.323 (0.790-4.290)	10.20	99
15+20+50	1.96	1.93	4.82	-	-	-	11.10 (3.20-13.70)	3.180 (0.770-4.440)	13.97	99
15+20+60	1.86	1.87	5.62	-	-	-	11.80 (3.20-14.30)	3.620 (0.770-4.820)	15.90	99
15+20+71	1.71	1.81	6.43	-	-	-	12.10 (3.20-14.50)	3.790 (0.770-4.940)	16.64	99
15+22+22	2.03	2.20	2.20	-	-	-	8.00 (3.20-11.40)	1.965 (0.800-4.500)	8.63	99
15+22+25	2.08	2.20	2.50	-	-	-	8.60 (3.20-11.80)	2.134 (0.800-4.410)	9.37	99
15+22+35	1.88	2.20	3.50	-	-	-	9.00 (3.20-12.10)	2.243 (0.790-4.340)	9.85	99
15+22+42	1.97	2.09	3.99	-	-	-	10.40 (3.20-13.10)	2.767 (0.770-4.270)	12.15	99
15+22+50	2.09	2.07	4.71	-	-	-	12.10 (3.20-14.50)	3.790 (0.770-4.940)	16.64	99
15+22+60	1.89	2.02	5.51	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
15+22+71	1.71	1.96	6.31	-	-	-	12.30 (3.20-14.60)	3.880 (0.770-4.850)	17.04	99
15+25+25	2.05	2.50	2.50	-	-	-	8.90 (3.20-12.00)	2.217 (0.790-4.360)	9.74	99
15+25+35	1.86	2.50	3.50	-	-	-	9.30 (3.20-12.30)	2.323 (0.790-4.290)	10.20	99
15+25+42	1.96	2.50	4.20	-	-	-	10.70 (3.20-13.40)	2.933 (0.770-4.310)	12.88	99
15+25+50	2.02	2.47	4.94	-	-	-	12.10 (3.20-14.50)	3.790 (0.770-4.940)	16.64	99
15+25+60	1.85	2.40	5.76	-	-	-	12.30 (3.20-14.60)	3.880 (0.770-4.850)	17.04	99
15+25+71	1.68	2.18	6.20	-	-	-	12.40 (3.20-14.60)	3.920 (0.770-4.850)	17.22	99
15+35+35	1.71	3.38	3.38	-	-	-	9.70 (3.20-12.50)	2.434 (0.780-4.230)	10.69	99
15+35+42	1.81	3.39	4.06	-	-	-	11.10 (3.20-13.70)	3.180 (0.770-4.440)	13.97	99
15+35+50	1.83	3.36	4.80	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
15+35+60	1.68	3.09	5.29	-	-	-	12.30 (3.20-14.60)	3.880 (0.770-4.850)	17.04	99
15+35+71	1.55	2.83	5.75	-	-	-	12.50 (3.20-14.70)	3.960 (0.770-4.750)	17.39	99
15+42+42	1.83	3.78	3.78	-	-	-	12.10 (3.20-14.50)	3.790 (0.770-4.940)	16.64	99
15+42+50	1.75	3.77	4.49	-	-	-	12.50 (3.20-14.70)	3.960 (0.770-4.750)	17.39	99
15+42+60	1.63	3.52	5.03	-	-	-	12.70 (3.20-14.70)	4.010 (0.770-4.750)	17.61	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+42+71	1.50	3.28	5.55	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
15+50+50	1.68	4.22	4.22	-	-	-	12.90 (3.20-14.80)	4.030 (0.770-4.560)	17.70	99
15+50+60	1.56	3.96	4.75	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
15+50+71	1.44	3.75	5.33	-	-	-	13.10 (3.20-14.80)	4.050 (0.770-4.560)	17.79	99
15+60+60	1.46	4.53	4.53	-	-	-	13.10 (3.20-14.80)	4.050 (0.770-4.560)	17.79	99
15+60+71	1.36	4.32	5.11	-	-	-	13.20 (3.20-14.90)	4.000 (0.770-4.570)	17.57	99
15+71+71	1.28	4.88	4.88	-	-	-	13.40 (3.20-15.10)	3.890 (0.770-4.600)	17.08	99
20+20+20	2.20	2.00	2.00	-	-	-	6.60 (3.10-10.50)	1.580 (0.820-4.720)	6.94	99
20+20+22	2.48	2.00	2.20	-	-	-	7.70 (3.10-11.20)	1.880 (0.800-4.540)	8.26	99
20+20+25	2.46	2.00	2.50	-	-	-	8.00 (3.20-11.40)	1.965 (0.800-4.500)	8.63	99
20+20+35	2.24	2.00	3.50	-	-	-	8.40 (3.20-11.70)	2.077 (0.800-4.440)	9.12	99
20+20+42	2.39	2.00	4.20	-	-	-	9.80 (3.20-12.60)	2.462 (0.780-4.210)	10.81	99
20+20+50	2.58	1.98	4.94	-	-	-	11.60 (3.20-14.20)	3.500 (0.770-4.750)	15.37	99
20+20+60	2.42	1.92	5.76	-	-	-	12.10 (3.20-14.50)	3.790 (0.770-4.940)	16.64	99
20+20+71	2.20	1.75	6.20	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
20+22+22	2.75	2.20	2.20	-	-	-	8.80 (3.20-11.90)	2.190 (0.790-4.370)	9.62	99
20+22+25	2.72	2.20	2.50	-	-	-	9.10 (3.20-12.10)	2.270 (0.790-4.320)	9.97	99
20+22+35	2.47	2.17	3.45	-	-	-	9.50 (3.20-12.40)	2.378 (0.780-4.260)	10.44	99
20+22+42	2.60	2.15	4.10	-	-	-	10.90 (3.20-13.60)	3.050 (0.770-4.380)	13.39	99
20+22+50	2.65	2.13	4.84	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
20+22+60	2.41	2.07	5.65	-	-	-	12.30 (3.20-14.60)	3.880 (0.770-4.850)	17.04	99
20+22+71	2.21	1.89	6.09	-	-	-	12.50 (3.20-14.70)	3.960 (0.770-4.750)	17.39	99
20+25+25	2.69	2.50	2.50	-	-	-	9.40 (3.20-12.30)	2.350 (0.780-4.270)	10.32	99
20+25+35	2.45	2.56	3.59	-	-	-	9.80 (3.20-12.60)	2.462 (0.780-4.210)	10.81	99
20+25+42	2.57	2.36	3.96	-	-	-	11.20 (3.20-13.80)	3.240 (0.770-4.510)	14.23	99
20+25+50	2.57	2.34	4.68	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
20+25+60	2.34	2.29	5.49	-	-	-	12.30 (3.20-14.60)	3.880 (0.770-4.850)	17.04	99
20+25+71	2.17	2.11	6.00	-	-	-	12.60 (3.20-14.70)	4.000 (0.770-4.750)	17.57	99
20+35+35	2.27	3.46	3.46	-	-	-	10.20 (3.20-12.90)	2.660 (0.770-4.230)	11.68	99
20+35+42	2.39	3.21	3.85	-	-	-	11.60 (3.20-14.20)	3.500 (0.770-4.750)	15.37	99
20+35+50	2.34	3.20	4.57	-	-	-	12.30 (3.20-14.60)	3.880 (0.770-4.850)	17.04	99
20+35+60	2.17	2.95	5.06	-	-	-	12.50 (3.20-14.70)	3.960 (0.770-4.750)	17.39	99
20+35+71	2.02	2.75	5.58	-	-	-	12.70 (3.20-14.70)	4.010 (0.770-4.750)	17.61	99
20+42+42	2.35	3.88	3.88	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
20+42+50	2.27	3.64	4.33	-	-	-	12.70 (3.20-14.70)	4.010 (0.770-4.750)	17.61	99
20+42+60	2.10	3.37	4.82	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
20+42+71	1.95	3.19	5.39	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
20+50+50	2.17	4.08	4.08	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
20+50+60	2.02	3.85	4.62	-	-	-	13.10 (3.20-14.80)	4.050 (0.770-4.560)	17.79	99
20+50+71	1.87	3.65	5.19	-	-	-	13.20 (3.20-14.90)	4.000 (0.770-4.570)	17.57	99
20+60+60	1.89	4.41	4.41	-	-	-	13.20 (3.20-14.90)	4.000 (0.770-4.570)	17.57	99
20+60+71	1.76	4.21	4.98	-	-	-	13.30 (3.20-15.00)	3.940 (0.770-4.580)	17.30	99
20+71+71	1.67	4.82	4.82	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
22+22+22	3.30	2.20	2.20	-	-	-	9.90 (3.20-12.60)	2.490 (0.770-4.190)	10.94	99
22+22+25	3.25	2.20	2.50	-	-	-	10.20 (3.20-12.90)	2.660 (0.770-4.230)	11.68	99
22+22+35	2.95	2.09	3.32	-	-	-	10.60 (3.20-13.30)	2.877 (0.770-4.300)	12.63	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+22+42	3.07	2.10	4.00	-	-	-	12.00 (3.20-14.50)	3.750 (0.770-4.940)	16.47	99
22+22+50	2.90	2.08	4.73	-	-	-	12.40 (3.20-14.60)	3.920 (0.770-4.850)	17.22	99
22+22+60	2.67	2.03	5.54	-	-	-	12.60 (3.20-14.70)	4.000 (0.770-4.750)	17.57	99
22+22+71	2.45	1.86	5.99	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
22+25+25	3.21	2.50	2.50	-	-	-	10.50 (3.20-13.20)	2.820 (0.770-4.280)	12.38	99
22+25+35	2.92	2.50	3.50	-	-	-	10.90 (3.20-13.60)	3.050 (0.770-4.380)	13.39	99
22+25+42	2.99	2.30	3.87	-	-	-	12.10 (3.20-14.50)	3.790 (0.770-4.940)	16.64	99
22+25+50	2.84	2.29	4.59	-	-	-	12.50 (3.20-14.70)	3.960 (0.770-4.750)	17.39	99
22+25+60	2.61	2.24	5.38	-	-	-	12.70 (3.20-14.70)	4.010 (0.770-4.750)	17.61	99
22+25+71	2.39	2.08	5.90	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
22+35+35	2.70	3.39	3.39	-	-	-	11.30 (3.20-13.90)	3.310 (0.770-4.570)	14.54	99
22+35+42	2.71	3.15	3.78	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
22+35+50	2.59	3.14	4.49	-	-	-	12.60 (3.20-14.70)	4.000 (0.770-4.750)	17.57	99
22+35+60	2.41	2.93	5.03	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
22+35+71	2.22	2.73	5.55	-	-	-	12.90 (3.20-14.80)	4.030 (0.770-4.560)	17.70	99
22+42+42	2.59	3.80	3.80	-	-	-	12.50 (3.20-14.70)	3.960 (0.770-4.750)	17.39	99
22+42+50	2.49	3.57	4.25	-	-	-	12.90 (3.20-14.80)	4.030 (0.770-4.560)	17.70	99
22+42+60	2.31	3.35	4.79	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
22+42+71	2.12	3.17	5.36	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
22+50+50	2.36	4.02	4.02	-	-	-	13.10 (3.20-14.80)	4.050 (0.770-4.560)	17.79	99
22+50+60	2.22	3.83	4.59	-	-	-	13.30 (3.20-15.00)	3.940 (0.770-4.580)	17.30	99
22+50+71	2.06	3.64	5.16	-	-	-	13.40 (3.20-15.10)	3.890 (0.760-4.600)	17.08	99
22+60+60	2.08	4.39	4.39	-	-	-	13.40 (3.20-15.10)	3.890 (0.760-4.600)	17.08	99
22+60+71	1.94	4.20	4.97	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
22+71+71	1.82	4.76	4.76	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
25+25+25	3.60	2.50	2.50	-	-	-	10.80 (3.20-13.50)	2.990 (0.770-4.320)	13.13	99
25+25+35	3.26	2.41	3.38	-	-	-	11.10 (3.20-13.70)	3.180 (0.770-4.440)	13.97	99
25+25+42	3.29	2.42	4.06	-	-	-	12.10 (3.20-14.50)	3.790 (0.770-4.940)	16.64	99
25+25+50	3.15	2.40	4.80	-	-	-	12.60 (3.20-14.70)	4.000 (0.770-4.750)	17.57	99
25+25+60	2.89	2.20	5.29	-	-	-	12.70 (3.20-14.70)	4.010 (0.770-4.750)	17.61	99
25+25+71	2.64	2.02	5.75	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
25+35+35	2.97	3.28	3.28	-	-	-	11.30 (3.20-13.90)	3.310 (0.770-4.570)	14.54	99
25+35+42	2.99	3.29	3.95	-	-	-	12.20 (3.20-14.60)	3.830 (0.770-4.850)	16.82	99
25+35+50	2.89	3.09	4.41	-	-	-	12.70 (3.20-14.70)	4.010 (0.770-4.750)	17.61	99
25+35+60	2.67	2.86	4.90	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
25+35+71	2.48	2.67	5.42	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
25+42+42	2.89	3.74	3.74	-	-	-	12.60 (3.20-14.70)	4.000 (0.770-4.750)	17.57	99
25+42+50	2.78	3.52	4.19	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
25+42+60	2.56	3.27	4.68	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
25+42+71	2.37	3.13	5.30	-	-	-	13.10 (3.20-14.80)	4.050 (0.770-4.560)	17.79	99
25+50+50	2.64	3.96	3.96	-	-	-	13.20 (3.20-14.90)	4.000 (0.770-4.570)	17.57	99
25+50+60	2.46	3.78	4.53	-	-	-	13.30 (3.20-15.00)	3.940 (0.770-4.580)	17.30	99
25+50+71	2.31	3.60	5.11	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
25+60+60	2.33	4.34	4.34	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
25+60+71	2.16	4.15	4.92	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
25+71+71	2.04	4.72	4.72	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
35+35+35	4.00	3.20	3.20	-	-	-	12.00 (3.20-14.50)	3.750 (0.770-4.940)	16.47	99
35+35+42	3.84	3.03	3.64	-	-	-	12.30 (3.20-14.60)	3.880 (0.770-4.850)	17.04	99
35+35+50	3.73	2.86	4.08	-	-	-	12.80 (3.20-14.70)	4.020 (0.770-4.750)	17.65	99
35+35+60	3.47	2.69	4.62	-	-	-	12.90 (3.20-14.80)	4.030 (0.770-4.560)	17.70	99
35+35+71	3.23	2.56	5.19	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
35+42+42	3.74	3.46	3.46	-	-	-	12.70 (3.20-14.70)	4.010 (0.770-4.750)	17.61	99
35+42+50	3.58	3.27	3.90	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
35+42+60	3.35	3.13	4.47	-	-	-	13.10 (3.20-14.80)	4.050 (0.770-4.560)	17.79	99
35+42+71	3.12	2.98	5.04	-	-	-	13.20 (3.20-14.90)	4.000 (0.770-4.570)	17.57	99
35+50+50	3.45	3.78	3.78	-	-	-	13.30 (3.20-15.00)	3.940 (0.770-4.580)	17.30	99
35+50+60	3.23	3.62	4.34	-	-	-	13.40 (3.20-15.10)	3.890 (0.760-4.600)	17.08	99
35+50+71	3.03	3.46	4.92	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
35+60+60	3.05	4.18	4.18	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
35+60+71	2.87	4.01	4.75	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
35+71+71	2.69	4.57	4.57	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
42+42+42	4.33	3.30	3.30	-	-	-	13.00 (3.20-14.80)	4.040 (0.770-4.560)	17.74	99
42+42+50	4.14	3.17	3.77	-	-	-	13.20 (3.20-14.90)	4.000 (0.770-4.570)	17.57	99
42+42+60	3.88	3.03	4.33	-	-	-	13.30 (3.20-15.00)	3.940 (0.770-4.580)	17.30	99
42+42+71	3.66	2.93	4.95	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
42+50+50	3.99	3.66	3.66	-	-	-	13.50 (3.20-15.20)	3.830 (0.760-4.610)	16.82	99
42+50+60	3.76	3.52	4.22	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
42+50+71	3.50	3.37	4.79	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
42+60+60	3.53	4.07	4.07	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
42+60+71	3.30	3.92	4.64	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
50+50+50	4.53	3.53	3.53	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
50+50+60	4.25	3.41	4.09	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
50+50+71	3.98	3.27	4.65	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
50+60+60	4.00	3.95	3.95	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
60+60+60	4.53	3.83	3.83	-	-	-	13.60 (3.20-15.30)	3.780 (0.760-4.620)	16.60	99
15+15+15+15	1.70	1.50	1.50	1.50	-	-	6.80 (3.10-9.90)	1.500 (0.790-3.230)	6.59	99
15+15+15+20	1.68	1.50	1.50	2.00	-	-	7.30 (3.10-9.90)	1.690 (0.790-3.230)	7.42	99
15+15+15+22	1.88	1.50	1.50	2.20	-	-	8.40 (3.10-11.80)	2.095 (0.790-3.850)	9.20	99
15+15+15+25	1.86	1.50	1.50	2.50	-	-	8.70 (3.10-12.20)	2.200 (0.790-4.000)	9.66	99
15+15+15+35	1.71	1.50	1.50	3.50	-	-	9.10 (3.10-13.40)	2.300 (0.790-4.290)	10.10	99
15+15+15+42	1.81	1.50	1.50	4.20	-	-	10.50 (3.20-14.20)	2.606 (0.780-4.150)	11.44	99
15+15+15+50	1.93	1.50	1.50	5.00	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
15+15+15+60	1.77	1.44	1.44	5.77	-	-	12.40 (3.20-14.90)	3.310 (0.760-4.250)	14.54	99
15+15+15+71	1.63	1.33	1.33	6.30	-	-	12.60 (3.20-15.00)	3.430 (0.760-4.720)	15.06	99
15+15+20+20	1.67	1.50	2.00	2.00	-	-	7.80 (3.10-10.70)	1.870 (0.790-3.500)	8.21	99
15+15+20+22	1.85	1.50	2.00	2.20	-	-	8.90 (3.10-13.30)	2.260 (0.790-4.320)	9.93	99
15+15+20+25	1.84	1.50	2.00	2.50	-	-	9.20 (3.20-13.50)	2.322 (0.790-4.280)	10.20	99
15+15+20+35	1.69	1.50	2.00	3.50	-	-	9.60 (3.20-13.70)	2.410 (0.790-4.240)	10.58	99
15+15+20+42	1.79	1.50	2.00	4.20	-	-	11.00 (3.20-14.40)	2.717 (0.770-4.100)	11.93	99
15+15+20+50	1.85	1.50	2.00	5.00	-	-	12.30 (3.20-14.90)	3.250 (0.760-4.250)	14.27	99
15+15+20+60	1.72	1.39	1.85	5.56	-	-	12.60 (3.20-15.00)	3.430 (0.760-4.720)	15.06	99
15+15+20+71	1.59	1.29	1.72	6.10	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+22+22	2.01	1.50	2.20	2.20	-	-	9.90 (3.20-13.80)	2.476 (0.790-4.210)	10.87	99
15+15+22+25	2.01	1.50	2.20	2.50	-	-	10.30 (3.20-14.10)	2.563 (0.780-4.170)	11.26	99
15+15+22+35	1.84	1.50	2.20	3.50	-	-	10.70 (3.20-14.30)	2.649 (0.780-4.130)	11.63	99
15+15+22+42	1.91	1.50	2.20	4.20	-	-	12.00 (3.20-14.90)	3.070 (0.760-4.250)	13.48	99
15+15+22+50	1.87	1.47	2.16	4.90	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
15+15+22+60	1.73	1.37	2.00	5.46	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
15+15+22+71	1.60	1.27	1.86	6.00	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+15+25+25	1.97	1.50	2.50	2.50	-	-	10.50 (3.20-14.20)	2.606 (0.780-4.150)	11.44	99
15+15+25+35	1.83	1.50	2.50	3.50	-	-	11.00 (3.20-14.40)	2.717 (0.770-4.100)	11.93	99
15+15+25+42	1.89	1.50	2.50	4.20	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
15+15+25+50	1.83	1.44	2.40	4.81	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
15+15+25+60	1.70	1.34	2.24	5.37	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
15+15+25+71	1.56	1.25	2.08	5.92	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+15+35+35	1.71	1.50	3.50	3.50	-	-	11.40 (3.20-14.60)	2.800 (0.760-4.050)	12.30	99
15+15+35+42	1.72	1.42	3.30	3.96	-	-	12.30 (3.20-14.90)	3.250 (0.760-4.250)	14.27	99
15+15+35+50	1.68	1.34	3.13	4.48	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
15+15+35+60	1.57	1.25	2.91	4.99	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+15+35+71	1.46	1.17	2.73	5.53	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
15+15+42+42	1.68	1.34	3.76	3.76	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
15+15+42+50	1.62	1.28	3.58	4.26	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
15+15+42+60	1.50	1.20	3.37	4.82	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+15+42+71	1.38	1.12	3.14	5.31	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
15+15+50+50	1.52	1.21	4.04	4.04	-	-	13.20 (3.20-15.10)	3.690 (0.760-4.500)	16.21	99
15+15+50+60	1.41	1.15	3.82	4.59	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
15+15+50+71	1.31	1.06	3.54	5.03	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
15+15+60+60	1.32	1.07	4.28	4.28	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
15+15+60+71	1.23	1.01	4.02	4.76	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+15+71+71	1.15	0.94	4.46	4.46	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+20+20+20	1.66	2.00	2.00	2.00	-	-	8.30 (3.10-11.60)	2.060 (0.790-3.800)	9.05	99
15+20+20+22	1.83	2.00	2.00	2.20	-	-	9.40 (3.20-13.60)	2.366 (0.790-4.260)	10.39	99
15+20+20+25	1.82	2.00	2.00	2.50	-	-	9.70 (3.20-13.70)	2.432 (0.790-4.230)	10.68	99
15+20+20+35	1.68	2.00	2.00	3.50	-	-	10.10 (3.20-13.90)	2.520 (0.780-4.190)	11.07	99
15+20+20+42	1.78	2.00	2.00	4.20	-	-	11.50 (3.20-14.60)	2.850 (0.760-4.050)	12.52	99
15+20+20+50	1.79	1.92	1.92	4.81	-	-	12.50 (3.20-14.90)	3.370 (0.760-4.250)	14.80	99
15+20+20+60	1.66	1.79	1.79	5.37	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
15+20+20+71	1.54	1.67	1.67	5.92	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
15+20+22+22	1.99	2.00	2.20	2.20	-	-	10.50 (3.20-14.20)	2.606 (0.780-4.150)	11.44	99
15+20+22+25	1.98	2.00	2.20	2.50	-	-	10.80 (3.20-14.30)	2.670 (0.770-4.110)	11.73	99
15+20+22+35	1.83	2.00	2.20	3.50	-	-	11.20 (3.20-14.50)	2.760 (0.760-4.080)	12.12	99
15+20+22+42	1.86	2.00	2.20	4.20	-	-	12.30 (3.20-14.90)	3.250 (0.760-4.250)	14.27	99
15+20+22+50	1.79	1.89	2.08	4.72	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
15+20+22+60	1.67	1.76	1.94	5.28	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
15+20+22+71	1.54	1.64	1.80	5.82	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+20+25+25	1.96	2.00	2.50	2.50	-	-	11.10 (3.20-14.40)	2.740 (0.760-4.090)	12.03	99
15+20+25+35	1.82	2.00	2.50	3.50	-	-	11.50 (3.20-14.60)	2.850 (0.760-4.050)	12.52	99
15+20+25+42	1.82	1.96	2.45	4.12	-	-	12.40 (3.20-14.90)	3.310 (0.760-4.250)	14.54	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+25+50	1.76	1.85	2.32	4.64	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
15+20+25+60	1.64	1.73	2.17	5.20	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+20+25+71	1.51	1.60	2.00	5.69	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
15+20+35+35	1.70	1.92	3.37	3.37	-	-	11.90 (3.20-14.80)	3.030 (0.760-4.180)	13.31	99
15+20+35+42	1.67	1.82	3.19	3.83	-	-	12.50 (3.20-14.90)	3.370 (0.760-4.250)	14.80	99
15+20+35+50	1.63	1.73	3.03	4.33	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
15+20+35+60	1.51	1.62	2.83	4.85	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+20+35+71	1.40	1.52	2.66	5.39	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+20+42+42	1.63	1.73	3.64	3.64	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
15+20+42+50	1.56	1.65	3.47	4.13	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+20+42+60	1.45	1.55	3.25	4.64	-	-	13.20 (3.20-15.00)	3.740 (0.760-4.720)	16.43	99
15+20+42+71	1.34	1.45	3.04	5.13	-	-	13.20 (3.20-15.10)	3.690 (0.760-4.500)	16.21	99
15+20+50+50	1.47	1.57	3.93	3.93	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
15+20+50+60	1.37	1.48	3.69	4.43	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
15+20+50+71	1.27	1.38	3.46	4.92	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+20+60+60	1.28	1.39	4.18	4.18	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+20+60+71	1.19	1.30	3.90	4.62	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+20+71+71	1.12	1.22	4.33	4.33	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+22+22+22	2.15	2.20	2.20	2.20	-	-	11.60 (3.20-14.70)	2.890 (0.760-4.120)	12.69	99
15+22+22+25	2.13	2.20	2.20	2.50	-	-	11.90 (3.20-14.80)	3.030 (0.760-4.180)	13.31	99
15+22+22+35	1.95	2.20	2.20	3.50	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
15+22+22+42	1.87	2.18	2.18	4.16	-	-	12.60 (3.20-15.00)	3.430 (0.760-4.720)	15.06	99
15+22+22+50	1.80	2.06	2.06	4.68	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+22+22+60	1.66	1.90	1.90	5.19	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
15+22+22+71	1.52	1.78	1.78	5.73	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+22+25+25	2.10	2.20	2.50	2.50	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
15+22+25+35	1.89	2.20	2.50	3.50	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
15+22+25+42	1.83	2.14	2.43	4.08	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
15+22+25+50	1.75	2.00	2.28	4.55	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+22+25+60	1.62	1.88	2.13	5.11	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+22+25+71	1.49	1.75	1.99	5.66	-	-	13.20 (3.20-15.00)	3.740 (0.760-4.720)	16.43	99
15+22+35+35	1.74	2.08	3.30	3.30	-	-	12.40 (3.20-14.90)	3.310 (0.760-4.250)	14.54	99
15+22+35+42	1.68	1.97	3.13	3.76	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
15+22+35+50	1.62	1.88	2.98	4.26	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
15+22+35+60	1.50	1.77	2.81	4.82	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+22+35+71	1.38	1.65	2.62	5.31	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
15+22+42+42	1.62	1.89	3.61	3.61	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
15+22+42+50	1.53	1.79	3.42	4.07	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
15+22+42+60	1.42	1.69	3.23	4.62	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
15+22+42+71	1.32	1.57	3.00	5.06	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
15+22+50+50	1.45	1.70	3.87	3.87	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
15+22+50+60	1.35	1.60	3.64	4.37	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+22+50+71	1.25	1.50	3.42	4.85	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+22+60+60	1.26	1.51	4.13	4.13	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+22+60+71	1.18	1.41	3.86	4.56	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+22+71+71	1.11	1.33	4.28	4.28	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+25+25+25	2.03	2.50	2.50	2.50	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
15+25+25+35	1.86	2.50	2.50	3.50	-	-	12.40 (3.20-14.90)	3.310 (0.760-4.250)	14.54	99
15+25+25+42	1.79	2.36	2.36	3.96	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
15+25+25+50	1.72	2.24	2.24	4.48	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
15+25+25+60	1.58	2.08	2.08	4.99	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+25+25+71	1.46	1.95	1.95	5.53	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
15+25+35+35	1.70	2.32	3.25	3.25	-	-	12.50 (3.20-14.90)	3.370 (0.760-4.250)	14.80	99
15+25+35+42	1.65	2.20	3.08	3.70	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
15+25+35+50	1.58	2.08	2.91	4.16	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+25+35+60	1.47	1.96	2.75	4.71	-	-	13.20 (3.20-15.00)	3.740 (0.760-4.720)	16.43	99
15+25+35+71	1.36	1.83	2.57	5.20	-	-	13.20 (3.20-15.10)	3.690 (0.760-4.500)	16.21	99
15+25+42+42	1.60	2.10	3.52	3.52	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
15+25+42+50	1.50	2.01	3.37	4.02	-	-	13.20 (3.20-15.10)	3.690 (0.760-4.500)	16.21	99
15+25+42+60	1.39	1.88	3.16	4.52	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
15+25+42+71	1.29	1.75	2.94	4.97	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
15+25+50+50	1.41	1.91	3.82	3.82	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+25+50+60	1.32	1.78	3.57	4.28	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+25+50+71	1.23	1.68	3.35	4.76	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+25+60+60	1.24	1.69	4.05	4.05	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+25+60+71	1.16	1.58	3.79	4.48	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+35+35+35	1.58	3.03	3.03	3.03	-	-	12.60 (3.20-15.00)	3.430 (0.760-4.720)	15.06	99
15+35+35+42	1.54	2.89	2.89	3.47	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
15+35+35+50	1.47	2.75	2.75	3.93	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+35+35+60	1.37	2.58	2.58	4.43	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
15+35+35+71	1.27	2.42	2.42	4.92	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
15+35+42+42	1.48	2.77	3.32	3.32	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
15+35+42+50	1.39	2.64	3.16	3.77	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
15+35+42+60	1.30	2.46	2.96	4.22	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
15+35+42+71	1.21	2.32	2.78	4.70	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+35+50+50	1.32	2.50	3.57	3.57	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+35+50+60	1.24	2.36	3.38	4.05	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+35+50+71	1.16	2.21	3.16	4.48	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+35+60+60	1.16	2.22	3.81	3.81	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+42+42+42	1.40	3.19	3.19	3.19	-	-	13.20 (3.20-15.10)	3.690 (0.760-4.500)	16.21	99
15+42+42+50	1.33	3.02	3.02	3.59	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+42+42+60	1.25	2.85	2.85	4.08	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+42+42+71	1.16	2.67	2.67	4.51	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+42+50+50	1.26	2.89	3.44	3.44	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+42+50+60	1.19	2.72	3.23	3.88	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+42+50+71	1.11	2.55	3.03	4.31	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+42+60+60	1.12	2.56	3.66	3.66	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+50+50+50	1.20	3.27	3.27	3.27	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+50+50+60	1.13	3.09	3.09	3.70	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+20+20+20	2.20	2.00	2.00	2.00	-	-	8.80 (3.10-13.20)	2.240 (0.790-4.330)	9.84	99
20+20+20+22	2.41	2.00	2.00	2.20	-	-	9.90 (3.20-13.80)	2.476 (0.790-4.210)	10.87	99
20+20+20+25	2.40	2.00	2.00	2.50	-	-	10.20 (3.20-14.00)	2.541 (0.780-4.180)	11.16	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+20+35	2.23	2.00	2.00	3.50	-	-	10.60 (3.20-14.20)	2.627 (0.780-4.140)	11.54	99
20+20+20+42	2.35	1.96	1.96	4.12	-	-	12.00 (3.20-14.90)	3.070 (0.760-4.250)	13.48	99
20+20+20+50	2.31	1.85	1.85	4.64	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
20+20+20+60	2.15	1.73	1.73	5.20	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
20+20+20+71	1.98	1.60	1.60	5.69	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
20+20+22+22	2.62	2.00	2.20	2.20	-	-	11.00 (3.20-14.40)	2.717 (0.770-4.100)	11.93	99
20+20+22+25	2.60	2.00	2.20	2.50	-	-	11.30 (3.20-14.60)	2.780 (0.760-4.070)	12.21	99
20+20+22+35	2.41	2.00	2.20	3.50	-	-	11.70 (3.20-14.80)	2.940 (0.760-4.180)	12.91	99
20+20+22+42	2.40	1.94	2.14	4.08	-	-	12.50 (3.20-14.90)	3.370 (0.760-4.250)	14.80	99
20+20+22+50	2.32	1.82	2.00	4.55	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
20+20+22+60	2.15	1.70	1.88	5.11	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
20+20+22+71	1.98	1.59	1.75	5.66	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+20+25+25	2.56	2.00	2.50	2.50	-	-	11.50 (3.20-14.60)	2.850 (0.760-4.050)	12.52	99
20+20+25+35	2.40	2.00	2.50	3.50	-	-	12.00 (3.20-14.90)	3.070 (0.760-4.250)	13.48	99
20+20+25+42	2.36	1.89	2.36	3.96	-	-	12.60 (3.20-14.90)	3.430 (0.760-4.250)	15.06	99
20+20+25+50	2.26	1.79	2.24	4.48	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
20+20+25+60	2.11	1.66	2.08	4.99	-	-	13.20 (3.20-15.00)	3.790 (0.760-4.720)	16.64	99
20+20+25+71	1.94	1.56	1.95	5.53	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+20+35+35	2.22	1.85	3.25	3.25	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
20+20+35+42	2.17	1.76	3.08	3.70	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
20+20+35+50	2.10	1.66	2.91	4.16	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
20+20+35+60	1.96	1.57	2.75	4.71	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+20+35+71	1.81	1.47	2.57	5.20	-	-	13.20 (3.20-15.00)	3.750 (0.760-4.720)	16.47	99
20+20+42+42	2.10	1.68	3.52	3.52	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
20+20+42+50	2.00	1.61	3.37	4.02	-	-	13.20 (3.20-15.00)	3.750 (0.760-4.720)	16.47	99
20+20+42+60	1.86	1.51	3.16	4.52	-	-	13.20 (3.20-15.00)	3.700 (0.760-4.720)	16.25	99
20+20+42+71	1.73	1.40	2.94	4.97	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
20+20+50+50	1.89	1.53	3.82	3.82	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
20+20+50+60	1.76	1.43	3.57	4.28	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+20+50+71	1.64	1.34	3.35	4.76	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+20+60+60	1.65	1.35	4.05	4.05	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+20+60+71	1.54	1.26	3.79	4.48	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+22+22+22	2.81	2.20	2.20	2.20	-	-	12.10 (3.20-14.90)	3.130 (0.760-4.250)	13.75	99
20+22+22+25	2.74	2.20	2.20	2.50	-	-	12.20 (3.20-14.90)	3.190 (0.760-4.250)	14.01	99
20+22+22+35	2.48	2.20	2.20	3.50	-	-	12.30 (3.20-14.90)	3.250 (0.760-4.250)	14.27	99
20+22+22+42	2.42	2.10	2.10	4.00	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
20+22+22+50	2.32	1.97	1.97	4.47	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
20+22+22+60	2.13	1.85	1.85	5.03	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+22+22+71	1.96	1.73	1.73	5.57	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
20+22+25+25	2.67	2.20	2.50	2.50	-	-	12.30 (3.20-14.90)	3.250 (0.760-4.250)	14.27	99
20+22+25+35	2.43	2.16	2.45	3.43	-	-	12.40 (3.20-14.90)	3.310 (0.760-4.250)	14.54	99
20+22+25+42	2.37	2.06	2.34	3.93	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
20+22+25+50	2.26	1.94	2.20	4.40	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+22+25+60	2.08	1.82	2.07	4.96	-	-	13.20 (3.20-15.00)	3.750 (0.760-4.720)	16.47	99
20+22+25+71	1.91	1.71	1.94	5.51	-	-	13.20 (3.20-15.00)	3.710 (0.760-4.720)	16.29	99
20+22+35+35	2.25	2.00	3.19	3.19	-	-	12.60 (3.20-15.00)	3.430 (0.760-4.720)	15.06	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+22+35+42	2.18	1.90	3.03	3.64	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
20+22+35+50	2.08	1.82	2.89	4.13	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+22+35+60	1.93	1.70	2.71	4.64	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
20+22+35+71	1.78	1.59	2.53	5.13	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
20+22+42+42	2.10	1.83	3.50	3.50	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+22+42+50	1.97	1.74	3.32	3.96	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
20+22+42+60	1.83	1.63	3.12	4.46	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
20+22+42+71	1.70	1.53	2.93	4.95	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+22+50+50	1.86	1.66	3.77	3.77	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+22+50+60	1.74	1.55	3.52	4.22	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+22+50+71	1.62	1.46	3.31	4.70	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+22+60+60	1.63	1.47	4.00	4.00	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+22+60+71	1.53	1.37	3.75	4.43	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+25+25+25	2.61	2.50	2.50	2.50	-	-	12.40 (3.20-14.90)	3.310 (0.760-4.250)	14.54	99
20+25+25+35	2.40	2.40	2.40	3.37	-	-	12.60 (3.20-14.90)	3.430 (0.760-4.250)	15.06	99
20+25+25+42	2.32	2.28	2.28	3.83	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
20+25+25+50	2.20	2.17	2.17	4.33	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+25+25+60	2.03	2.02	2.02	4.85	-	-	13.20 (3.20-15.00)	3.740 (0.760-4.720)	16.43	99
20+25+25+71	1.87	1.90	1.90	5.39	-	-	13.20 (3.20-15.10)	3.670 (0.760-4.500)	16.12	99
20+25+35+35	2.21	2.24	3.13	3.13	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
20+25+35+42	2.13	2.13	2.98	3.58	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
20+25+35+50	2.03	2.02	2.83	4.04	-	-	13.20 (3.20-15.00)	3.750 (0.760-4.720)	16.47	99
20+25+35+60	1.89	1.91	2.68	4.59	-	-	13.20 (3.20-15.00)	3.700 (0.760-4.720)	16.25	99
20+25+35+71	1.75	1.77	2.48	5.03	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
20+25+42+42	2.05	2.03	3.42	3.42	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
20+25+42+50	1.93	1.93	3.25	3.87	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
20+25+42+60	1.80	1.82	3.06	4.37	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
20+25+42+71	1.67	1.71	2.87	4.85	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+25+50+50	1.82	1.84	3.69	3.69	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+25+50+60	1.70	1.74	3.48	4.18	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+25+50+71	1.59	1.63	3.25	4.62	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+25+60+60	1.60	1.64	3.93	3.93	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+25+60+71	1.50	1.53	3.68	4.36	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+35+35+35	2.05	2.91	2.91	2.91	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
20+35+35+42	1.98	2.81	2.81	3.37	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
20+35+35+50	1.89	2.68	2.68	3.82	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
20+35+35+60	1.76	2.50	2.50	4.28	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
20+35+35+71	1.64	2.35	2.35	4.76	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
20+35+42+42	1.90	2.69	3.23	3.23	-	-	13.20 (3.20-15.00)	3.750 (0.760-4.720)	16.47	99
20+35+42+50	1.80	2.55	3.06	3.64	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
20+35+42+60	1.68	2.41	2.89	4.13	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+35+42+71	1.57	2.25	2.70	4.56	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+35+50+50	1.70	2.44	3.48	3.48	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+35+50+60	1.60	2.29	3.27	3.93	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+35+50+71	1.50	2.15	3.07	4.36	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+35+60+60	1.51	2.16	3.70	3.70	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+42+42+42	1.81	3.08	3.08	3.08	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
20+42+42+50	1.71	2.95	2.95	3.51	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+42+42+60	1.61	2.77	2.77	3.95	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+42+42+71	1.51	2.59	2.59	4.38	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+42+50+50	1.63	2.80	3.33	3.33	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+42+50+60	1.53	2.64	3.14	3.77	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+50+50+50	1.55	3.18	3.18	3.18	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
20+50+50+60	1.47	3.00	3.00	3.60	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+22+22+22	3.13	2.20	2.20	2.20	-	-	12.50 (3.20-14.90)	3.370 (0.760-4.250)	14.80	99
22+22+22+25	3.05	2.20	2.20	2.50	-	-	12.60 (3.20-14.90)	3.430 (0.760-4.250)	15.06	99
22+22+22+35	2.77	2.18	2.18	3.47	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
22+22+22+42	2.67	2.06	2.06	3.93	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
22+22+22+50	2.50	1.95	1.95	4.44	-	-	13.20 (3.20-15.00)	3.740 (0.760-4.720)	16.43	99
22+22+22+60	2.30	1.83	1.83	5.00	-	-	13.20 (3.20-15.10)	3.700 (0.760-4.500)	16.25	99
22+22+22+71	2.12	1.70	1.70	5.49	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
22+22+25+25	2.95	2.20	2.50	2.50	-	-	12.60 (3.20-15.00)	3.430 (0.760-4.720)	15.06	99
22+22+25+35	2.71	2.14	2.43	3.40	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
22+22+25+42	2.60	2.02	2.30	3.86	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
22+22+25+50	2.44	1.90	2.16	4.33	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
22+22+25+60	2.25	1.79	2.03	4.88	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
22+22+25+71	2.07	1.68	1.91	5.43	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
22+22+35+35	2.49	1.97	3.13	3.13	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
22+22+35+42	2.40	1.89	3.01	3.61	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
22+22+35+50	2.25	1.79	2.85	4.07	-	-	13.20 (3.20-15.10)	3.690 (0.760-4.500)	16.21	99
22+22+35+60	2.09	1.69	2.69	4.62	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
22+22+35+71	1.94	1.57	2.50	5.06	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
22+22+42+42	2.27	1.80	3.45	3.45	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
22+22+42+50	2.14	1.71	3.27	3.90	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
22+22+42+60	1.99	1.61	3.08	4.40	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+22+42+71	1.85	1.51	2.89	4.88	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+22+50+50	2.02	1.63	3.72	3.72	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+22+50+60	1.89	1.54	3.51	4.21	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+22+50+71	1.76	1.44	3.27	4.65	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+22+60+60	1.77	1.45	3.95	3.95	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+22+60+71	1.66	1.36	3.70	4.38	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+25+25	2.88	2.50	2.50	2.50	-	-	12.70 (3.20-15.00)	3.490 (0.760-4.720)	15.33	99
22+25+25+35	2.65	2.36	2.36	3.30	-	-	12.90 (3.20-15.00)	3.610 (0.760-4.720)	15.85	99
22+25+25+42	2.55	2.24	2.24	3.76	-	-	13.20 (3.20-15.00)	3.790 (0.760-4.720)	16.64	99
22+25+25+50	2.38	2.13	2.13	4.26	-	-	13.20 (3.20-15.00)	3.710 (0.760-4.720)	16.29	99
22+25+25+60	2.20	2.01	2.01	4.82	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
22+25+25+71	2.03	1.87	1.87	5.31	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
22+25+35+35	2.44	2.20	3.08	3.08	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
22+25+35+42	2.34	2.10	2.94	3.52	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
22+25+35+50	2.20	2.01	2.81	4.02	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
22+25+35+60	2.05	1.88	2.64	4.52	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
22+25+35+71	1.90	1.75	2.45	4.97	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+25+42+42	2.22	2.00	3.37	3.37	-	-	13.20 (3.20-15.00)	3.700 (0.760-4.720)	16.25	99
22+25+42+50	2.09	1.92	3.23	3.85	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+42+60	1.95	1.80	3.02	4.31	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+42+71	1.82	1.69	2.84	4.79	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+50+50	1.98	1.82	3.64	3.64	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+50+60	1.85	1.72	3.44	4.13	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+50+71	1.73	1.61	3.21	4.56	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+60+60	1.74	1.62	3.88	3.88	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+25+60+71	1.63	1.52	3.64	4.31	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+35+35	2.27	2.89	2.89	2.89	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
22+35+35+42	2.17	2.77	2.77	3.32	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
22+35+35+50	2.05	2.64	2.64	3.77	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
22+35+35+60	1.91	2.46	2.46	4.22	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
22+35+35+71	1.78	2.32	2.32	4.70	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+42+42	2.06	2.66	3.19	3.19	-	-	13.20 (3.20-15.10)	3.660 (0.760-4.500)	16.07	99
22+35+42+50	1.95	2.51	3.02	3.59	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+42+60	1.83	2.38	2.85	4.08	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+42+71	1.71	2.22	2.67	4.51	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+50+50	1.85	2.41	3.44	3.44	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+50+60	1.74	2.26	3.23	3.88	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+50+71	1.63	2.12	3.03	4.31	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+35+60+60	1.64	2.14	3.66	3.66	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+42+42+42	1.96	3.04	3.04	3.04	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+42+42+50	1.86	2.91	2.91	3.46	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+42+42+60	1.75	2.73	2.73	3.90	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+42+42+71	1.64	2.56	2.56	4.33	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+42+50+50	1.77	2.77	3.29	3.29	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+42+50+60	1.67	2.61	3.10	3.72	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
22+50+50+50	1.69	3.14	3.14	3.14	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+25+25+25	3.20	2.50	2.50	2.50	-	-	12.80 (3.20-15.00)	3.550 (0.760-4.720)	15.59	99
25+25+25+35	2.95	2.32	2.32	3.25	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
25+25+25+42	2.82	2.20	2.20	3.70	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
25+25+25+50	2.64	2.08	2.08	4.16	-	-	13.20 (3.20-15.10)	3.670 (0.760-4.500)	16.12	99
25+25+25+60	2.44	1.96	1.96	4.71	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
25+25+25+71	2.26	1.83	1.83	5.20	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
25+25+35+35	2.71	2.17	3.03	3.03	-	-	13.00 (3.20-15.00)	3.670 (0.760-4.720)	16.12	99
25+25+35+42	2.60	2.07	2.89	3.47	-	-	13.20 (3.20-15.00)	3.760 (0.760-4.720)	16.51	99
25+25+35+50	2.44	1.96	2.75	3.93	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
25+25+35+60	2.28	1.84	2.58	4.43	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
25+25+35+71	2.12	1.73	2.42	4.92	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+25+42+42	2.46	1.98	3.32	3.32	-	-	13.20 (3.20-15.10)	3.670 (0.760-4.500)	16.12	99
25+25+42+50	2.32	1.88	3.16	3.77	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+25+42+60	2.17	1.76	2.96	4.22	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+25+42+71	2.02	1.66	2.78	4.70	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+25+50+50	2.20	1.78	3.57	3.57	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+25+50+60	2.06	1.69	3.38	4.05	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
25+25+50+71	1.93	1.58	3.16	4.48	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+25+60+60	1.94	1.59	3.81	3.81	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+35+35	2.52	2.83	2.83	2.83	-	-	13.10 (3.20-15.00)	3.730 (0.760-4.720)	16.38	99
25+35+35+42	2.41	2.71	2.71	3.25	-	-	13.20 (3.20-15.00)	3.750 (0.760-4.720)	16.47	99
25+35+35+50	2.28	2.58	2.58	3.69	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
25+35+35+60	2.13	2.44	2.44	4.18	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+35+71	1.99	2.28	2.28	4.62	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+42+42	2.29	2.60	3.12	3.12	-	-	13.20 (3.20-15.10)	3.650 (0.760-4.500)	16.03	99
25+35+42+50	2.17	2.46	2.96	3.52	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+42+60	2.04	2.33	2.80	4.00	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+42+71	1.91	2.18	2.62	4.43	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+50+50	2.06	2.36	3.38	3.38	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+50+60	1.94	2.22	3.18	3.81	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+35+60+60	1.83	2.10	3.60	3.60	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+42+42+42	2.19	2.98	2.98	2.98	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+42+42+50	2.08	2.85	2.85	3.40	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+42+42+60	1.95	2.68	2.68	3.83	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+42+42+71	1.83	2.52	2.52	4.26	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+42+50+50	1.98	2.72	3.23	3.23	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+42+50+60	1.86	2.56	3.05	3.66	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
25+50+50+50	1.89	3.09	3.09	3.09	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+35+35+35	3.30	2.68	2.68	2.68	-	-	13.20 (3.20-15.00)	3.780 (0.760-4.720)	16.60	99
35+35+35+42	3.14	2.55	2.55	3.06	-	-	13.20 (3.20-15.00)	3.720 (0.760-4.720)	16.34	99
35+35+35+50	2.98	2.44	2.44	3.48	-	-	13.20 (3.20-15.10)	3.610 (0.760-4.500)	15.85	99
35+35+35+60	2.80	2.29	2.29	3.93	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+35+35+71	2.63	2.15	2.15	4.36	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+35+42+42	3.00	2.45	2.95	2.95	-	-	13.20 (3.20-15.10)	3.630 (0.760-4.500)	15.94	99
35+35+42+50	2.85	2.33	2.80	3.33	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+35+42+60	2.69	2.20	2.64	3.77	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+35+50+50	2.72	2.22	3.18	3.18	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+35+50+60	2.57	2.10	3.00	3.60	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+42+42+42	2.87	2.82	2.82	2.82	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+42+42+50	2.73	2.68	2.68	3.20	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+42+42+60	2.58	2.53	2.53	3.62	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
35+42+50+50	2.61	2.56	3.05	3.05	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
42+42+42+42	3.30	2.70	2.70	2.70	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
42+42+42+50	3.15	2.58	2.58	3.07	-	-	13.20 (3.20-15.10)	3.600 (0.760-4.500)	15.81	99
15+15+15+15+15	1.70	1.50	1.50	1.50	1.50	-	8.50 (3.40-13.80)	1.910 (0.800-5.220)	8.39	99
15+15+15+15+20	1.69	1.50	1.50	1.50	2.00	-	9.00 (3.40-14.00)	2.110 (0.800-5.300)	9.27	99
15+15+15+15+22	1.85	1.50	1.50	1.50	2.20	-	10.10 (3.40-14.60)	2.563 (0.800-5.500)	11.25	99
15+15+15+15+25	1.84	1.50	1.50	1.50	2.50	-	10.40 (3.40-14.60)	2.690 (0.800-5.530)	11.81	99
15+15+15+15+35	1.71	1.50	1.50	1.50	3.50	-	10.80 (3.40-14.90)	2.850 (0.800-5.620)	12.52	99
15+15+15+15+42	1.81	1.50	1.50	1.50	4.20	-	12.30 (3.50-15.10)	3.050 (0.780-4.850)	13.39	99
15+15+15+15+50	1.83	1.50	1.50	1.50	5.00	-	13.40 (3.50-15.50)	3.390 (0.770-4.800)	14.89	99
15+15+15+15+60	1.68	1.45	1.45	1.45	5.80	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+15+15+71	1.53	1.36	1.36	1.36	6.45	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+20+20	1.62	1.50	1.50	2.00	2.00	-	9.20 (3.40-14.10)	2.200 (0.800-5.330)	9.66	99
15+15+15+20+22	1.83	1.50	1.50	2.00	2.20	-	10.60 (3.40-14.70)	2.770 (0.800-5.560)	12.17	99
15+15+15+20+25	1.82	1.50	1.50	2.00	2.50	-	10.90 (3.40-14.90)	2.890 (0.800-5.640)	12.69	99
15+15+15+20+35	1.70	1.50	1.50	2.00	3.50	-	11.30 (3.40-15.00)	2.960 (0.800-5.350)	13.00	99
15+15+15+20+42	1.84	1.50	1.50	2.00	4.20	-	13.10 (3.50-15.20)	3.130 (0.770-4.460)	13.75	99
15+15+15+20+50	1.75	1.47	1.47	1.97	4.91	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+15+20+60	1.61	1.43	1.43	1.90	5.71	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+15+20+71	1.48	1.32	1.32	1.76	6.26	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+22+22	1.96	1.50	1.50	2.20	2.20	-	11.60 (3.40-15.00)	2.990 (0.790-5.250)	13.13	99
15+15+15+22+25	1.96	1.50	1.50	2.20	2.50	-	12.00 (3.50-15.10)	3.023 (0.790-4.990)	13.28	99
15+15+15+22+35	1.84	1.50	1.50	2.20	3.50	-	12.50 (3.50-15.10)	3.070 (0.780-4.850)	13.48	99
15+15+15+22+42	1.83	1.50	1.50	2.20	4.20	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
15+15+15+22+50	1.72	1.46	1.46	2.14	4.87	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+22+60	1.58	1.41	1.41	2.06	5.62	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+22+71	1.46	1.30	1.30	1.91	6.17	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+25+25	1.94	1.50	1.50	2.50	2.50	-	12.30 (3.50-15.10)	3.050 (0.780-4.850)	13.39	99
15+15+15+25+35	1.87	1.50	1.50	2.50	3.50	-	13.10 (3.50-15.20)	3.130 (0.770-4.460)	13.75	99
15+15+15+25+42	1.79	1.49	1.49	2.48	4.16	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+15+25+50	1.68	1.45	1.45	2.42	4.83	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+25+60	1.55	1.37	1.37	2.29	5.49	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+25+71	1.43	1.28	1.28	2.13	6.04	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+35+35	1.72	1.47	1.47	3.44	3.44	-	13.20 (3.50-15.30)	3.220 (0.770-4.570)	14.14	99
15+15+15+35+42	1.65	1.44	1.44	3.36	4.03	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+15+35+50	1.55	1.37	1.37	3.20	4.58	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+35+60	1.44	1.29	1.29	3.00	5.14	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+35+71	1.33	1.20	1.20	2.80	5.69	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+15+42+42	1.56	1.38	1.38	3.87	3.87	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+15+42+50	1.47	1.31	1.31	3.68	4.38	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+15+42+60	1.37	1.22	1.22	3.43	4.90	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+15+42+71	1.27	1.15	1.15	3.22	5.44	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+15+50+50	1.39	1.24	1.24	4.14	4.14	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+15+50+60	1.30	1.17	1.17	3.90	4.68	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+15+50+71	1.21	1.09	1.09	3.64	5.18	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+15+60+60	1.22	1.10	1.10	4.40	4.40	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+15+60+71	1.14	1.04	1.04	4.16	4.92	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+20+20+20	1.67	1.50	2.00	2.00	2.00	-	10.00 (3.40-14.50)	2.520 (0.800-5.490)	11.07	99
15+15+20+20+22	1.81	1.50	2.00	2.00	2.20	-	11.10 (3.40-15.00)	2.940 (0.800-5.550)	12.91	99
15+15+20+20+25	1.80	1.50	2.00	2.00	2.50	-	11.40 (3.40-15.00)	2.970 (0.790-5.250)	13.04	99
15+15+20+20+35	1.69	1.50	2.00	2.00	3.50	-	11.80 (3.40-15.00)	3.010 (0.790-5.250)	13.22	99
15+15+20+20+42	1.77	1.49	1.98	1.98	4.16	-	13.20 (3.50-15.30)	3.220 (0.770-4.570)	14.14	99
15+15+20+20+50	1.68	1.45	1.93	1.93	4.83	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+20+20+60	1.55	1.37	1.83	1.83	5.49	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+20+71	1.43	1.28	1.70	1.70	6.04	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+22+22	1.96	1.50	2.00	2.20	2.20	-	12.30 (3.50-15.10)	3.050 (0.780-4.850)	13.39	99
15+15+20+22+25	1.99	1.50	2.00	2.20	2.50	-	12.90 (3.50-15.20)	3.110 (0.770-4.460)	13.66	99
15+15+20+22+35	1.84	1.50	2.00	2.20	3.50	-	13.10 (3.50-15.30)	3.130 (0.770-4.570)	13.75	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+20+22+42	1.76	1.47	1.96	2.16	4.13	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+20+22+50	1.65	1.44	1.92	2.11	4.80	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+22+60	1.52	1.35	1.80	1.98	5.41	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+22+71	1.41	1.26	1.68	1.85	5.96	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+20+25+25	1.97	1.50	2.00	2.50	2.50	-	13.10 (3.50-15.20)	3.130 (0.770-4.460)	13.75	99
15+15+20+25+35	1.80	1.50	2.00	2.50	3.50	-	13.20 (3.50-15.30)	3.220 (0.770-4.570)	14.14	99
15+15+20+25+42	1.72	1.46	1.95	2.44	4.09	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+20+25+50	1.61	1.43	1.90	2.38	4.76	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+25+60	1.49	1.33	1.78	2.22	5.33	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+25+71	1.38	1.23	1.64	2.05	5.84	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+20+35+35	1.66	1.45	1.93	3.38	3.38	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
15+15+20+35+42	1.58	1.41	1.87	3.28	3.94	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+20+35+50	1.49	1.33	1.78	3.11	4.44	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+35+60	1.39	1.24	1.66	2.90	4.97	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+20+35+71	1.29	1.16	1.55	2.71	5.51	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+20+42+42	1.50	1.34	1.79	3.76	3.76	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+20+42+50	1.42	1.27	1.69	3.55	4.23	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+20+42+60	1.32	1.19	1.59	3.34	4.78	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+20+42+71	1.23	1.11	1.48	3.12	5.27	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+20+50+50	1.34	1.21	1.61	4.03	4.03	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+20+50+60	1.26	1.13	1.51	3.78	4.54	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+20+50+71	1.18	1.07	1.43	3.57	5.07	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+20+60+60	1.18	1.08	1.44	4.31	4.31	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+22+22+22	2.06	1.50	2.20	2.20	2.20	-	13.20 (3.50-15.40)	3.220 (0.770-4.690)	14.14	99
15+15+22+22+25	2.02	1.50	2.20	2.20	2.50	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
15+15+22+22+35	1.84	1.50	2.20	2.20	3.50	-	13.40 (3.50-15.50)	3.390 (0.770-4.800)	14.89	99
15+15+22+22+42	1.73	1.47	2.16	2.16	4.13	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+22+22+50	1.62	1.43	2.09	2.09	4.76	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+22+22+60	1.50	1.34	1.97	1.97	5.37	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+22+22+71	1.39	1.24	1.82	1.82	5.88	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+22+25+25	1.96	1.50	2.20	2.50	2.50	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
15+15+22+25+35	1.79	1.49	2.18	2.48	3.47	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+22+25+42	1.69	1.45	2.13	2.42	4.06	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+22+25+50	1.58	1.41	2.06	2.34	4.69	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+22+25+60	1.47	1.31	1.93	2.19	5.26	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+22+25+71	1.36	1.22	1.78	2.03	5.76	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+22+35+35	1.65	1.44	2.11	3.36	3.36	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+22+35+42	1.56	1.38	2.03	3.23	3.87	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+22+35+50	1.47	1.31	1.93	3.07	4.38	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+22+35+60	1.37	1.22	1.80	2.86	4.90	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+22+35+71	1.27	1.15	1.68	2.68	5.44	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+22+42+42	1.48	1.32	1.94	3.71	3.71	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+22+42+50	1.40	1.25	1.83	3.50	4.17	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+22+42+60	1.31	1.18	1.73	3.30	4.71	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+22+42+71	1.22	1.10	1.61	3.08	5.21	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+22+50+50	1.32	1.19	1.75	3.98	3.98	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+22+50+60	1.24	1.12	1.64	3.73	4.48	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+22+50+71	1.16	1.06	1.55	3.53	5.01	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+22+60+60	1.17	1.06	1.56	4.26	4.26	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+25+25+25	1.91	1.50	2.50	2.50	2.50	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+25+25+35	1.75	1.47	2.46	2.46	3.44	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+25+25+42	1.65	1.44	2.40	2.40	4.03	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+25+25+50	1.55	1.37	2.29	2.29	4.58	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+25+25+60	1.44	1.29	2.14	2.14	5.14	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+25+25+71	1.33	1.20	2.00	2.00	5.69	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+25+35+35	1.61	1.43	2.38	3.33	3.33	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+25+35+42	1.52	1.35	2.25	3.16	3.79	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+25+35+50	1.44	1.29	2.14	3.00	4.29	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+25+35+60	1.34	1.21	2.02	2.82	4.84	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+25+35+71	1.25	1.13	1.88	2.63	5.34	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+25+42+42	1.45	1.29	2.16	3.63	3.63	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+25+42+50	1.37	1.22	2.04	3.43	4.08	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+25+42+60	1.28	1.16	1.93	3.24	4.62	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+25+42+71	1.20	1.09	1.82	3.05	5.16	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+25+50+50	1.30	1.17	1.95	3.90	3.90	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+25+50+60	1.22	1.10	1.83	3.67	4.40	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+25+50+71	1.14	1.04	1.73	3.47	4.92	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+25+60+60	1.15	1.05	1.74	4.18	4.18	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+35+35+35	1.49	1.33	3.11	3.11	3.11	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+15+35+35+42	1.42	1.27	2.96	2.96	3.55	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+15+35+35+50	1.34	1.21	2.82	2.82	4.03	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+35+35+60	1.26	1.13	2.65	2.65	4.54	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+35+35+71	1.18	1.07	2.50	2.50	5.07	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+35+42+42	1.35	1.21	2.82	3.38	3.38	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+15+35+42+50	1.28	1.16	2.70	3.24	3.85	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+35+42+60	1.20	1.10	2.56	3.07	4.38	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+35+42+71	1.13	1.03	2.40	2.88	4.87	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+35+50+50	1.22	1.10	2.57	3.67	3.67	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+35+50+60	1.15	1.05	2.44	3.49	4.18	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+42+42+42	1.29	1.16	3.26	3.26	3.26	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+42+42+50	1.23	1.11	3.10	3.10	3.69	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+15+42+42+60	1.16	1.05	2.94	2.94	4.21	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+42+50+50	1.17	1.06	2.98	3.55	3.55	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+15+50+50+50	1.12	1.02	3.39	3.39	3.39	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+20+20+20	1.66	2.00	2.00	2.00	2.00	-	10.50 (3.40-14.70)	2.730 (0.800-5.560)	11.99	99
15+20+20+20+22	1.79	2.00	2.00	2.00	2.20	-	11.60 (3.40-15.00)	2.990 (0.790-5.250)	13.13	99
15+20+20+20+25	1.79	2.00	2.00	2.00	2.50	-	11.90 (3.50-15.10)	3.017 (0.790-5.120)	13.25	99
15+20+20+20+35	1.70	2.00	2.00	2.00	3.50	-	12.50 (3.50-15.10)	3.070 (0.780-4.850)	13.48	99
15+20+20+20+42	1.71	1.95	1.95	1.95	4.09	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
15+20+20+20+50	1.61	1.90	1.90	1.90	4.76	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+20+60	1.49	1.78	1.78	1.78	5.33	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+20+71	1.38	1.64	1.64	1.64	5.84	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+20+22+22	1.98	2.00	2.00	2.20	2.20	-	13.10 (3.50-15.20)	3.130 (0.770-4.460)	13.75	99
15+20+20+22+25	1.94	2.00	2.00	2.20	2.50	-	13.20 (3.50-15.30)	3.220 (0.770-4.570)	14.14	99
15+20+20+22+35	1.77	1.98	1.98	2.18	3.47	-	13.20 (3.50-15.40)	3.220 (0.770-4.690)	14.14	99
15+20+20+22+42	1.69	1.93	1.93	2.13	4.06	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+20+22+50	1.58	1.87	1.87	2.06	4.69	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+22+60	1.47	1.75	1.75	1.93	5.26	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+22+71	1.36	1.62	1.62	1.78	5.76	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+20+25+25	1.89	2.00	2.00	2.50	2.50	-	13.20 (3.50-15.40)	3.220 (0.770-4.690)	14.14	99
15+20+20+25+35	1.73	1.97	1.97	2.46	3.44	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
15+20+20+25+42	1.65	1.92	1.92	2.40	4.03	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+20+25+50	1.55	1.83	1.83	2.29	4.58	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+25+60	1.44	1.71	1.71	2.14	5.14	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+20+25+71	1.33	1.60	1.60	2.00	5.69	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+20+35+35	1.61	1.90	1.90	3.33	3.33	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+20+35+42	1.52	1.80	1.80	3.16	3.79	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+35+50	1.44	1.71	1.71	3.00	4.29	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+35+60	1.34	1.61	1.61	2.82	4.84	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+20+35+71	1.25	1.50	1.50	2.63	5.34	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+20+42+42	1.45	1.73	1.73	3.63	3.63	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+20+42+50	1.37	1.63	1.63	3.43	4.08	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+20+42+60	1.28	1.54	1.54	3.24	4.62	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+20+42+71	1.20	1.45	1.45	3.05	5.16	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+20+50+50	1.30	1.56	1.56	3.90	3.90	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+20+50+60	1.22	1.47	1.47	3.67	4.40	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+20+50+71	1.14	1.39	1.39	3.47	4.92	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+20+60+60	1.15	1.39	1.39	4.18	4.18	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+22+22+22	1.98	2.00	2.20	2.20	2.20	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
15+20+22+22+25	1.93	2.00	2.20	2.20	2.50	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+22+22+35	1.76	1.96	2.16	2.16	3.44	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+22+22+42	1.66	1.93	2.13	2.13	4.06	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+22+22+50	1.56	1.84	2.03	2.03	4.61	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+22+22+60	1.45	1.73	1.90	1.90	5.18	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+22+22+71	1.34	1.61	1.77	1.77	5.73	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+22+25+25	1.88	2.00	2.20	2.50	2.50	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+22+25+35	1.72	1.95	2.14	2.44	3.41	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+22+25+42	1.62	1.90	2.09	2.38	4.00	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+22+25+50	1.52	1.80	1.98	2.25	4.51	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+22+25+60	1.42	1.69	1.86	2.11	5.07	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+22+25+71	1.31	1.58	1.74	1.98	5.62	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+22+35+35	1.58	1.87	2.06	3.28	3.28	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+22+35+42	1.50	1.79	1.97	3.13	3.76	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+22+35+50	1.42	1.69	1.86	2.96	4.23	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+22+35+60	1.32	1.59	1.75	2.79	4.78	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+22+35+71	1.23	1.48	1.63	2.60	5.27	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+22+42+42	1.43	1.70	1.87	3.57	3.57	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+22+42+50	1.35	1.61	1.77	3.38	4.03	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+22+42+60	1.26	1.52	1.67	3.20	4.57	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+22+42+71	1.18	1.44	1.58	3.01	5.10	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+22+50+50	1.28	1.54	1.70	3.85	3.85	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+22+50+60	1.20	1.46	1.61	3.65	4.38	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+22+50+71	1.13	1.37	1.51	3.43	4.87	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+22+60+60	1.14	1.38	1.52	4.14	4.14	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+25+25+25	1.83	2.00	2.50	2.50	2.50	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+25+25+35	1.68	1.93	2.42	2.42	3.38	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+20+25+25+42	1.58	1.87	2.34	2.34	3.94	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+25+25+50	1.49	1.78	2.22	2.22	4.44	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+25+25+60	1.39	1.66	2.07	2.07	4.97	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+25+25+71	1.29	1.55	1.94	1.94	5.51	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+25+35+35	1.55	1.83	2.29	3.20	3.20	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+25+35+42	1.47	1.75	2.19	3.07	3.68	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+25+35+50	1.39	1.66	2.07	2.90	4.14	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+25+35+60	1.30	1.56	1.95	2.73	4.68	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+25+35+71	1.21	1.46	1.82	2.55	5.18	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+25+42+42	1.40	1.67	2.08	3.50	3.50	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+25+42+50	1.32	1.59	1.99	3.34	3.98	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+25+42+60	1.24	1.49	1.87	3.14	4.48	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+25+42+71	1.16	1.41	1.76	2.96	5.01	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+25+50+50	1.26	1.51	1.89	3.78	3.78	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+25+50+60	1.18	1.44	1.79	3.59	4.31	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+25+50+60	1.12	1.36	1.69	4.07	4.07	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+35+35+35	1.44	1.71	3.00	3.00	3.00	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+35+35+42	1.37	1.63	2.86	2.86	3.43	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+20+35+35+50	1.30	1.56	2.73	2.73	3.90	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+35+35+60	1.22	1.47	2.57	2.57	4.40	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+35+35+71	1.14	1.39	2.43	2.43	4.92	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+35+42+42	1.31	1.57	2.75	3.30	3.30	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+20+35+42+50	1.24	1.49	2.61	3.14	3.73	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+35+42+60	1.17	1.42	2.48	2.98	4.26	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+20+35+50+50	1.18	1.44	2.51	3.59	3.59	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+35+50+60	1.12	1.36	2.37	3.39	4.07	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+42+42+42	1.25	1.50	3.16	3.16	3.16	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+20+42+42+50	1.19	1.44	3.03	3.03	3.61	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+42+42+60	1.12	1.36	2.86	2.86	4.09	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+20+42+50+50	1.14	1.38	2.89	3.45	3.45	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+22+22+22	1.95	2.20	2.20	2.20	2.20	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+22+22+22+25	1.90	2.20	2.20	2.20	2.50	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
15+22+22+22+35	1.73	2.16	2.16	2.16	3.44	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+22+22+42	1.63	2.11	2.11	2.11	4.03	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+22+22+50	1.53	2.00	2.00	2.00	4.54	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+22+60	1.43	1.87	1.87	1.87	5.11	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+22+71	1.32	1.75	1.75	1.75	5.65	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+25+25	1.84	2.20	2.20	2.50	2.50	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+22+22+25+35	1.69	2.13	2.13	2.42	3.38	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+22+25+42	1.60	2.08	2.08	2.36	3.97	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+22+25+50	1.50	1.97	1.97	2.24	4.48	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+25+60	1.40	1.83	1.83	2.08	5.00	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+25+71	1.30	1.72	1.72	1.95	5.54	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+22+35+35	1.56	2.03	2.03	3.23	3.23	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+22+35+42	1.48	1.94	1.94	3.09	3.71	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+22+22+35+50	1.40	1.83	1.83	2.92	4.17	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+35+60	1.31	1.73	1.73	2.75	4.71	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+35+71	1.22	1.61	1.61	2.57	5.21	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+22+42+42	1.41	1.85	1.85	3.52	3.52	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+22+42+50	1.33	1.76	1.76	3.37	4.01	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+22+42+60	1.25	1.65	1.65	3.16	4.51	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+22+42+71	1.17	1.56	1.56	2.98	5.04	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+22+50+50	1.26	1.67	1.67	3.81	3.81	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+22+50+60	1.19	1.59	1.59	3.61	4.33	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+22+50+71	1.12	1.49	1.49	3.39	4.81	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+22+60+60	1.12	1.50	1.50	4.09	4.09	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+25+25+25	1.79	2.18	2.48	2.48	2.48	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+25+25+35	1.65	2.11	2.40	2.40	3.36	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+25+25+42	1.56	2.03	2.31	2.31	3.87	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+22+25+25+50	1.47	1.93	2.19	2.19	4.38	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+25+25+60	1.37	1.80	2.04	2.04	4.90	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+25+25+71	1.27	1.68	1.91	1.91	5.44	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+25+35+35	1.52	1.98	2.25	3.16	3.16	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+25+35+42	1.45	1.90	2.16	3.02	3.63	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+22+25+35+50	1.37	1.80	2.04	2.86	4.08	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+25+35+60	1.28	1.70	1.93	2.70	4.62	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+25+35+71	1.20	1.60	1.82	2.54	5.16	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+25+42+42	1.38	1.81	2.05	3.45	3.45	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+25+42+50	1.31	1.73	1.96	3.30	3.93	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+25+42+60	1.23	1.62	1.84	3.10	4.43	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+25+42+71	1.15	1.53	1.74	2.93	4.95	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+25+50+50	1.24	1.64	1.87	3.73	3.73	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+25+50+60	1.17	1.56	1.77	3.55	4.26	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+35+35+35	1.42	1.86	2.96	2.96	2.96	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+22+35+35+42	1.35	1.77	2.82	2.82	3.38	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+22+35+35+50	1.28	1.70	2.70	2.70	3.85	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+35+35+60	1.20	1.61	2.56	2.56	4.38	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+35+35+71	1.13	1.51	2.40	2.40	4.87	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+35+42+42	1.29	1.71	2.71	3.26	3.26	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+22+35+42+50	1.23	1.62	2.58	3.10	3.69	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+35+42+60	1.16	1.54	2.45	2.94	4.21	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+35+50+50	1.17	1.56	2.48	3.55	3.55	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+22+42+42+42	1.23	1.63	3.12	3.12	3.12	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+22+42+42+50	1.18	1.57	3.00	3.00	3.57	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+22+42+50+50	1.12	1.50	2.86	3.41	3.41	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+25+25+25	1.75	2.46	2.46	2.46	2.46	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+25+25+25+35	1.61	2.38	2.38	2.38	3.33	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+25+25+25+42	1.52	2.25	2.25	2.25	3.79	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+25+25+25+50	1.44	2.14	2.14	2.14	4.29	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+25+25+25+60	1.34	2.02	2.02	2.02	4.84	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+25+25+71	1.25	1.88	1.88	1.88	5.34	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+25+35+35	1.49	2.22	2.22	3.11	3.11	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+25+25+35+42	1.42	2.11	2.11	2.96	3.55	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+25+25+35+50	1.34	2.02	2.02	2.82	4.03	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+25+25+35+60	1.26	1.89	1.89	2.65	4.54	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+25+35+71	1.18	1.78	1.78	2.50	5.07	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+25+42+42	1.35	2.01	2.01	3.38	3.38	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+25+25+42+50	1.28	1.93	1.93	3.24	3.85	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+25+42+60	1.20	1.83	1.83	3.07	4.38	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+25+42+71	1.13	1.71	1.71	2.88	4.87	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+25+50+50	1.22	1.83	1.83	3.67	3.67	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+25+50+60	1.15	1.74	1.74	3.49	4.18	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+35+35+35	1.39	2.07	2.90	2.90	2.90	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
15+25+35+35+42	1.32	1.99	2.79	2.79	3.34	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+25+35+35+50	1.26	1.89	2.65	2.65	3.78	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+35+35+60	1.18	1.79	2.51	2.51	4.31	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+35+42+42	1.26	1.90	2.66	3.20	3.20	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+25+35+42+50	1.20	1.83	2.56	3.07	3.65	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+35+42+60	1.14	1.72	2.41	2.89	4.14	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+35+50+50	1.15	1.74	2.44	3.49	3.49	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+25+42+42+42	1.21	1.82	3.06	3.06	3.06	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+25+42+42+50	1.16	1.75	2.94	2.94	3.51	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+35+35+35+35	1.30	2.73	2.73	2.73	2.73	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
15+35+35+35+42	1.24	2.61	2.61	2.61	3.14	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+35+35+35+50	1.18	2.51	2.51	2.51	3.59	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+35+35+35+60	1.12	2.37	2.37	2.37	4.07	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+35+35+42+42	1.19	2.53	2.53	3.03	3.03	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
15+35+35+42+50	1.14	2.41	2.41	2.89	3.45	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
15+35+42+42+42	1.14	2.43	2.91	2.91	2.91	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+20+20+20	2.20	2.00	2.00	2.00	2.00	-	11.00 (3.40-14.90)	2.930 (0.800-5.640)	12.87	99
20+20+20+20+22	2.37	2.00	2.00	2.00	2.20	-	12.10 (3.50-15.10)	3.030 (0.790-4.850)	13.31	99
20+20+20+20+25	2.42	2.00	2.00	2.00	2.50	-	12.70 (3.50-15.10)	3.090 (0.780-4.850)	13.57	99
20+20+20+20+35	2.28	1.97	1.97	1.97	3.44	-	13.10 (3.50-15.20)	3.130 (0.770-4.460)	13.75	99
20+20+20+20+42	2.20	1.92	1.92	1.92	4.03	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+20+20+50	2.06	1.83	1.83	1.83	4.58	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+20+20+60	1.91	1.71	1.71	1.71	5.14	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+20+20+71	1.77	1.60	1.60	1.60	5.69	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+22+22	2.54	2.00	2.00	2.20	2.20	-	13.20 (3.50-15.30)	3.220 (0.770-4.570)	14.14	99
20+20+20+22+25	2.49	2.00	2.00	2.20	2.50	-	13.30 (3.50-15.40)	3.300 (0.770-4.690)	14.49	99
20+20+20+22+35	2.29	1.95	1.95	2.14	3.41	-	13.40 (3.50-15.50)	3.390 (0.770-4.800)	14.89	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+20+22+42	2.16	1.90	1.90	2.09	4.00	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+20+22+50	2.03	1.80	1.80	1.98	4.51	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+20+22+60	1.89	1.69	1.69	1.86	5.07	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+22+71	1.75	1.58	1.58	1.74	5.62	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+25+25	2.42	2.00	2.00	2.50	2.50	-	13.30 (3.50-15.50)	3.300 (0.770-4.800)	14.49	99
20+20+20+25+35	2.23	1.93	1.93	2.42	3.38	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+20+25+42	2.11	1.87	1.87	2.34	3.94	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+20+25+50	1.99	1.78	1.78	2.22	4.44	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+25+60	1.85	1.66	1.66	2.07	4.97	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+25+71	1.72	1.55	1.55	1.94	5.51	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+20+35+35	2.06	1.83	1.83	3.20	3.20	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+20+35+42	1.96	1.75	1.75	3.07	3.68	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+20+35+50	1.85	1.66	1.66	2.90	4.14	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+35+60	1.73	1.56	1.56	2.73	4.68	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+35+71	1.61	1.46	1.46	2.55	5.18	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+20+42+42	1.86	1.67	1.67	3.50	3.50	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+20+42+50	1.76	1.59	1.59	3.34	3.98	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+20+42+60	1.65	1.49	1.49	3.14	4.48	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+20+42+71	1.55	1.41	1.41	2.96	5.01	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+20+50+50	1.68	1.51	1.51	3.78	3.78	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+20+50+60	1.58	1.44	1.44	3.59	4.31	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+20+60+60	1.49	1.36	1.36	4.07	4.07	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+22+22+22	2.53	2.00	2.20	2.20	2.20	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+22+22+25	2.46	2.00	2.20	2.20	2.50	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+22+22+35	2.25	1.93	2.13	2.13	3.38	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+22+22+42	2.13	1.89	2.08	2.08	3.97	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+22+22+50	2.00	1.79	1.97	1.97	4.48	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+22+22+60	1.86	1.67	1.83	1.83	5.00	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+22+71	1.73	1.56	1.72	1.72	5.54	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+25+25	2.39	1.98	2.18	2.48	2.48	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+22+25+35	2.20	1.92	2.11	2.40	3.36	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+22+25+42	2.08	1.84	2.03	2.31	3.87	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+22+25+50	1.96	1.75	1.93	2.19	4.38	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+22+25+60	1.82	1.63	1.80	2.04	4.90	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+25+71	1.70	1.53	1.68	1.91	5.44	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+35+35	2.03	1.80	1.98	3.16	3.16	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+22+35+42	1.93	1.73	1.90	3.02	3.63	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+22+35+50	1.82	1.63	1.80	2.86	4.08	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+35+60	1.71	1.54	1.70	2.70	4.62	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+35+71	1.60	1.45	1.60	2.54	5.16	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+42+42	1.84	1.64	1.81	3.45	3.45	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+22+42+50	1.74	1.57	1.73	3.30	3.93	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+22+42+60	1.63	1.48	1.62	3.10	4.43	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+22+42+71	1.53	1.39	1.53	2.93	4.95	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+22+50+50	1.65	1.49	1.64	3.73	3.73	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+22+50+60	1.56	1.42	1.56	3.55	4.26	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+25+25+25	2.33	1.97	2.46	2.46	2.46	-	13.40 (3.50-15.60)	3.390 (0.770-4.910)	14.89	99
20+20+25+25+35	2.14	1.90	2.38	2.38	3.33	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+25+25+42	2.03	1.80	2.25	2.25	3.79	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+25+25+50	1.91	1.71	2.14	2.14	4.29	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+25+25+60	1.79	1.61	2.02	2.02	4.84	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+25+25+71	1.66	1.50	1.88	1.88	5.34	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+25+35+35	1.99	1.78	2.22	3.11	3.11	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+25+35+42	1.89	1.69	2.11	2.96	3.55	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+25+35+50	1.79	1.61	2.02	2.82	4.03	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+25+35+60	1.68	1.51	1.89	2.65	4.54	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+25+35+71	1.57	1.43	1.78	2.50	5.07	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+25+42+42	1.80	1.61	2.01	3.38	3.38	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+25+42+50	1.71	1.54	1.93	3.24	3.85	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+25+42+60	1.60	1.46	1.83	3.07	4.38	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+25+42+71	1.51	1.37	1.71	2.88	4.87	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+25+50+50	1.62	1.47	1.83	3.67	3.67	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+25+50+60	1.53	1.39	1.74	3.49	4.18	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+35+35+35	1.85	1.66	2.90	2.90	2.90	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+20+35+35+42	1.76	1.59	2.79	2.79	3.34	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+20+35+35+50	1.68	1.51	2.65	2.65	3.78	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+35+35+60	1.58	1.44	2.51	2.51	4.31	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+35+42+42	1.69	1.52	2.66	3.20	3.20	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+20+35+42+50	1.60	1.46	2.56	3.07	3.65	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+35+42+60	1.51	1.38	2.41	2.89	4.14	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+35+50+50	1.53	1.39	2.44	3.49	3.49	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+20+42+42+42	1.61	1.46	3.06	3.06	3.06	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+20+42+42+50	1.54	1.40	2.94	2.94	3.51	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+22+22+22	2.48	2.20	2.20	2.20	2.20	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+22+22+25	2.41	2.20	2.20	2.20	2.50	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+22+22+35	2.21	2.13	2.13	2.13	3.38	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+22+22+42	2.09	2.05	2.05	2.05	3.90	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+22+22+22+50	1.97	1.94	1.94	1.94	4.41	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+22+22+60	1.84	1.81	1.81	1.81	4.93	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+22+22+71	1.71	1.70	1.70	1.70	5.47	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+22+25+25	2.35	2.16	2.16	2.46	2.46	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+22+25+35	2.16	2.09	2.09	2.38	3.33	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+22+25+42	2.05	2.00	2.00	2.27	3.82	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+22+22+25+50	1.93	1.90	1.90	2.16	4.32	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+22+25+60	1.80	1.77	1.77	2.01	4.83	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+22+25+71	1.68	1.66	1.66	1.89	5.37	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+22+35+35	2.00	1.97	1.97	3.13	3.13	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+22+35+42	1.90	1.87	1.87	2.98	3.57	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+22+22+35+50	1.80	1.77	1.77	2.82	4.03	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+22+35+60	1.69	1.67	1.67	2.66	4.57	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+22+35+71	1.58	1.58	1.58	2.51	5.10	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+22+42+42	1.81	1.78	1.78	3.41	3.41	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+22+22+42+50	1.72	1.71	1.71	3.26	3.88	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+22+42+60	1.61	1.60	1.60	3.06	4.37	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+22+42+71	1.51	1.52	1.52	2.89	4.89	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+22+50+50	1.63	1.62	1.62	3.69	3.69	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+22+50+60	1.54	1.54	1.54	3.51	4.21	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+25+25+25	2.29	2.14	2.44	2.44	2.44	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+25+25+35	2.11	2.06	2.34	2.34	3.28	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+25+25+42	2.00	1.97	2.24	2.24	3.76	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+22+25+25+50	1.89	1.86	2.11	2.11	4.23	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+25+25+60	1.76	1.75	1.99	1.99	4.78	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+25+25+71	1.64	1.63	1.86	1.86	5.27	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+25+35+35	1.96	1.93	2.19	3.07	3.07	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+22+25+35+42	1.86	1.83	2.08	2.92	3.50	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+22+25+35+50	1.76	1.75	1.99	2.79	3.98	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+25+35+60	1.65	1.64	1.87	2.61	4.48	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+25+35+71	1.55	1.55	1.76	2.47	5.01	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+25+42+42	1.77	1.76	2.00	3.37	3.37	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+25+42+50	1.69	1.67	1.90	3.20	3.81	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+25+42+60	1.59	1.59	1.80	3.03	4.33	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+25+42+71	1.49	1.49	1.69	2.85	4.81	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+25+50+50	1.60	1.61	1.83	3.65	3.65	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+25+50+60	1.51	1.52	1.72	3.45	4.14	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+35+35+35	1.82	1.80	2.86	2.86	2.86	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+22+35+35+42	1.74	1.73	2.75	2.75	3.30	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+35+35+50	1.65	1.64	2.61	2.61	3.73	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+35+35+60	1.56	1.56	2.48	2.48	4.26	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+22+35+42+42	1.66	1.65	2.63	3.16	3.16	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+22+35+42+50	1.59	1.59	2.53	3.03	3.61	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+35+42+60	1.50	1.50	2.39	2.86	4.09	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+35+50+50	1.51	1.52	2.41	3.45	3.45	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+42+42+42	1.60	1.60	3.05	3.05	3.05	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+22+42+42+50	1.52	1.53	2.91	2.91	3.47	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+25+25+25	2.23	2.42	2.42	2.42	2.42	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+25+25+25+35	2.06	2.29	2.29	2.29	3.20	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
20+25+25+25+42	1.96	2.19	2.19	2.19	3.68	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+25+25+25+50	1.85	2.07	2.07	2.07	4.14	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+25+25+25+60	1.73	1.95	1.95	1.95	4.68	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+25+25+25+71	1.61	1.82	1.82	1.82	5.18	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+25+35+35	1.91	2.14	2.14	3.00	3.00	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+25+25+35+42	1.82	2.04	2.04	2.86	3.43	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+25+25+35+50	1.73	1.95	1.95	2.73	3.90	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+25+25+35+60	1.62	1.83	1.83	2.57	4.40	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+25+25+35+71	1.52	1.73	1.73	2.43	4.92	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+25+42+42	1.74	1.96	1.96	3.30	3.30	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+25+25+42+50	1.65	1.87	1.87	3.14	3.73	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+25+42+60	1.56	1.77	1.77	2.98	4.26	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+25+25+50+50	1.58	1.79	1.79	3.59	3.59	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+25+50+60	1.49	1.69	1.69	3.39	4.07	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+35+35+35	1.79	2.02	2.82	2.82	2.82	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+25+35+35+42	1.71	1.93	2.70	2.70	3.24	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+25+35+35+50	1.62	1.83	2.57	2.57	3.67	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+25+35+35+60	1.53	1.74	2.44	2.44	4.18	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+35+42+42	1.63	1.84	2.58	3.10	3.10	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+25+35+42+50	1.56	1.77	2.48	2.98	3.55	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+35+50+50	1.49	1.69	2.37	3.39	3.39	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+42+42+42	1.57	1.78	3.00	3.00	3.00	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+25+42+42+50	1.50	1.70	2.86	2.86	3.41	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
20+35+35+35+35	1.68	2.65	2.65	2.65	2.65	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
20+35+35+35+42	1.60	2.56	2.56	2.56	3.07	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
20+35+35+35+50	1.53	2.44	2.44	2.44	3.49	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
20+35+35+42+42	1.54	2.45	2.45	2.94	2.94	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+22+22+22	2.68	2.20	2.20	2.20	2.20	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
22+22+22+22+25	2.61	2.18	2.18	2.18	2.48	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
22+22+22+22+35	2.40	2.11	2.11	2.11	3.36	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
22+22+22+22+42	2.27	2.01	2.01	2.01	3.84	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+22+22+22+50	2.14	1.91	1.91	1.91	4.35	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+22+22+60	1.99	1.78	1.78	1.78	4.86	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+22+22+71	1.85	1.67	1.67	1.67	5.40	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+25+25	2.54	2.16	2.16	2.46	2.46	-	13.40 (3.50-15.60)	3.380 (0.770-4.900)	14.84	99
22+22+22+25+35	2.34	2.08	2.08	2.36	3.31	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+22+22+25+42	2.22	1.97	1.97	2.24	3.76	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+22+22+25+50	2.09	1.87	1.87	2.13	4.26	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+22+25+60	1.95	1.76	1.76	2.00	4.81	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+22+25+71	1.82	1.64	1.64	1.87	5.30	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+35+35	2.17	1.94	1.94	3.09	3.09	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+22+22+35+42	2.06	1.85	1.85	2.94	3.52	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+22+22+35+50	1.95	1.76	1.76	2.80	4.01	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+22+35+60	1.83	1.65	1.65	2.63	4.51	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+35+71	1.71	1.56	1.56	2.48	5.04	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+42+42	1.97	1.77	1.77	3.39	3.39	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+22+42+50	1.87	1.68	1.68	3.22	3.83	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+42+60	1.75	1.60	1.60	3.05	4.36	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+42+71	1.65	1.50	1.50	2.86	4.84	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+50+50	1.78	1.60	1.60	3.64	3.64	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+22+50+60	1.68	1.53	1.53	3.47	4.16	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+25+25	2.48	2.13	2.42	2.42	2.42	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+22+25+25+35	2.29	2.03	2.31	2.31	3.23	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+22+25+25+42	2.17	1.94	2.21	2.21	3.71	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+22+25+25+50	2.05	1.83	2.08	2.08	4.17	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+25+25+60	1.91	1.73	1.96	1.96	4.71	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+25+71	1.79	1.61	1.83	1.83	5.21	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+35+35	2.12	1.90	2.16	3.02	3.02	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+22+25+35+42	2.02	1.81	2.05	2.88	3.45	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+22+25+35+50	1.91	1.73	1.96	2.75	3.93	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+25+35+60	1.80	1.62	1.84	2.58	4.43	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+35+71	1.68	1.53	1.74	2.44	4.95	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+42+42	1.93	1.74	1.98	3.32	3.32	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+25+42+50	1.83	1.65	1.88	3.16	3.76	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+42+60	1.72	1.57	1.78	3.00	4.28	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+50+50	1.74	1.59	1.80	3.61	3.61	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+25+50+60	1.65	1.50	1.70	3.41	4.09	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+35+35+35	1.98	1.77	2.82	2.82	2.82	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+22+35+35+42	1.89	1.71	2.71	2.71	3.26	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+22+35+35+50	1.80	1.62	2.58	2.58	3.69	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+35+35+60	1.69	1.54	2.45	2.45	4.21	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+35+42+42	1.81	1.63	2.60	3.12	3.12	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+22+35+42+50	1.72	1.57	2.50	3.00	3.57	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+35+50+50	1.65	1.50	2.39	3.41	3.41	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+42+42+42	1.73	1.58	3.01	3.01	3.01	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+22+42+42+50	1.66	1.51	2.88	2.88	3.43	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+25+25	2.42	2.40	2.40	2.40	2.40	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+25+25+25+35	2.23	2.25	2.25	2.25	3.16	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+25+25+25+42	2.12	2.16	2.16	2.16	3.63	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+25+25+25+50	2.01	2.04	2.04	2.04	4.08	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+25+25+25+60	1.88	1.93	1.93	1.93	4.62	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+25+71	1.75	1.82	1.82	1.82	5.16	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+35+35	2.08	2.11	2.11	2.96	2.96	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
22+25+25+35+42	1.98	2.01	2.01	2.82	3.38	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+25+25+35+50	1.88	1.93	1.93	2.70	3.85	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+35+60	1.77	1.83	1.83	2.56	4.38	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+35+71	1.66	1.71	1.71	2.40	4.87	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+42+42	1.89	1.94	1.94	3.26	3.26	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+25+25+42+50	1.80	1.84	1.84	3.10	3.69	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+42+60	1.69	1.75	1.75	2.94	4.21	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+25+50+50	1.71	1.77	1.77	3.55	3.55	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+35+35+35	1.94	1.99	2.79	2.79	2.79	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+25+35+35+42	1.85	1.90	2.66	2.66	3.20	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+25+35+35+50	1.77	1.83	2.56	2.56	3.65	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+35+35+60	1.67	1.72	2.41	2.41	4.14	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+35+42+42	1.78	1.82	2.55	3.06	3.06	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+35+42+50	1.69	1.75	2.45	2.94	3.51	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+25+42+42+42	1.70	1.76	2.96	2.96	2.96	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+35+35+35+35	1.82	2.61	2.61	2.61	2.61	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
22+35+35+35+42	1.74	2.53	2.53	2.53	3.03	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
22+35+35+35+50	1.67	2.41	2.41	2.41	3.45	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
22+35+35+42+42	1.68	2.43	2.43	2.91	2.91	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+25+25	2.68	2.38	2.38	2.38	2.38	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99
25+25+25+25+35	2.48	2.22	2.22	2.22	3.11	-	13.40 (3.50-15.60)	3.370 (0.770-4.890)	14.80	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
25+25+25+25+42	2.36	2.11	2.11	2.11	3.55	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
25+25+25+25+50	2.23	2.02	2.02	2.02	4.03	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+25+60	2.09	1.89	1.89	1.89	4.54	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+25+71	1.96	1.78	1.78	1.78	5.07	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+35+35	2.31	2.07	2.07	2.90	2.90	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
25+25+25+35+42	2.20	1.99	1.99	2.79	3.34	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
25+25+25+35+50	2.09	1.89	1.89	2.65	3.78	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+35+60	1.97	1.79	1.79	2.51	4.31	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+42+42	2.11	1.90	1.90	3.20	3.20	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+42+50	2.01	1.83	1.83	3.07	3.65	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+42+60	1.89	1.72	1.72	2.89	4.14	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+25+50+50	1.91	1.74	1.74	3.49	3.49	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+35+35+35	2.16	1.95	2.73	2.73	2.73	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
25+25+35+35+42	2.07	1.87	2.61	2.61	3.14	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
25+25+35+35+50	1.97	1.79	2.51	2.51	3.59	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+35+35+60	1.86	1.69	2.37	2.37	4.07	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+35+42+42	1.98	1.80	2.53	3.03	3.03	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+35+42+50	1.89	1.72	2.41	2.89	3.45	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+25+42+42+42	1.90	1.73	2.91	2.91	2.91	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+35+35+35+35	2.03	2.57	2.57	2.57	2.57	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
25+35+35+35+42	1.95	2.48	2.48	2.48	2.98	-	13.40 (3.50-15.60)	3.350 (0.770-4.870)	14.71	99
25+35+35+35+50	1.86	2.37	2.37	2.37	3.39	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
25+35+35+42+42	1.87	2.39	2.39	2.86	2.86	-	13.40 (3.50-15.60)	3.400 (0.770-4.870)	14.93	99
35+35+35+35+35	2.68	2.44	2.44	2.44	2.44	-	13.40 (3.50-15.60)	3.360 (0.770-4.880)	14.76	99
15+15+15+15+15+15	1.70	1.50	1.50	1.50	1.50	1.50	10.20 (3.40-15.90)	2.400 (0.790-6.020)	10.54	99
15+15+15+15+15+20	1.69	1.48	1.48	1.48	1.48	1.98	10.70 (3.40-16.00)	2.650 (0.790-6.020)	11.64	99
15+15+15+15+15+22	1.73	1.48	1.48	1.48	1.48	2.18	11.20 (3.40-16.00)	2.900 (0.790-6.020)	12.74	99
15+15+15+15+15+25	1.71	1.47	1.47	1.47	1.47	2.45	11.40 (3.40-16.00)	3.000 (0.790-6.020)	13.18	99
15+15+15+15+15+35	1.62	1.45	1.45	1.45	1.45	3.37	11.90 (3.40-16.00)	3.250 (0.790-6.020)	14.27	99
15+15+15+15+15+42	1.71	1.44	1.44	1.44	1.44	4.02	13.30 (3.50-16.10)	3.875 (0.790-5.910)	17.02	99
15+15+15+15+15+50	1.68	1.40	1.40	1.40	1.40	4.68	14.00 (3.50-16.50)	3.699 (0.760-5.200)	16.25	99
15+15+15+15+15+60	1.56	1.34	1.34	1.34	1.34	5.38	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+15+15+15+71	1.44	1.25	1.25	1.25	1.25	5.93	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+15+15+20+20	1.64	1.47	1.47	1.47	1.96	1.96	10.90 (3.40-16.00)	2.750 (0.790-6.020)	12.08	99
15+15+15+15+20+22	1.72	1.47	1.47	1.47	1.96	2.16	11.70 (3.40-16.00)	3.150 (0.790-6.020)	13.83	99
15+15+15+15+20+25	1.73	1.46	1.46	1.46	1.94	2.43	12.10 (3.40-16.00)	3.350 (0.790-6.020)	14.71	99
15+15+15+15+20+35	1.62	1.43	1.43	1.43	1.91	3.35	12.40 (3.40-16.00)	3.500 (0.790-6.020)	15.37	99
15+15+15+15+20+42	1.67	1.41	1.41	1.41	1.89	3.96	13.60 (3.50-16.30)	3.800 (0.780-5.610)	16.69	99
15+15+15+15+20+50	1.62	1.37	1.37	1.37	1.83	4.58	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+15+15+20+60	1.50	1.31	1.31	1.31	1.74	5.23	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
15+15+15+15+20+71	1.39	1.21	1.21	1.21	1.62	5.74	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+15+15+22+22	1.85	1.46	1.46	1.46	2.14	2.14	12.80 (3.40-16.00)	3.700 (0.790-6.020)	16.25	99
15+15+15+15+22+25	1.84	1.46	1.46	1.46	2.14	2.43	13.10 (3.40-16.00)	3.850 (0.790-6.020)	16.91	99
15+15+15+15+22+35	1.72	1.44	1.44	1.44	2.11	3.35	13.40 (3.50-16.20)	3.850 (0.790-5.810)	16.91	99
15+15+15+15+22+42	1.69	1.40	1.40	1.40	2.06	3.93	14.00 (3.50-16.50)	3.699 (0.760-5.200)	16.25	99
15+15+15+15+22+50	1.59	1.36	1.36	1.36	2.00	4.55	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+15+22+60	1.48	1.29	1.29	1.29	1.89	5.15	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+15+15+15+22+71	1.37	1.20	1.20	1.20	1.75	5.66	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+15+15+25+25	1.81	1.45	1.45	1.45	2.41	2.41	13.30 (3.50-16.10)	3.875 (0.790-5.910)	17.02	99
15+15+15+15+25+35	1.70	1.43	1.43	1.43	2.38	3.33	13.60 (3.50-16.30)	3.800 (0.780-5.610)	16.69	99
15+15+15+15+25+42	1.65	1.39	1.39	1.39	2.32	3.90	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
15+15+15+15+25+50	1.56	1.34	1.34	1.34	2.24	4.48	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+15+15+25+60	1.45	1.26	1.26	1.26	2.10	5.05	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+15+15+15+25+71	1.35	1.17	1.17	1.17	1.96	5.55	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+15+15+35+35	1.59	1.37	1.37	1.37	3.20	3.20	13.80 (3.50-16.40)	3.750 (0.770-5.410)	16.47	99
15+15+15+15+35+42	1.53	1.32	1.32	1.32	3.09	3.71	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+15+15+35+50	1.45	1.26	1.26	1.26	2.94	4.21	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+15+15+15+35+60	1.35	1.18	1.18	1.18	2.75	4.72	14.00 (3.50-16.50)	3.672 (0.760-5.180)	16.13	99
15+15+15+15+35+71	1.27	1.10	1.10	1.10	2.57	5.22	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
15+15+15+15+42+42	1.46	1.27	1.27	1.27	3.56	3.56	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+15+15+42+50	1.38	1.20	1.20	1.20	3.37	4.01	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
15+15+15+15+42+60	1.30	1.13	1.13	1.13	3.16	4.52	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+15+15+42+71	1.21	1.06	1.06	1.06	2.96	5.01	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
15+15+15+15+50+50	1.31	1.14	1.14	1.14	3.81	3.81	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+15+15+50+60	1.24	1.08	1.08	1.08	3.59	4.31	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+15+15+15+60+60	1.17	1.02	1.02	1.02	4.07	4.07	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+15+15+20+20+20	1.60	1.46	1.46	1.94	1.94	1.94	11.20 (3.40-16.00)	2.900 (0.790-6.020)	12.74	99
15+15+15+20+20+22	1.72	1.46	1.46	1.94	1.94	2.14	12.30 (3.40-16.00)	3.450 (0.790-6.020)	15.15	99
15+15+15+20+20+25	1.72	1.45	1.45	1.93	1.93	2.41	12.60 (3.40-16.00)	3.600 (0.790-6.020)	15.81	99
15+15+15+20+20+35	1.61	1.43	1.43	1.90	1.90	3.33	12.90 (3.40-16.00)	3.750 (0.790-6.020)	16.47	99
15+15+15+20+20+42	1.63	1.39	1.39	1.86	1.86	3.90	13.80 (3.50-16.40)	3.750 (0.770-5.410)	16.47	99
15+15+15+20+20+50	1.56	1.34	1.34	1.79	1.79	4.48	14.00 (3.50-16.50)	3.690 (0.760-5.200)	16.21	99
15+15+15+20+20+60	1.45	1.26	1.26	1.68	1.68	5.05	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+15+20+20+71	1.35	1.17	1.17	1.56	1.56	5.55	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+15+15+20+22+22	1.82	1.44	1.44	1.93	2.12	2.12	13.20 (3.40-16.00)	3.900 (0.790-6.010)	17.13	99
15+15+15+20+22+25	1.81	1.45	1.45	1.93	2.12	2.41	13.50 (3.50-16.20)	3.825 (0.780-5.710)	16.80	99
15+15+15+20+22+35	1.68	1.41	1.41	1.89	2.07	3.30	13.70 (3.50-16.40)	3.775 (0.780-5.510)	16.58	99
15+15+15+20+22+42	1.63	1.38	1.38	1.84	2.03	3.87	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+15+20+22+50	1.53	1.32	1.32	1.77	1.94	4.42	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+15+20+22+60	1.43	1.24	1.24	1.66	1.83	4.98	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+15+20+22+71	1.33	1.16	1.16	1.54	1.70	5.48	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+15+15+20+25+25	1.79	1.43	1.43	1.91	2.39	2.39	13.70 (3.50-16.40)	3.775 (0.780-5.510)	16.58	99
15+15+15+20+25+35	1.66	1.40	1.40	1.87	2.34	3.28	13.80 (3.50-16.40)	3.750 (0.770-5.410)	16.47	99
15+15+15+20+25+42	1.59	1.36	1.36	1.82	2.27	3.82	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+15+20+25+50	1.50	1.31	1.31	1.74	2.18	4.36	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+15+15+20+25+60	1.40	1.22	1.22	1.63	2.03	4.88	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+15+20+25+71	1.30	1.14	1.14	1.52	1.89	5.38	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+15+15+20+35+35	1.54	1.34	1.34	1.79	3.14	3.14	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+15+15+20+35+42	1.48	1.29	1.29	1.72	3.01	3.61	14.00 (3.50-16.50)	3.690 (0.760-5.200)	16.21	99
15+15+15+20+35+50	1.40	1.22	1.22	1.63	2.85	4.07	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+15+20+35+60	1.31	1.14	1.14	1.53	2.67	4.58	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+15+15+20+35+71	1.23	1.07	1.07	1.43	2.50	5.07	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+20+42+42	1.41	1.23	1.23	1.64	3.44	3.44	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+15+15+20+42+50	1.34	1.17	1.17	1.55	3.26	3.89	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+15+15+20+42+60	1.26	1.10	1.10	1.46	3.07	4.38	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+15+15+20+42+71	1.18	1.03	1.03	1.37	2.88	4.87	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+15+20+50+50	1.27	1.11	1.11	1.48	3.70	3.70	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+15+20+50+60	1.20	1.05	1.05	1.39	3.49	4.18	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
15+15+15+22+22+22	1.88	1.45	1.45	2.12	2.12	2.12	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+15+15+22+22+25	1.83	1.43	1.43	2.10	2.10	2.39	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+15+15+22+22+35	1.69	1.40	1.40	2.06	2.06	3.27	14.00 (3.50-16.50)	3.699 (0.760-5.200)	16.25	99
15+15+15+22+22+42	1.60	1.37	1.37	2.02	2.02	3.85	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+15+22+22+50	1.51	1.32	1.32	1.93	1.93	4.39	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+15+22+22+60	1.41	1.23	1.23	1.80	1.80	4.91	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
15+15+15+22+22+71	1.31	1.14	1.14	1.68	1.68	5.41	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+15+22+25+25	1.79	1.44	1.44	2.11	2.39	2.39	14.00 (3.50-16.50)	3.699 (0.760-5.200)	16.25	99
15+15+15+22+25+35	1.65	1.39	1.39	2.04	2.32	3.25	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
15+15+15+22+25+42	1.57	1.35	1.35	1.99	2.26	3.79	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+15+22+25+50	1.48	1.29	1.29	1.89	2.15	4.30	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+15+15+22+25+60	1.38	1.20	1.20	1.77	2.01	4.82	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+15+15+22+25+71	1.29	1.12	1.12	1.65	1.87	5.31	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+15+15+22+35+35	1.53	1.32	1.32	1.94	3.09	3.09	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+15+22+35+42	1.46	1.27	1.27	1.86	2.97	3.56	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+15+22+35+50	1.38	1.20	1.20	1.77	2.81	4.01	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+15+15+22+35+60	1.30	1.13	1.13	1.66	2.64	4.52	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+15+22+35+71	1.21	1.06	1.06	1.55	2.47	5.01	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
15+15+15+22+42+42	1.39	1.21	1.21	1.78	3.39	3.39	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+15+15+22+42+50	1.32	1.15	1.15	1.69	3.22	3.84	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
15+15+15+22+42+60	1.24	1.08	1.08	1.59	3.03	4.33	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+15+22+42+71	1.17	1.02	1.02	1.49	2.85	4.81	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
15+15+15+22+50+50	1.26	1.10	1.10	1.61	3.65	3.65	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
15+15+15+22+50+60	1.19	1.03	1.03	1.52	3.45	4.14	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+15+15+25+25+25	1.75	1.43	1.43	2.38	2.38	2.38	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
15+15+15+25+25+35	1.62	1.37	1.37	2.29	2.29	3.20	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+15+25+25+42	1.53	1.32	1.32	2.21	2.21	3.71	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+15+25+25+50	1.45	1.26	1.26	2.10	2.10	4.21	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+15+15+25+25+60	1.35	1.18	1.18	1.97	1.97	4.72	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+15+25+25+71	1.27	1.10	1.10	1.84	1.84	5.22	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+15+15+25+35+35	1.50	1.31	1.31	2.18	3.05	3.05	14.00 (3.50-16.50)	3.690 (0.760-5.200)	16.21	99
15+15+15+25+35+42	1.43	1.24	1.24	2.07	2.90	3.49	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+15+15+25+35+50	1.35	1.18	1.18	1.97	2.75	3.94	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+15+15+25+35+60	1.27	1.11	1.11	1.85	2.59	4.44	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+15+15+25+35+71	1.19	1.04	1.04	1.73	2.43	4.92	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+15+25+42+42	1.36	1.19	1.19	1.98	3.33	3.33	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+15+15+25+42+50	1.30	1.13	1.13	1.88	3.16	3.77	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
15+15+15+25+42+60	1.22	1.06	1.06	1.77	2.98	4.26	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+15+25+50+50	1.24	1.08	1.08	1.79	3.59	3.59	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+15+15+25+50+60	1.17	1.02	1.02	1.69	3.39	4.07	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+15+35+35+35	1.40	1.22	1.22	2.85	2.85	2.85	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+15+35+35+42	1.34	1.17	1.17	2.72	2.72	3.26	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+15+35+35+50	1.27	1.11	1.11	2.59	2.59	3.70	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+15+35+35+60	1.20	1.05	1.05	2.44	2.44	4.18	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
15+15+15+35+42+42	1.28	1.12	1.12	2.60	3.12	3.12	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+15+15+35+42+50	1.22	1.06	1.06	2.48	2.98	3.55	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+15+35+50+50	1.17	1.02	1.02	2.37	3.39	3.39	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+15+15+42+42+42	1.23	1.07	1.07	3.00	3.00	3.00	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
15+15+15+42+42+50	1.17	1.02	1.02	2.86	2.86	3.41	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+15+20+20+20+20	1.58	1.45	1.93	1.93	1.93	1.93	11.60 (3.40-16.00)	3.100 (0.790-6.020)	13.61	99
15+15+20+20+20+22	1.71	1.45	1.93	1.93	1.93	2.12	12.80 (3.40-16.00)	3.700 (0.790-6.020)	16.25	99
15+15+20+20+20+25	1.70	1.43	1.91	1.91	1.91	2.39	13.00 (3.40-16.00)	3.800 (0.790-6.020)	16.69	99
15+15+20+20+20+35	1.60	1.40	1.87	1.87	1.87	3.28	13.30 (3.50-16.10)	3.875 (0.790-5.910)	17.02	99
15+15+20+20+20+42	1.58	1.36	1.82	1.82	1.82	3.82	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+15+20+20+20+50	1.50	1.31	1.74	1.74	1.74	4.36	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+20+20+20+60	1.40	1.22	1.63	1.63	1.63	4.88	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+20+20+20+71	1.30	1.14	1.52	1.52	1.52	5.38	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+20+20+22+22	1.79	1.43	1.91	1.91	2.10	2.10	13.60 (3.50-16.30)	3.800 (0.780-5.610)	16.69	99
15+15+20+20+22+25	1.77	1.44	1.91	1.91	2.11	2.39	13.80 (3.50-16.40)	3.750 (0.770-5.410)	16.47	99
15+15+20+20+22+35	1.64	1.39	1.86	1.86	2.04	3.25	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+15+20+20+22+42	1.57	1.35	1.81	1.81	1.99	3.79	14.00 (3.50-16.50)	3.691 (0.760-5.200)	16.21	99
15+15+20+20+22+50	1.48	1.29	1.72	1.72	1.89	4.30	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+15+20+20+22+60	1.38	1.20	1.61	1.61	1.77	4.82	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+20+20+22+71	1.29	1.12	1.50	1.50	1.65	5.31	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
15+15+20+20+25+25	1.74	1.43	1.90	1.90	2.38	2.38	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+15+20+20+25+35	1.60	1.37	1.83	1.83	2.29	3.20	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+15+20+20+25+42	1.53	1.32	1.77	1.77	2.21	3.71	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
15+15+20+20+25+50	1.45	1.26	1.68	1.68	2.10	4.21	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+20+20+25+60	1.35	1.18	1.57	1.57	1.97	4.72	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
15+15+20+20+25+71	1.27	1.10	1.47	1.47	1.84	5.22	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+20+35+35	1.50	1.31	1.74	1.74	3.05	3.05	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
15+15+20+20+35+42	1.43	1.24	1.66	1.66	2.90	3.49	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+20+20+35+50	1.35	1.18	1.57	1.57	2.75	3.94	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+20+20+35+60	1.27	1.11	1.48	1.48	2.59	4.44	14.00 (3.50-16.50)	3.664 (0.760-5.170)	16.09	99
15+15+20+20+35+71	1.19	1.04	1.39	1.39	2.43	4.92	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+20+42+42	1.36	1.19	1.58	1.58	3.33	3.33	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+20+20+42+50	1.30	1.13	1.51	1.51	3.16	3.77	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+20+42+60	1.22	1.06	1.42	1.42	2.98	4.26	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+20+20+50+50	1.24	1.08	1.44	1.44	3.59	3.59	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+20+20+50+60	1.17	1.02	1.36	1.36	3.39	4.07	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+15+20+22+22+22	1.81	1.44	1.91	2.11	2.11	2.11	14.00 (3.50-16.50)	3.699 (0.760-5.200)	16.25	99
15+15+20+22+22+25	1.76	1.42	1.90	2.09	2.09	2.37	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
15+15+20+22+22+35	1.63	1.38	1.84	2.03	2.03	3.23	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+20+22+22+42	1.54	1.33	1.78	1.96	1.96	3.74	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+20+22+22+50	1.46	1.27	1.69	1.86	1.86	4.24	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
15+15+20+22+22+60	1.36	1.19	1.58	1.74	1.74	4.75	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+20+22+22+71	1.27	1.11	1.48	1.63	1.63	5.25	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
15+15+20+22+25+25	1.72	1.41	1.89	2.07	2.36	2.36	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+20+22+25+35	1.59	1.36	1.82	2.00	2.27	3.18	14.00 (3.50-16.50)	3.691 (0.760-5.200)	16.21	99
15+15+20+22+25+42	1.51	1.32	1.76	1.93	2.19	3.69	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+20+22+25+50	1.43	1.24	1.66	1.83	2.07	4.15	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
15+15+20+22+25+60	1.34	1.17	1.55	1.71	1.94	4.66	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+22+25+71	1.25	1.09	1.45	1.60	1.82	5.16	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+20+22+35+35	1.48	1.29	1.72	1.89	3.01	3.01	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
15+15+20+22+35+42	1.41	1.23	1.64	1.80	2.87	3.44	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+15+20+22+35+50	1.34	1.17	1.55	1.71	2.72	3.89	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+22+35+60	1.26	1.10	1.46	1.61	2.56	4.38	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
15+15+20+22+35+71	1.18	1.03	1.37	1.51	2.40	4.87	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+20+22+42+42	1.35	1.17	1.56	1.72	3.28	3.28	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
15+15+20+22+42+50	1.28	1.12	1.49	1.64	3.12	3.72	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+20+22+42+60	1.21	1.05	1.40	1.54	2.94	4.21	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+20+22+50+50	1.22	1.06	1.42	1.56	3.55	3.55	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+15+20+25+25+25	1.68	1.40	1.87	2.34	2.34	2.34	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+15+20+25+25+35	1.56	1.34	1.79	2.24	2.24	3.14	14.00 (3.50-16.50)	3.690 (0.760-5.200)	16.21	99
15+15+20+25+25+42	1.48	1.29	1.72	2.15	2.15	3.61	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+15+20+25+25+50	1.40	1.22	1.63	2.03	2.03	4.07	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+25+25+60	1.31	1.14	1.53	1.91	1.91	4.58	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
15+15+20+25+25+71	1.23	1.07	1.43	1.78	1.78	5.07	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+20+25+35+35	1.45	1.26	1.68	2.10	2.94	2.94	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+20+25+35+42	1.38	1.20	1.61	2.01	2.81	3.37	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+20+25+35+50	1.31	1.14	1.53	1.91	2.67	3.81	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+25+35+60	1.24	1.08	1.44	1.79	2.51	4.31	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+20+25+42+42	1.32	1.15	1.53	1.92	3.22	3.22	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+25+42+50	1.26	1.10	1.46	1.83	3.07	3.65	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+20+25+42+60	1.19	1.03	1.38	1.72	2.89	4.14	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
15+15+20+25+50+50	1.20	1.05	1.39	1.74	3.49	3.49	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+15+20+35+35+35	1.35	1.18	1.57	2.75	2.75	2.75	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+20+35+35+42	1.30	1.13	1.51	2.64	2.64	3.16	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+20+35+35+50	1.24	1.08	1.44	2.51	2.51	3.59	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+15+20+35+35+60	1.17	1.02	1.36	2.37	2.37	4.07	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+20+35+42+42	1.24	1.08	1.44	2.53	3.03	3.03	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+20+35+42+50	1.19	1.03	1.38	2.41	2.89	3.45	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+20+42+42+42	1.19	1.04	1.39	2.91	2.91	2.91	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+22+22+22+22	1.78	1.42	2.09	2.09	2.09	2.09	14.00 (3.50-16.50)	3.690 (0.760-5.200)	16.21	99
15+15+22+22+22+25	1.74	1.43	2.09	2.09	2.09	2.38	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
15+15+22+22+22+35	1.60	1.37	2.02	2.02	2.02	3.21	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+22+22+22+42	1.52	1.33	1.94	1.94	1.94	3.71	14.00 (3.50-16.50)	3.672 (0.760-5.180)	16.13	99
15+15+22+22+22+50	1.44	1.25	1.84	1.84	1.84	4.18	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+15+22+22+22+60	1.35	1.17	1.72	1.72	1.72	4.69	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+22+22+22+71	1.26	1.10	1.61	1.61	1.61	5.19	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+15+22+22+25+25	1.69	1.40	2.06	2.06	2.34	2.34	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+22+22+25+35	1.57	1.35	1.99	1.99	2.26	3.16	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+22+22+25+42	1.49	1.30	1.90	1.90	2.16	3.63	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+22+22+25+50	1.41	1.23	1.80	1.80	2.05	4.09	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+15+22+22+25+60	1.32	1.15	1.69	1.69	1.92	4.60	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+22+22+25+71	1.24	1.08	1.58	1.58	1.79	5.10	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+22+22+35+35	1.46	1.27	1.86	1.86	2.97	2.97	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+15+22+22+35+42	1.39	1.21	1.78	1.78	2.83	3.39	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
15+15+22+22+35+50	1.32	1.15	1.69	1.69	2.69	3.84	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+22+22+35+60	1.24	1.08	1.59	1.59	2.53	4.33	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+15+22+22+35+71	1.17	1.02	1.49	1.49	2.37	4.81	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+15+22+22+42+42	1.33	1.16	1.70	1.70	3.24	3.24	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+15+22+22+42+50	1.27	1.10	1.62	1.62	3.09	3.67	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+15+22+22+42+60	1.19	1.04	1.53	1.53	2.91	4.16	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+15+22+22+50+50	1.21	1.05	1.54	1.54	3.51	3.51	14.00 (3.50-16.50)	3.626 (0.760-5.150)	15.93	99
15+15+22+25+25+25	1.65	1.39	2.04	2.32	2.32	2.32	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+15+22+25+25+35	1.53	1.32	1.94	2.21	2.21	3.09	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+22+25+25+42	1.46	1.27	1.86	2.12	2.12	3.56	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+15+22+25+25+50	1.38	1.20	1.77	2.01	2.01	4.01	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+22+25+25+60	1.30	1.13	1.66	1.88	1.88	4.52	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+22+25+25+71	1.21	1.06	1.55	1.76	1.76	5.01	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
15+15+22+25+35+35	1.43	1.24	1.83	2.07	2.90	2.90	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+15+22+25+35+42	1.36	1.19	1.74	1.98	2.77	3.33	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
15+15+22+25+35+50	1.30	1.13	1.66	1.88	2.64	3.77	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+22+25+35+60	1.22	1.06	1.56	1.77	2.48	4.26	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+22+25+42+42	1.30	1.14	1.67	1.89	3.18	3.18	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+15+22+25+42+50	1.24	1.08	1.59	1.80	3.03	3.61	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+15+22+25+42+60	1.17	1.02	1.50	1.70	2.86	4.09	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+15+22+25+50+50	1.19	1.03	1.52	1.72	3.45	3.45	14.00 (3.50-16.50)	3.624 (0.760-5.150)	15.92	99
15+15+22+35+35+35	1.34	1.17	1.71	2.72	2.72	2.72	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+22+35+35+42	1.28	1.12	1.64	2.60	2.60	3.12	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+22+35+35+50	1.22	1.06	1.56	2.48	2.48	3.55	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+15+22+35+42+42	1.23	1.07	1.57	2.50	3.00	3.00	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+22+35+42+50	1.17	1.02	1.50	2.39	2.86	3.41	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+15+22+42+42+42	1.18	1.03	1.51	2.88	2.88	2.88	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+15+25+25+25+25	1.62	1.37	2.29	2.29	2.29	2.29	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+15+25+25+25+35	1.50	1.31	2.18	2.18	2.18	3.05	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+15+25+25+25+42	1.43	1.24	2.07	2.07	2.07	3.49	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
15+15+25+25+25+50	1.35	1.18	1.97	1.97	1.97	3.94	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+25+25+25+60	1.27	1.11	1.85	1.85	1.85	4.44	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+25+25+25+71	1.19	1.04	1.73	1.73	1.73	4.92	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
15+15+25+25+35+35	1.40	1.22	2.03	2.03	2.85	2.85	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+15+25+25+35+42	1.34	1.17	1.94	1.94	2.72	3.26	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+25+25+35+50	1.27	1.11	1.85	1.85	2.59	3.70	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+25+25+35+60	1.20	1.05	1.74	1.74	2.44	4.18	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
15+15+25+25+42+42	1.28	1.12	1.86	1.86	3.12	3.12	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+15+25+25+42+50	1.22	1.06	1.77	1.77	2.98	3.55	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+15+25+25+50+50	1.17	1.02	1.69	1.69	3.39	3.39	14.00 (3.50-16.50)	3.622 (0.760-5.150)	15.90	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+15+25+35+35+35	1.31	1.14	1.91	2.67	2.67	2.67	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+15+25+35+35+42	1.26	1.10	1.83	2.56	2.56	3.07	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+15+25+35+35+50	1.20	1.05	1.74	2.44	2.44	3.49	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+15+25+35+42+42	1.21	1.05	1.75	2.45	2.94	2.94	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+15+35+35+35+35	1.24	1.08	2.51	2.51	2.51	2.51	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
15+15+35+35+35+42	1.19	1.03	2.41	2.41	2.41	2.89	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+20+20+20+20+20	1.59	1.91	1.91	1.91	1.91	1.91	12.20 (3.40-16.00)	3.400 (0.790-6.020)	14.93	99
15+20+20+20+20+22	1.69	1.91	1.91	1.91	1.91	2.11	13.20 (3.40-16.00)	3.900 (0.790-6.010)	17.13	99
15+20+20+20+20+25	1.68	1.90	1.90	1.90	1.90	2.38	13.40 (3.50-16.20)	3.850 (0.790-5.810)	16.91	99
15+20+20+20+20+35	1.58	1.83	1.83	1.83	1.83	3.20	13.70 (3.50-16.40)	3.775 (0.780-5.510)	16.58	99
15+20+20+20+20+42	1.53	1.77	1.77	1.77	1.77	3.71	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
15+20+20+20+20+50	1.45	1.68	1.68	1.68	1.68	4.21	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+20+20+20+20+60	1.35	1.57	1.57	1.57	1.57	4.72	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+20+20+20+20+71	1.27	1.47	1.47	1.47	1.47	5.22	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+20+20+20+22+22	1.75	1.90	1.90	1.90	2.09	2.09	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+20+20+20+22+25	1.71	1.89	1.89	1.89	2.07	2.36	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
15+20+20+20+22+35	1.59	1.82	1.82	1.82	2.00	3.18	14.00 (3.50-16.50)	3.699 (0.760-5.200)	16.25	99
15+20+20+20+22+42	1.51	1.76	1.76	1.76	1.93	3.69	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
15+20+20+20+22+50	1.43	1.66	1.66	1.66	1.83	4.15	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+20+20+20+22+60	1.34	1.55	1.55	1.55	1.71	4.66	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+20+20+20+22+71	1.25	1.45	1.45	1.45	1.60	5.16	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+20+20+20+25+25	1.68	1.87	1.87	1.87	2.34	2.34	14.00 (3.50-16.50)	3.699 (0.760-5.200)	16.25	99
15+20+20+20+25+35	1.56	1.79	1.79	1.79	2.24	3.14	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
15+20+20+20+25+42	1.48	1.72	1.72	1.72	2.15	3.61	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+20+20+20+25+50	1.40	1.63	1.63	1.63	2.03	4.07	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+20+20+20+25+60	1.31	1.53	1.53	1.53	1.91	4.58	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+20+20+20+25+71	1.23	1.43	1.43	1.43	1.78	5.07	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+20+20+20+35+35	1.45	1.68	1.68	1.68	2.94	2.94	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+20+20+20+35+42	1.38	1.61	1.61	1.61	2.81	3.37	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+20+20+20+35+50	1.31	1.53	1.53	1.53	2.67	3.81	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+20+20+20+35+60	1.24	1.44	1.44	1.44	2.51	4.31	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+20+20+20+42+42	1.32	1.53	1.53	1.53	3.22	3.22	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+20+20+20+42+50	1.26	1.46	1.46	1.46	3.07	3.65	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+20+20+20+42+60	1.19	1.38	1.38	1.38	2.89	4.14	14.00 (3.50-16.50)	3.648 (0.760-5.150)	16.02	99
15+20+20+20+50+50	1.20	1.39	1.39	1.39	3.49	3.49	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+20+20+22+22+22	1.74	1.90	1.90	2.09	2.09	2.09	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+20+20+22+22+25	1.69	1.87	1.87	2.06	2.06	2.34	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
15+20+20+22+22+35	1.57	1.81	1.81	1.99	1.99	3.16	14.00 (3.50-16.50)	3.690 (0.760-5.200)	16.21	99
15+20+20+22+22+42	1.49	1.73	1.73	1.90	1.90	3.63	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+20+20+22+22+50	1.41	1.64	1.64	1.80	1.80	4.09	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+20+20+22+22+60	1.32	1.53	1.53	1.69	1.69	4.60	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+20+20+22+22+71	1.24	1.44	1.44	1.58	1.58	5.10	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+20+20+22+25+25	1.65	1.86	1.86	2.04	2.32	2.32	14.00 (3.50-16.50)	3.690 (0.760-5.200)	16.21	99
15+20+20+22+25+35	1.53	1.77	1.77	1.94	2.21	3.09	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
15+20+20+22+25+42	1.46	1.69	1.69	1.86	2.12	3.56	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+20+20+22+25+50	1.38	1.61	1.61	1.77	2.01	4.01	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+20+22+25+60	1.30	1.51	1.51	1.66	1.88	4.52	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+20+20+22+25+71	1.21	1.41	1.41	1.55	1.76	5.01	14.00 (3.50-16.50)	3.648 (0.760-5.150)	16.02	99
15+20+20+22+35+35	1.43	1.66	1.66	1.83	2.90	2.90	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+20+20+22+35+42	1.36	1.58	1.58	1.74	2.77	3.33	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+20+20+22+35+50	1.30	1.51	1.51	1.66	2.64	3.77	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+20+20+22+35+60	1.22	1.42	1.42	1.56	2.48	4.26	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
15+20+20+22+42+42	1.30	1.52	1.52	1.67	3.18	3.18	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+20+20+22+42+50	1.24	1.44	1.44	1.59	3.03	3.61	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+20+20+22+42+60	1.17	1.36	1.36	1.50	2.86	4.09	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+20+20+22+50+50	1.19	1.38	1.38	1.52	3.45	3.45	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99
15+20+20+25+25+25	1.62	1.83	1.83	2.29	2.29	2.29	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
15+20+20+25+25+35	1.50	1.74	1.74	2.18	2.18	3.05	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+20+20+25+25+42	1.43	1.66	1.66	2.07	2.07	3.49	14.00 (3.50-16.50)	3.672 (0.760-5.180)	16.13	99
15+20+20+25+25+50	1.35	1.57	1.57	1.97	1.97	3.94	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+20+20+25+25+60	1.27	1.48	1.48	1.85	1.85	4.44	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+20+20+25+25+71	1.19	1.39	1.39	1.73	1.73	4.92	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+20+20+25+35+35	1.40	1.63	1.63	2.03	2.85	2.85	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+20+20+25+35+42	1.34	1.55	1.55	1.94	2.72	3.26	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+20+20+25+35+50	1.27	1.48	1.48	1.85	2.59	3.70	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+20+20+25+35+60	1.20	1.39	1.39	1.74	2.44	4.18	14.00 (3.50-16.50)	3.648 (0.760-5.150)	16.02	99
15+20+20+25+42+42	1.28	1.49	1.49	1.86	3.12	3.12	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+20+20+25+42+50	1.22	1.42	1.42	1.77	2.98	3.55	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99
15+20+20+25+50+50	1.17	1.36	1.36	1.69	3.39	3.39	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
15+20+20+35+35+35	1.31	1.53	1.53	2.67	2.67	2.67	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+20+20+35+35+42	1.26	1.46	1.46	2.56	2.56	3.07	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+20+20+35+35+50	1.20	1.39	1.39	2.44	2.44	3.49	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
15+20+20+35+42+42	1.21	1.40	1.40	2.45	2.94	2.94	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+20+22+22+22+22	1.71	1.89	2.07	2.07	2.07	2.07	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+20+22+22+22+25	1.67	1.86	2.04	2.04	2.04	2.32	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
15+20+22+22+22+35	1.54	1.78	1.96	1.96	1.96	3.11	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+20+22+22+22+42	1.47	1.71	1.88	1.88	1.88	3.58	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+20+22+22+22+50	1.39	1.62	1.78	1.78	1.78	4.04	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
15+20+22+22+22+60	1.30	1.52	1.67	1.67	1.67	4.55	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+20+22+22+22+71	1.22	1.42	1.56	1.56	1.56	5.04	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
15+20+22+22+25+25	1.63	1.84	2.03	2.03	2.31	2.31	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
15+20+22+22+25+35	1.51	1.76	1.93	1.93	2.19	3.07	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+20+22+22+25+42	1.44	1.67	1.84	1.84	2.09	3.51	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+20+22+22+25+50	1.36	1.58	1.74	1.74	1.98	3.96	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
15+20+22+22+25+60	1.28	1.49	1.64	1.64	1.86	4.46	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+20+22+22+25+71	1.20	1.39	1.53	1.53	1.74	4.95	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+20+22+22+35+35	1.41	1.64	1.80	1.80	2.87	2.87	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+20+22+22+35+42	1.35	1.56	1.72	1.72	2.74	3.28	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+20+22+22+35+50	1.28	1.49	1.64	1.64	2.60	3.72	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+20+22+22+35+60	1.21	1.40	1.54	1.54	2.45	4.21	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
15+20+22+22+42+42	1.29	1.50	1.65	1.65	3.14	3.14	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
15+20+22+22+42+50	1.23	1.43	1.57	1.57	3.00	3.57	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+20+22+22+50+50	1.17	1.36	1.50	1.50	3.41	3.41	14.00 (3.50-16.50)	3.622 (0.760-5.150)	15.91	99
15+20+22+25+25+25	1.59	1.82	2.00	2.27	2.27	2.27	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
15+20+22+25+25+35	1.48	1.72	1.89	2.15	2.15	3.01	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+20+22+25+25+42	1.41	1.64	1.80	2.05	2.05	3.44	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+20+22+25+25+50	1.34	1.55	1.71	1.94	1.94	3.89	14.00 (3.50-16.50)	3.648 (0.760-5.150)	16.02	99
15+20+22+25+25+60	1.26	1.46	1.61	1.83	1.83	4.38	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99
15+20+22+25+25+71	1.18	1.37	1.51	1.71	1.71	4.87	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+20+22+25+35+35	1.38	1.61	1.77	2.01	2.81	2.81	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+20+22+25+35+42	1.32	1.53	1.69	1.92	2.69	3.22	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+20+22+25+35+50	1.26	1.46	1.61	1.83	2.56	3.65	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+20+22+25+35+60	1.19	1.38	1.52	1.72	2.41	4.14	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+20+22+25+42+42	1.27	1.47	1.62	1.84	3.09	3.09	14.00 (3.50-16.50)	3.648 (0.760-5.150)	16.02	99
15+20+22+25+42+50	1.21	1.40	1.54	1.75	2.94	3.51	14.00 (3.50-16.50)	3.634 (0.760-5.150)	15.96	99
15+20+22+35+35+35	1.30	1.51	1.66	2.64	2.64	2.64	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+20+22+35+35+42	1.24	1.44	1.59	2.53	2.53	3.03	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+20+22+35+35+50	1.19	1.38	1.52	2.41	2.41	3.45	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
15+20+22+35+42+42	1.19	1.39	1.53	2.43	2.91	2.91	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+20+25+25+25+25	1.56	1.79	2.24	2.24	2.24	2.24	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+20+25+25+25+35	1.45	1.68	2.10	2.10	2.10	2.94	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+20+25+25+25+42	1.38	1.61	2.01	2.01	2.01	3.37	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+20+25+25+25+50	1.31	1.53	1.91	1.91	1.91	3.81	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+20+25+25+25+60	1.24	1.44	1.79	1.79	1.79	4.31	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+20+25+25+35+35	1.35	1.57	1.97	1.97	2.75	2.75	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+20+25+25+35+42	1.30	1.51	1.88	1.88	2.64	3.16	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+20+25+25+35+50	1.24	1.44	1.79	1.79	2.51	3.59	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99
15+20+25+25+35+60	1.17	1.36	1.69	1.69	2.37	4.07	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+20+25+25+42+42	1.24	1.44	1.80	1.80	3.03	3.03	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+20+25+25+42+50	1.19	1.38	1.72	1.72	2.89	3.45	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+20+25+35+35+35	1.27	1.48	1.85	2.59	2.59	2.59	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+20+25+35+35+42	1.22	1.42	1.77	2.48	2.48	2.98	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+20+25+35+35+50	1.17	1.36	1.69	2.37	2.37	3.39	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+20+25+35+42+42	1.17	1.36	1.70	2.39	2.86	2.86	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99
15+20+35+35+35+35	1.20	1.39	2.44	2.44	2.44	2.44	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+22+22+22+22+22	1.68	2.06	2.06	2.06	2.06	2.06	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
15+22+22+22+22+25	1.64	2.03	2.03	2.03	2.03	2.30	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
15+22+22+22+22+35	1.52	1.94	1.94	1.94	1.94	3.09	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+22+22+22+22+42	1.45	1.85	1.85	1.85	1.85	3.53	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+22+22+22+22+50	1.37	1.75	1.75	1.75	1.75	3.99	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+22+22+22+22+60	1.29	1.65	1.65	1.65	1.65	4.49	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
15+22+22+22+22+71	1.21	1.54	1.54	1.54	1.54	4.98	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+22+22+22+25+25	1.60	2.02	2.02	2.02	2.29	2.29	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
15+22+22+22+25+35	1.49	1.90	1.90	1.90	2.16	3.03	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+22+22+22+25+42	1.42	1.81	1.81	1.81	2.06	3.46	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+22+22+22+25+50	1.35	1.72	1.72	1.72	1.96	3.91	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
15+22+22+22+25+60	1.27	1.62	1.62	1.62	1.84	4.41	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+22+22+22+25+71	1.19	1.52	1.52	1.52	1.72	4.89	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+22+22+22+35+35	1.39	1.78	1.78	1.78	2.83	2.83	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
15+22+22+22+35+42	1.33	1.70	1.70	1.70	2.70	3.24	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
15+22+22+22+35+50	1.27	1.62	1.62	1.62	2.57	3.67	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
15+22+22+22+35+60	1.19	1.53	1.53	1.53	2.43	4.16	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+22+22+22+42+42	1.27	1.63	1.63	1.63	3.11	3.11	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
15+22+22+22+42+50	1.21	1.55	1.55	1.55	2.96	3.53	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
15+22+22+25+25+25	1.57	1.99	1.99	2.26	2.26	2.26	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
15+22+22+25+25+35	1.46	1.86	1.86	2.12	2.12	2.97	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
15+22+22+25+25+42	1.39	1.78	1.78	2.02	2.02	3.39	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+22+22+25+25+50	1.32	1.69	1.69	1.92	1.92	3.84	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+22+22+25+25+60	1.24	1.59	1.59	1.80	1.80	4.33	14.00 (3.50-16.50)	3.634 (0.760-5.150)	15.96	99
15+22+22+25+25+71	1.17	1.49	1.49	1.69	1.69	4.81	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
15+22+22+25+35+35	1.36	1.74	1.74	1.98	2.77	2.77	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
15+22+22+25+35+42	1.30	1.67	1.67	1.89	2.65	3.18	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
15+22+22+25+35+50	1.24	1.59	1.59	1.80	2.53	3.61	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+22+22+25+35+60	1.17	1.50	1.50	1.70	2.39	4.09	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99
15+22+22+25+42+42	1.25	1.60	1.60	1.82	3.05	3.05	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
15+22+22+25+42+50	1.19	1.53	1.53	1.73	2.91	3.47	14.00 (3.50-16.50)	3.626 (0.760-5.150)	15.93	99
15+22+22+35+35+35	1.28	1.64	1.64	2.60	2.60	2.60	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+22+22+35+35+42	1.23	1.57	1.57	2.50	2.50	3.00	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
15+22+22+35+35+50	1.17	1.50	1.50	2.39	2.39	3.41	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+22+22+35+42+42	1.18	1.51	1.51	2.40	2.88	2.88	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+22+25+25+25+25	1.53	1.94	2.21	2.21	2.21	2.21	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
15+22+25+25+25+35	1.43	1.83	2.07	2.07	2.07	2.90	14.00 (3.50-16.50)	3.664 (0.760-5.170)	16.09	99
15+22+25+25+25+42	1.36	1.74	1.98	1.98	1.98	3.33	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
15+22+25+25+25+50	1.30	1.66	1.88	1.88	1.88	3.77	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+22+25+25+25+60	1.22	1.56	1.77	1.77	1.77	4.26	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+22+25+25+35+35	1.34	1.71	1.94	1.94	2.72	2.72	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+22+25+25+35+42	1.28	1.64	1.86	1.86	2.60	3.12	14.00 (3.50-16.50)	3.648 (0.760-5.150)	16.02	99
15+22+25+25+35+50	1.22	1.56	1.77	1.77	2.48	3.55	14.00 (3.50-16.50)	3.634 (0.760-5.150)	15.96	99
15+22+25+25+42+42	1.23	1.57	1.78	1.78	3.00	3.00	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
15+22+25+25+42+50	1.17	1.50	1.70	1.70	2.86	3.41	14.00 (3.50-16.50)	3.624 (0.760-5.150)	15.92	99
15+22+25+35+35+35	1.26	1.61	1.83	2.56	2.56	2.56	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+22+25+35+35+42	1.21	1.54	1.75	2.45	2.45	2.94	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
15+22+35+35+35+35	1.19	1.52	2.41	2.41	2.41	2.41	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
15+25+25+25+25+25	1.50	2.18	2.18	2.18	2.18	2.18	14.00 (3.50-16.50)	3.664 (0.760-5.170)	16.09	99
15+25+25+25+25+35	1.40	2.03	2.03	2.03	2.03	2.85	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
15+25+25+25+25+42	1.34	1.94	1.94	1.94	1.94	3.26	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
15+25+25+25+25+50	1.27	1.85	1.85	1.85	1.85	3.70	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+25+25+25+25+60	1.20	1.74	1.74	1.74	1.74	4.18	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
15+25+25+25+35+35	1.31	1.91	1.91	1.91	2.67	2.67	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
15+25+25+25+35+42	1.26	1.83	1.83	1.83	2.56	3.07	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
15+25+25+25+35+50	1.20	1.74	1.74	1.74	2.44	3.49	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
15+25+25+25+42+42	1.21	1.75	1.75	1.75	2.94	2.94	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
15+25+25+35+35+35	1.24	1.79	1.79	2.51	2.51	2.51	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
15+25+25+35+35+42	1.19	1.72	1.72	2.41	2.41	2.89	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
15+25+35+35+35+35	1.17	1.69	2.37	2.37	2.37	2.37	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
20+20+20+20+20+20	2.12	1.90	1.90	1.90	1.90	1.90	12.70 (3.40-16.00)	3.650 (0.790-6.020)	16.03	99
20+20+20+20+20+22	2.21	1.89	1.89	1.89	1.89	2.07	13.50 (3.50-16.20)	3.825 (0.780-5.710)	16.80	99
20+20+20+20+20+25	2.19	1.87	1.87	1.87	1.87	2.34	13.70 (3.50-16.40)	3.775 (0.780-5.510)	16.58	99
20+20+20+20+20+35	2.06	1.79	1.79	1.79	1.79	3.14	13.90 (3.50-16.50)	3.725 (0.770-5.310)	16.36	99
20+20+20+20+20+42	1.97	1.72	1.72	1.72	1.72	3.61	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
20+20+20+20+20+50	1.87	1.63	1.63	1.63	1.63	4.07	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
20+20+20+20+20+60	1.75	1.53	1.53	1.53	1.53	4.58	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
20+20+20+20+20+71	1.64	1.43	1.43	1.43	1.43	5.07	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
20+20+20+20+22+22	2.26	1.87	1.87	1.87	2.06	2.06	14.00 (3.50-16.50)	3.700 (0.760-5.200)	16.25	99
20+20+20+20+22+25	2.20	1.86	1.86	1.86	2.04	2.32	14.00 (3.50-16.50)	3.697 (0.760-5.200)	16.24	99
20+20+20+20+22+35	2.04	1.77	1.77	1.77	1.94	3.09	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
20+20+20+20+22+42	1.94	1.69	1.69	1.69	1.86	3.56	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
20+20+20+20+22+50	1.84	1.61	1.61	1.61	1.77	4.01	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
20+20+20+20+22+60	1.73	1.51	1.51	1.51	1.66	4.52	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+20+20+22+71	1.62	1.41	1.41	1.41	1.55	5.01	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
20+20+20+20+25+25	2.15	1.83	1.83	1.83	2.29	2.29	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
20+20+20+20+25+35	2.00	1.74	1.74	1.74	2.18	3.05	14.00 (3.50-16.50)	3.695 (0.760-5.200)	16.23	99
20+20+20+20+25+42	1.90	1.66	1.66	1.66	2.07	3.49	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
20+20+20+20+25+50	1.81	1.57	1.57	1.57	1.97	3.94	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
20+20+20+20+25+60	1.70	1.48	1.48	1.48	1.85	4.44	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+20+20+25+71	1.59	1.39	1.39	1.39	1.73	4.92	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
20+20+20+20+35+35	1.87	1.63	1.63	1.63	2.85	2.85	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
20+20+20+20+35+42	1.78	1.55	1.55	1.55	2.72	3.26	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
20+20+20+20+35+50	1.70	1.48	1.48	1.48	2.59	3.70	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+20+20+35+60	1.60	1.39	1.39	1.39	2.44	4.18	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
20+20+20+20+42+42	1.71	1.49	1.49	1.49	3.12	3.12	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
20+20+20+20+42+50	1.63	1.42	1.42	1.42	2.98	3.55	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+20+20+20+50+50	1.56	1.36	1.36	1.36	3.39	3.39	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
20+20+20+22+22+22	2.22	1.86	1.86	2.04	2.04	2.04	14.00 (3.50-16.50)	3.691 (0.760-5.200)	16.21	99
20+20+20+22+22+25	2.17	1.84	1.84	2.03	2.03	2.31	14.00 (3.50-16.50)	3.688 (0.760-5.190)	16.20	99
20+20+20+22+22+35	2.01	1.76	1.76	1.93	1.93	3.07	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
20+20+20+22+22+42	1.92	1.67	1.67	1.84	1.84	3.51	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
20+20+20+22+22+50	1.82	1.58	1.58	1.74	1.74	3.96	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+20+22+22+60	1.71	1.49	1.49	1.64	1.64	4.46	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
20+20+20+22+22+71	1.60	1.39	1.39	1.53	1.53	4.95	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
20+20+20+22+25+25	2.12	1.82	1.82	2.00	2.27	2.27	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
20+20+20+22+25+35	1.97	1.72	1.72	1.89	2.15	3.01	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
20+20+20+22+25+42	1.88	1.64	1.64	1.80	2.05	3.44	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
20+20+20+22+25+50	1.78	1.55	1.55	1.71	1.94	3.89	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
20+20+20+22+25+60	1.68	1.46	1.46	1.61	1.83	4.38	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+20+20+22+25+71	1.57	1.37	1.37	1.51	1.71	4.87	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
20+20+20+22+35+35	1.84	1.61	1.61	1.77	2.81	2.81	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
20+20+20+22+35+42	1.76	1.53	1.53	1.69	2.69	3.22	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
20+20+20+22+35+50	1.68	1.46	1.46	1.61	2.56	3.65	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
20+20+20+22+35+60	1.58	1.38	1.38	1.52	2.41	4.14	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+20+22+42+42	1.69	1.47	1.47	1.62	3.09	3.09	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
20+20+20+22+42+50	1.61	1.40	1.40	1.54	2.94	3.51	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
20+20+20+25+25+25	2.07	1.79	1.79	2.24	2.24	2.24	14.00 (3.50-16.50)	3.686 (0.760-5.190)	16.19	99
20+20+20+25+25+35	1.93	1.68	1.68	2.10	2.10	2.94	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
20+20+20+25+25+42	1.84	1.61	1.61	2.01	2.01	3.37	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
20+20+20+25+25+50	1.75	1.53	1.53	1.91	1.91	3.81	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
20+20+20+25+25+60	1.65	1.44	1.44	1.79	1.79	4.31	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
20+20+20+25+35+35	1.81	1.57	1.57	1.97	2.75	2.75	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
20+20+20+25+35+42	1.73	1.51	1.51	1.88	2.64	3.16	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
20+20+20+25+35+50	1.65	1.44	1.44	1.79	2.51	3.59	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+20+20+25+35+60	1.56	1.36	1.36	1.69	2.37	4.07	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
20+20+20+25+42+42	1.66	1.44	1.44	1.80	3.03	3.03	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
20+20+20+25+42+50	1.58	1.38	1.38	1.72	2.89	3.45	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
20+20+20+35+35+35	1.70	1.48	1.48	2.59	2.59	2.59	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
20+20+20+35+35+42	1.63	1.42	1.42	2.48	2.48	2.98	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+20+35+35+50	1.56	1.36	1.36	2.37	2.37	3.39	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
20+20+20+35+42+42	1.56	1.36	1.36	2.39	2.86	2.86	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+20+22+22+22+22	2.19	1.84	2.03	2.03	2.03	2.03	14.00 (3.50-16.50)	3.682 (0.760-5.190)	16.17	99
20+20+22+22+22+25	2.14	1.83	2.02	2.02	2.02	2.29	14.00 (3.50-16.50)	3.679 (0.760-5.180)	16.16	99
20+20+22+22+22+35	1.99	1.73	1.90	1.90	1.90	3.03	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
20+20+22+22+22+42	1.89	1.65	1.81	1.81	1.81	3.46	14.00 (3.50-16.50)	3.664 (0.760-5.170)	16.09	99
20+20+22+22+22+50	1.79	1.56	1.72	1.72	1.72	3.91	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+20+22+22+22+60	1.69	1.47	1.62	1.62	1.62	4.41	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99
20+20+22+22+22+71	1.58	1.38	1.52	1.52	1.52	4.89	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
20+20+22+22+25+25	2.09	1.81	1.99	1.99	2.26	2.26	14.00 (3.50-16.50)	3.677 (0.760-5.180)	16.15	99
20+20+22+22+25+35	1.94	1.69	1.86	1.86	2.12	2.97	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
20+20+22+22+25+42	1.85	1.62	1.78	1.78	2.02	3.39	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+22+22+25+50	1.76	1.53	1.69	1.69	1.92	3.84	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
20+20+22+22+25+60	1.66	1.44	1.59	1.59	1.80	4.33	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
20+20+22+22+25+71	1.56	1.36	1.49	1.49	1.69	4.81	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
20+20+22+22+35+35	1.82	1.58	1.74	1.74	2.77	2.77	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
20+20+22+22+35+42	1.74	1.52	1.67	1.67	2.65	3.18	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+22+22+35+50	1.66	1.44	1.59	1.59	2.53	3.61	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
20+20+22+22+35+60	1.56	1.36	1.50	1.50	2.39	4.09	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
20+20+22+22+42+42	1.67	1.45	1.60	1.60	3.05	3.05	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
20+20+22+22+42+50	1.59	1.39	1.53	1.53	2.91	3.47	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
20+20+22+25+25+25	2.04	1.77	1.94	2.21	2.21	2.21	14.00 (3.50-16.50)	3.674 (0.760-5.180)	16.14	99
20+20+22+25+25+35	1.90	1.66	1.83	2.07	2.07	2.90	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
20+20+22+25+25+42	1.82	1.58	1.74	1.98	1.98	3.33	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+22+25+25+50	1.73	1.51	1.66	1.88	1.88	3.77	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
20+20+22+25+25+60	1.63	1.42	1.56	1.77	1.77	4.26	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
20+20+22+25+35+35	1.78	1.55	1.71	1.94	2.72	2.72	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
20+20+22+25+35+42	1.71	1.49	1.64	1.86	2.60	3.12	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
20+20+22+25+35+50	1.63	1.42	1.56	1.77	2.48	3.55	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
20+20+22+25+42+42	1.64	1.43	1.57	1.78	3.00	3.00	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
20+20+22+25+42+50	1.56	1.36	1.50	1.70	2.86	3.41	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+20+22+35+35+35	1.68	1.46	1.61	2.56	2.56	2.56	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
20+20+22+35+35+42	1.61	1.40	1.54	2.45	2.45	2.94	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
20+20+25+25+25+25	2.00	1.74	2.18	2.18	2.18	2.18	14.00 (3.50-16.50)	3.671 (0.760-5.180)	16.12	99
20+20+25+25+25+35	1.87	1.63	2.03	2.03	2.03	2.85	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
20+20+25+25+25+42	1.78	1.55	1.94	1.94	1.94	3.26	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
20+20+25+25+25+50	1.70	1.48	1.85	1.85	1.85	3.70	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
20+20+25+25+25+60	1.60	1.39	1.74	1.74	1.74	4.18	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
20+20+25+25+35+35	1.75	1.53	1.91	1.91	2.67	2.67	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
20+20+25+25+35+42	1.68	1.46	1.83	1.83	2.56	3.07	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
20+20+25+25+35+50	1.60	1.39	1.74	1.74	2.44	3.49	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
20+20+25+25+42+42	1.61	1.40	1.75	1.75	2.94	2.94	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
20+20+25+35+35+35	1.65	1.44	1.79	2.51	2.51	2.51	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+20+25+35+35+42	1.58	1.38	1.72	2.41	2.41	2.89	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+20+35+35+35+35	1.56	1.36	2.37	2.37	2.37	2.37	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+22+22+22+22+22	2.15	2.01	2.01	2.01	2.01	2.01	14.00 (3.50-16.50)	3.672 (0.760-5.180)	16.13	99
20+22+22+22+22+25	2.11	1.98	1.98	1.98	1.98	2.26	14.00 (3.50-16.50)	3.670 (0.760-5.180)	16.12	99
20+22+22+22+22+35	1.96	1.88	1.88	1.88	1.88	2.99	14.00 (3.50-16.50)	3.666 (0.760-5.170)	16.10	99
20+22+22+22+22+42	1.87	1.79	1.79	1.79	1.79	3.42	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
20+22+22+22+22+50	1.77	1.70	1.70	1.70	1.70	3.86	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
20+22+22+22+22+60	1.67	1.60	1.60	1.60	1.60	4.36	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
20+22+22+22+22+71	1.56	1.50	1.50	1.50	1.50	4.84	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
20+22+22+22+25+25	2.06	1.96	1.96	1.96	2.22	2.22	14.00 (3.50-16.50)	3.667 (0.760-5.170)	16.11	99
20+22+22+22+25+35	1.92	1.84	1.84	1.84	2.09	2.92	14.00 (3.50-16.50)	3.664 (0.760-5.170)	16.09	99
20+22+22+22+25+42	1.83	1.75	1.75	1.75	1.99	3.35	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
20+22+22+22+25+50	1.74	1.67	1.67	1.67	1.89	3.79	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
20+22+22+22+25+60	1.64	1.57	1.57	1.57	1.78	4.28	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
20+22+22+22+35+35	1.79	1.72	1.72	1.72	2.74	2.74	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+22+22+22+35+42	1.72	1.65	1.65	1.65	2.62	3.14	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+22+22+22+35+50	1.64	1.57	1.57	1.57	2.50	3.57	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
20+22+22+22+42+42	1.65	1.58	1.58	1.58	3.01	3.01	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
20+22+22+22+42+50	1.57	1.51	1.51	1.51	2.88	3.43	14.00 (3.50-16.50)	3.624 (0.760-5.150)	15.92	99
20+22+22+25+25+25	2.01	1.93	1.93	2.19	2.19	2.19	14.00 (3.50-16.50)	3.665 (0.760-5.170)	16.09	99
20+22+22+25+25+35	1.88	1.80	1.80	2.05	2.05	2.87	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+22+22+25+25+42	1.79	1.72	1.72	1.96	1.96	3.28	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
20+22+22+25+25+50	1.71	1.64	1.64	1.86	1.86	3.72	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
20+22+22+25+25+60	1.61	1.54	1.54	1.75	1.75	4.21	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99
20+22+22+25+35+35	1.76	1.69	1.69	1.92	2.69	2.69	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+22+22+25+35+42	1.69	1.62	1.62	1.84	2.57	3.09	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
20+22+22+25+35+50	1.61	1.54	1.54	1.75	2.45	3.51	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
20+22+22+25+42+42	1.62	1.55	1.55	1.76	2.96	2.96	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
20+22+22+35+35+35	1.66	1.59	1.59	2.53	2.53	2.53	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
20+22+22+35+35+42	1.59	1.53	1.53	2.43	2.43	2.91	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99
20+22+25+25+25+25	1.97	1.89	2.15	2.15	2.15	2.15	14.00 (3.50-16.50)	3.662 (0.760-5.170)	16.08	99
20+22+25+25+25+35	1.84	1.77	2.01	2.01	2.01	2.81	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+22+25+25+25+42	1.76	1.69	1.92	1.92	1.92	3.22	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
20+22+25+25+25+50	1.68	1.61	1.83	1.83	1.83	3.65	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
20+22+25+25+25+60	1.58	1.52	1.72	1.72	1.72	4.14	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
20+22+25+25+35+35	1.73	1.66	1.88	1.88	2.64	2.64	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
20+22+25+25+35+42	1.66	1.59	1.80	1.80	2.53	3.03	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
20+22+25+25+35+50	1.58	1.52	1.72	1.72	2.41	3.45	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99
20+22+25+25+42+42	1.59	1.53	1.73	1.73	2.91	2.91	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
20+22+25+35+35+35	1.63	1.56	1.77	2.48	2.48	2.48	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
20+22+25+35+35+42	1.56	1.50	1.70	2.39	2.39	2.86	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
20+25+25+25+25+25	1.93	2.10	2.10	2.10	2.10	2.10	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
20+25+25+25+25+35	1.81	1.97	1.97	1.97	1.97	2.75	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
20+25+25+25+25+42	1.73	1.88	1.88	1.88	1.88	3.16	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
20+25+25+25+25+50	1.65	1.79	1.79	1.79	1.79	3.59	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99
20+25+25+25+25+60	1.56	1.69	1.69	1.69	1.69	4.07	14.00 (3.50-16.50)	3.626 (0.760-5.150)	15.93	99
20+25+25+25+35+35	1.70	1.85	1.85	1.85	2.59	2.59	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
20+25+25+25+35+42	1.63	1.77	1.77	1.77	2.48	2.98	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
20+25+25+25+35+50	1.56	1.69	1.69	1.69	2.37	3.39	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
20+25+25+25+42+42	1.56	1.70	1.70	1.70	2.86	2.86	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99
20+25+25+35+35+35	1.60	1.74	1.74	2.44	2.44	2.44	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
22+22+22+22+22+22	2.33	2.00	2.00	2.00	2.00	2.00	14.00 (3.50-16.50)	3.663 (0.760-5.170)	16.09	99
22+22+22+22+22+25	2.28	1.97	1.97	1.97	1.97	2.24	14.00 (3.50-16.50)	3.661 (0.760-5.170)	16.08	99
22+22+22+22+22+35	2.12	1.85	1.85	1.85	1.85	2.94	14.00 (3.50-16.50)	3.657 (0.760-5.160)	16.06	99
22+22+22+22+22+42	2.03	1.77	1.77	1.77	1.77	3.37	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
22+22+22+22+22+50	1.93	1.68	1.68	1.68	1.68	3.81	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
22+22+22+22+22+60	1.81	1.58	1.58	1.58	1.58	4.31	14.00 (3.50-16.50)	3.626 (0.760-5.150)	15.93	99
22+22+22+22+25+25	2.23	1.94	1.94	1.94	2.21	2.21	14.00 (3.50-16.50)	3.658 (0.760-5.160)	16.07	99
22+22+22+22+25+35	2.08	1.81	1.81	1.81	2.06	2.89	14.00 (3.50-16.50)	3.655 (0.760-5.160)	16.05	99
22+22+22+22+25+42	1.99	1.73	1.73	1.73	1.97	3.31	14.00 (3.50-16.50)	3.643 (0.760-5.150)	16.00	99
22+22+22+22+25+50	1.89	1.65	1.65	1.65	1.87	3.74	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
22+22+22+22+25+60	1.78	1.55	1.55	1.55	1.76	4.23	14.00 (3.50-16.50)	3.624 (0.760-5.150)	15.92	99
22+22+22+22+35+35	1.95	1.70	1.70	1.70	2.70	2.70	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
22+22+22+22+35+42	1.87	1.63	1.63	1.63	2.59	3.11	14.00 (3.50-16.50)	3.640 (0.760-5.150)	15.99	99
22+22+22+22+35+50	1.78	1.55	1.55	1.55	2.47	3.53	14.00 (3.50-16.50)	3.626 (0.760-5.150)	15.93	99
22+22+22+22+42+42	1.79	1.56	1.56	1.56	2.98	2.98	14.00 (3.50-16.50)	3.629 (0.760-5.150)	15.94	99
22+22+22+22+42+50	1.71	1.49	1.49	1.49	2.85	3.39	14.00 (3.50-16.50)	3.620 (0.760-5.150)	15.90	99
22+22+22+25+25+25	2.18	1.90	1.90	2.16	2.16	2.16	14.00 (3.50-16.50)	3.656 (0.760-5.160)	16.05	99
22+22+22+25+25+35	2.04	1.78	1.78	2.02	2.02	2.83	14.00 (3.50-16.50)	3.652 (0.760-5.160)	16.04	99
22+22+22+25+25+42	1.95	1.70	1.70	1.93	1.93	3.24	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
22+22+22+25+25+50	1.86	1.62	1.62	1.84	1.84	3.67	14.00 (3.50-16.50)	3.627 (0.760-5.150)	15.93	99
22+22+22+25+25+60	1.75	1.53	1.53	1.73	1.73	4.16	14.00 (3.50-16.50)	3.622 (0.760-5.150)	15.90	99
22+22+22+25+35+35	1.91	1.67	1.67	1.89	2.65	2.65	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99
22+22+22+25+35+42	1.83	1.60	1.60	1.82	2.54	3.05	14.00 (3.50-16.50)	3.638 (0.760-5.150)	15.98	99
22+22+22+25+35+50	1.75	1.53	1.53	1.73	2.43	3.47	14.00 (3.50-16.50)	3.624 (0.760-5.150)	15.92	99
22+22+22+25+42+42	1.76	1.53	1.53	1.74	2.93	2.93	14.00 (3.50-16.50)	3.627 (0.760-5.150)	15.93	99
22+22+22+35+35+35	1.80	1.57	1.57	2.50	2.50	2.50	14.00 (3.50-16.50)	3.646 (0.760-5.150)	16.01	99
22+22+22+35+35+42	1.73	1.51	1.51	2.40	2.40	2.88	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
22+22+25+25+25+25	2.14	1.86	2.12	2.12	2.12	2.12	14.00 (3.50-16.50)	3.653 (0.760-5.160)	16.04	99
22+22+25+25+25+35	2.00	1.74	1.98	1.98	1.98	2.77	14.00 (3.50-16.50)	3.650 (0.760-5.160)	16.03	99

MXZ-6C122VA HEATING

Indoor units combination	Heating Capacity (kW)							Outdoor unit power consumption (kW)	Current (A)	Power factor (%)
	Unit A	Unit B	Unit C	Unit D	Unit E	Unit F	Total			
22+22+25+25+25+42	1.91	1.67	1.89	1.89	1.89	3.18	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99
22+22+25+25+25+50	1.82	1.59	1.80	1.80	1.80	3.61	14.00 (3.50-16.50)	3.625 (0.760-5.150)	15.92	99
22+22+25+25+25+60	1.72	1.50	1.70	1.70	1.70	4.09	14.00 (3.50-16.50)	3.620 (0.760-5.150)	15.90	99
22+22+25+25+35+35	1.88	1.64	1.86	1.86	2.60	2.60	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
22+22+25+25+35+42	1.80	1.57	1.78	1.78	2.50	3.00	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
22+22+25+25+35+50	1.72	1.50	1.70	1.70	2.39	3.41	14.00 (3.50-16.50)	3.622 (0.760-5.150)	15.90	99
22+22+25+25+42+42	1.73	1.51	1.71	1.71	2.88	2.88	14.00 (3.50-16.50)	3.625 (0.760-5.150)	15.92	99
22+22+25+35+35+35	1.77	1.54	1.75	2.45	2.45	2.45	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
22+25+25+25+25+25	2.10	2.07	2.07	2.07	2.07	2.07	14.00 (3.50-16.50)	3.651 (0.760-5.160)	16.03	99
22+25+25+25+25+35	1.96	1.94	1.94	1.94	1.94	2.72	14.00 (3.50-16.50)	3.647 (0.760-5.150)	16.02	99
22+25+25+25+25+42	1.88	1.86	1.86	1.86	1.86	3.12	14.00 (3.50-16.50)	3.636 (0.760-5.150)	15.97	99
22+25+25+25+25+50	1.79	1.77	1.77	1.77	1.77	3.55	14.00 (3.50-16.50)	3.622 (0.760-5.150)	15.91	99
22+25+25+25+35+35	1.84	1.83	1.83	1.83	2.56	2.56	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
22+25+25+25+35+42	1.77	1.75	1.75	1.75	2.45	2.94	14.00 (3.50-16.50)	3.633 (0.760-5.150)	15.96	99
22+25+25+35+35+35	1.74	1.72	1.72	2.41	2.41	2.41	14.00 (3.50-16.50)	3.641 (0.760-5.150)	15.99	99
25+25+25+25+25+25	2.33	2.03	2.03	2.03	2.03	2.03	14.00 (3.50-16.50)	3.648 (0.760-5.150)	16.02	99
25+25+25+25+25+35	2.19	1.91	1.91	1.91	1.91	2.67	14.00 (3.50-16.50)	3.645 (0.760-5.150)	16.01	99
25+25+25+25+25+42	2.10	1.83	1.83	1.83	1.83	3.07	14.00 (3.50-16.50)	3.634 (0.760-5.150)	15.96	99
25+25+25+25+25+50	2.00	1.74	1.74	1.74	1.74	3.49	14.00 (3.50-16.50)	3.620 (0.760-5.150)	15.90	99
25+25+25+25+35+35	2.06	1.79	1.79	1.79	2.51	2.51	14.00 (3.50-16.50)	3.642 (0.760-5.150)	15.99	99
25+25+25+25+35+42	1.98	1.72	1.72	1.72	2.41	2.89	14.00 (3.50-16.50)	3.631 (0.760-5.150)	15.95	99
25+25+25+35+35+35	1.94	1.69	1.69	2.37	2.37	2.37	14.00 (3.50-16.50)	3.639 (0.760-5.150)	15.98	99